

Dvě zajímavé hřibovité houby: *Boletus truncatus* a *Boletus subtomentosus* var. *leguei*

Two interesting species of the family Boletaceae: *Boletus truncatus* and *Boletus subtomentosus* var. *leguei*

(S barevnou tabulí č. 60)

Zdeněk Pouzar*)

Xeroconus truncatus Sing., Snell et Dick je poprvé uváděn z Československa z několika lokalit z okolí Prahy a zároveň přeřazen do rodu *Boletus*. Zdůvodňuje se, proč synonymní jméno *Xeroconus porosporus* Imler je neplatným jménem. *Boletus lanatus* Rostk. je považován spíše za varietu druhu *B. subtomentosus* L. ex Fr. a v hodnotě variety pak je správným jménem *Boletus subtomentosus* var. *leguei* (Boud.) Bataille.

Xeroconus truncatus Sing., Snell et Dick is recorded for the first time from Czechoslovakia in several localities in the vicinity of Prague and is transferred to the genus *Boletus*. The nomenclatural status of the invalid name *Xeroconus porosporus* Imler is also discussed. *Boletus lanatus* Rostk. is here considered as a variety of *Boletus subtomentosus* L. ex Fr. and the correct name is therefore *Boletus subtomentosus* var. *leguei* (Boud.) Bataille.