

Phellinus tricolor (Bres.) comb. nov., a tropical relative of Phellinus pilatii Černý

Phellinus tricolor (Bres.) comb. nov., tropický příbuzný Phellinus pilatii Černý

*František Kotlaba**)

Phellinus pilatii Černý, recently described from Czechoslovakia, has a related, very similar species in the tropics, viz. *Phellinus tricolor* (Bres.) Kotl.; the relationship of *P. pilatii* with the North American *P. everhartii* (Ellis et Gall.) A. Ames is out of the question owing to the absence of embedded setae and the ungulate shape of the fruitbody in the latter. *Phellinus tricolor* was collected by A. D. E. Elmer at the beginning of this century on the Philippine island Negros and was described by G. Bresadola in 1912 under the name *Poria tricolor* Bres.; it seems that this outstanding polypore has not previously been collected elsewhere, or its collection has not been published.

Phellinus pilatii Černý, nedávno popsáný z Československa, má velice podobný a příbuzný druh v tropech, a to *Phellinus tricolor* (Bres.) Kotl.; příbuznost *P. pilatii* se severoamerickým *P. everhartii* (Ellis et Gall.) A. Ames nepřipadá vzhledem k chybění vnořených set a kopytovitému tvaru plodnice u druhého v úvahu. *Phellinus tricolor* sbíral na počátku tohoto století na filipínském ostrově Negros A. D. E. Elmer a roku 1912 ho popsal G. Bresadola pod jménem *Poria tricolor* Bres.; zdá se, že jinde nebyl zatím tento význačný choroš sbírán, anebo jeho nález nebyl uveřejněn.