

ČESKÁ MYKOLOGIE

ČASOPIS ČESKOSLOVENSKÉ VĚDECKÉ SPOLEČNOSTI PRO MYKOLOGII
ROČNÍK 36 1982 SEŠIT 1

Marasmius quercophilus, a new species, common on oak leaves

Marasmius quercophilus, nový druh hojný na dubovém listí

Zdeněk Pouzar

Marasmius quercophilus Pouz. spec. nov. is most frequently identified with *Marasmius splachnoides* (Hornem. ex Fr.) Fr. The original *M. splachnoides* is, however, a completely different fungus and as our species on oak leaves has no name it should be described as a new species. It is closely related to *Marasmius androsaceus* (L. ex Fr.) Fr. but it differs in pale pileus and lamellae and also by occurrence on leaves of *Quercus* and *Castanea*.

Marasmius quercophilus Pouz. spec. nov. je určován běžně jako *Marasmius splachnoides* (Hornem. ex Fr.) Fr., avšak původní pojetí tohoto druhu představuje zcela jinou houbu. Vzhledem k tomu, že špička na dubových listech nemá žádné jméno, je jí nutno popsat jako nový druh. Je to druh blíže příbuzný *Marasmius androsaceus* (L. ex Fr.) Fr. a liší se bledým kloboukem a lupeny a také výskytem na dubových a kaštanových listech.