

Fungi described by and in honor of Carl Kalchbrenner
1. Additions and corrections. 2. Eponymy

PAVEL LIZOŇ

Plant Pathology Herbarium, Cornell University
401 Plant Science, Ithaca, NY 14853-4203, U. S. A.
E-mail: PL18@cornell.edu

Lizoň P. (1997): Fungi described by and in honor of Carl Kalchbrenner. 1. Additions and corrections. 2. Eponymy.- Czech Mycol. 49: 163-167

Additions and corrections to the list of Kalchbrenner's new taxa (Čes. Mykol. 46: 315-327, 1992) are supplemented by eponymy, a list of taxa named in his honor.

Key words: Kalchbrenner, fungi, list of new taxa, corrections, additions. Kalchbrenner's eponymy.

Lizoň P. (1997): Houby popsané C. Kalchbrennerem a houby popsané na jeho počest. 1. Doplňky a upřesnění. 2. Eponymie.- Czech Mycol. 49: 163-167

Seznam Kalchbrennerem uveřejněných nových taxonů hub (Čes. Mykol. 46: 315-327, 1992) je doplněn o nová data. Připojen je seznam taxonů pojmenovaných na Kalchbrennerovou počest.

Additions and corrections to the list of Kalchbrenner's new taxa¹⁾²⁾

Agaricus (Mycena) cinereo-cyaneus Kalchbr.

Omitted in the previous list. Probably a nomen nudum. Cited by von Mueller (1880: 120) but no description by Kalchbrenner found.

Agaricus megalotheles Kalchbr.

Published in 1883d, not in 1883c as reported previously.

Agaricus vulpecula Kalchbr.

First published in Fries (1874: 83), not in Kalchbrenner (1877: 61) as reported previously.

"Ateroma" vermicosum Kalchbr.

Generic name misspelled in the previous list. Correct to "*Asteroma*."

Cladoderris australis Kalchbr. in Thüm. (1878b: 442)

Omitted in the previous list.

Corticium murinum Kalchbr. in Thüm. (1880a: no. 1504)

¹⁾ "Previous list" and "previously" refers to Lizoň's paper Fungi described by Carl Kalchbrenner (Česká Mykol. 46: 315-327, 1992).

²⁾ Journal abbreviations follow Botanico-Periodicum-Huntianum (1968) and abbreviations of books are as proposed in Taxonomic Literature by Stafleu & Cowan (1976-1988) and Stafleu and Mennega (1992-)

Omitted in the previous list. Later homonym of *Corticium murinum* Berk. & Broome (J. Linn. Soc., Botany, 14: 70, 1873). New name: *Hymenochaete kalchbrenneri* Massee (J. Linn. Soc., Botany, 27: 116, 1890).

Geaster mammosus var. *galericulatus* Kalchbr.

Published in 1863b, not in 1862 as reported previously.

Helotium purpuratum Kalchbr. in Thüm. (1880b: no. 1614)

Omitted in the previous list.

Helotium scutellatum Kalchbr. & Cooke in Anon. (1891: 72)

Omitted in the previous list.

Hydnangium tasmanicum Kalchbr. in Cooke (1892: 247)

Omitted in the previous list.

Hygrophorus (Hygrocybe) lewellinae Kalchbr. (1883c: 105)

Omitted in the previous list.

Isaria granulosa Kalchbr.

Omitted in the previous list. Probably a nomen nudum. Cited by von Mueller (1880: 119) but no description by Kalchbrenner found.

Laschia cinerescens Kalchbr.

First published in von Thümen (1878b: 442), not in Cooke (1882a) as reported previously.

Marasmius minutissimus "F. Muell. & Kalchbr."

Incorrectly cited by Cooke, (1880c, 1892) even Kalchbrenner ascribed the name solely to F. von Mueller. Correct author's citation to "F. Muell. in Kalchbr."

Omphalophallus "retustus" Kalchbr.

Epithet misspelled in the previous list. Correct to "retusus."

Polyporus armitii Kalchbr.

First published in von Mueller (1879: 80) with Kalchbrenner as a publishing author and not in Müll. & Kalchbr. in Cooke (1882a: 94) as reported previously.

Polyporus birretum Kalchbr. (1876a: 114)

Omitted in the previous list.

Polyporus (Pleuropus) cognatus Kalchbr.

Omitted in the previous list. Probably a nomen nudum. Cited by Cooke, (1880c), but no description by Kalchbrenner found.

Polyporus cupreo-nitens Kalchbr. in Thüm. (1880c: no. 1702)

Omitted in the previous list.

Polyporus dispar Kalchbr.

First published in von Thümen (1878b: 441), not in Cooke (1882a) as reported previously.

Polyporus eucalypti Kalchbr. in Thüm. (1875a: 73)

Omitted in the previous list.

Polyporus hololeucus Kalchbr. (1876a: 114)

Omitted in the previous list.

Puccinia helichrysi Kalchbr. & Cooke (1880b:21)

Later homonym of *Puccinia helichrysi* Rabenh. (Deutschl. Krypt.-Fl. 1:26, 1844). New name: *Puccinia kalchbrenneri* De Toni in Sacc. (Syll. Fung. 7: 645, 1888).

Trametes peckii Kalchbr. in Peck (1881: 274)

Omitted in the previous list.

Kalchbrenner's eponymy

Taxa dedicated to Carl Kalchbrenner

Kalchbrennera Berk. (Gard. Chron., n. s. 5: 785, 1876)

Kalchbrenneria Schulzer (Öster. Bot. Z. 28: 394, 1878)

Clavaria kalchbrenneri F. Muell. in Kalchbr. (1883c: 105)

Clavaria kalchbrenneri Sacc. (Syll. Fung. 6: 710-711, 1887)

New name for *Clavaria dichotoma* Kalchbr. (1882a: 105), a later homonym of *Clavaria dichotoma* Godey in Gillet (Champ. France, Hymenom., p. 766, 1878).

Corticium kalchbrenneri Sacc. (Syll. Fung. 6: 619, 1887)

New name for *Corticium miniatum* Kalchbr. (1865a: 229), a later homonym of *Corticium miniatum* Berk. (London J. Bot. 4: 60, 1845) [non *Corticium miniatum* Cooke, 1880].

Geaster kalchbrenneri Hazsl. (Verh. Zool. Bot. Ges. Wien 26: 220, 1876)

≡ *Geastrum cryptorhynchum* var. *kalchbrenneri* (Hazsl.) Hazsl.

Gloeosporium kalchbrenneri Rabenh. in Kalchbr. (1868a: 22)

Hymenochaete kalchbrenneri Masee (J. Linn. Soc., Botany, 27: 116, 1890)

Cunningham (Trans. Roy. Soc. New Zeal. 85(1): 51, 1957) has stated that type specimen (at K) belongs to *Lloydia vinosa* [= *Peniophora v.* (Berk.) Masee]. For notes see *Corticium murinum* above.

Hypoxyylon kalchbrenneri Sacc. (Syll. Fung. 1: 364, 1882)

New name for *Hypoxyylon placenta* Kalchbr., a later homonym of *Hypoxyylon placenta* (Link) Sacc. (Sylloge Fung. 1: 369, 1882).

Inocybe kalchbrenneri Hazsl. (Commentarius in icones selectas Hymenomycetum Hungariae, Pestini 1873 editas. Eperjes 1884) The species name is based on *Inocybe plumosa* Bolt. unnamed var. in Kalchbrenner's Icones Selectae Hymenomycetum Hungariae, Vol. 3 pl. 22, fig. 2, 1875 as "Differt aliquantulum a typo,

statura minore, colore valde obscuro et stipitae laxe floccoso, vix squamoso." This name was cited by Heim (*Inocybe* p. 395, 1931) as "in Kalchbr., Ic., t. 22, f. 2, 1877 [sic!]" but it was described by Hazslinszky in 1884.

Lycoperdon kalchbrenneri De Toni in Sacc. (Syll. Fung. 7: 109, 1888)

New name for *Lycoperdon marginatum* Kalchbr. in Kalchbr. & Thum. (1880: 140), a later homonym of *Lycoperdon marginatum* Vittad. (Monogr. Lycoperd. p. 41, 1842) [non *Lycoperdon marginatum* Moris & de Not., 1839].

Melanoleuca kalchbrenneri Sing.

This new name for *Agaricus dehiscens* Kalchbr. in Roumeg. (1882: 95), a homonym of *Agaricus dehiscens* Viv. (Fung. Italia p. 58, pl. 59, ? 1837), appeared in Singer's *Agaricales* (2nd Ed., 1962) but I was not able to locate the original publication where the name was erected. According to the Code of Botanical Nomenclature (Art. 58.3) it was not necessary to replace Kalchbrenner's name because *Melanoleuca dehiscens* [Kalchbr.] Singer (Lloydia 5: 122, 1942) was validly published.

Nectriella kalchbrenneri Fuckel (Jahrb. Nass. Ver. Naturk. 23-24: 177, 1869)

Omphalia kalchbrenneri Bres. (Fungi Trident. p. 32, 1881)

Physarum kalchbrenneri Masee (Monogr. Myxogastr. p. 297, 1892)

Polyporus kalchbrenneri Fr. (Hymenomyc. eur. p. 531, 1874) New name for *Polyporus scutigera* Kalchbr. (1868: 259) a later homonym of *Polyporus scutigera* Fr. (Elench. fung. 1: 73, 1828).

Puccinia kalchbrenneri De Toni in Sacc. (Syll. Fung. 7: 645, 1888)

New name for *Puccinia helichrysi* Kalchbr. & Cooke (1880b:21), a later homonym of *Puccinia helichrysi* Rabenh. (Deutschl. Krypt.-Fl. 1:26, 1844).

Puccinia kalchbrenneriana De Toni in Sacc. (Syll. Fung. 7: 661, 1888)

New name for *Puccinia ornithogali* Kalchbr. in Kalchbr. & Cooke (1880b: 21), a later homonym of *Puccinia ornithogali* Hazsl. (Ertek. Termeszettud. Kor. 9(5): 12-13, 1879)

Septoria kalchbrenneri Sacc. (Syll. Fung. 3: 515, 1884)

New name for *Septoria euphorbiae* Kalchbr. (1865b: 158) a later homonym of *Septoria euphorbiae* (Lasch) Desm. (Cryp. Fr. no. 2191, 1851) [non *Septoria euphorbiae* Gupin in Roum., 1879].

Stereum kalchbrenneri Sacc. (Syll. Fung. 6: 568, 1888)

New name for *Stereum amoenum* Kalchbr. in Thum. (1867b: 424), a later homonym of *Stereum amoenum* (Lév.) Sacc. (Syll. Fung. 6: 580, 1888).

Stereum kalchbrenneri Masee (J. Linn. Soc. Bot. 27: 182, 1890)

This is a later homonym of Saccardo's name.

Stilbum kalchbrenneri Sacc. (Syll. Fung. 4: 570, 1886)

New name for *Sphaerostilbe rosea* Kalchbr. in Kalchbr. & Cooke (1880b: 26), which would have become a later homonym of *Stilbum roseum* Schwein. (Trans. Amer. Philos. Soc., ser. 2, 4(2): 284, 1832) on transfer to *Stilbum*.

Trametes kalchbrenneri Fr. in Kalchbr. (1868: 264)

ADDITIONS TO THE BIBLIOGRAPHY

(for other cited publications refer to the bibliography in the previous paper)

REFERENCES

- ANONYMUS (1865): C. Kalchbrenner, A Szepesi gombák jegyzéke (Verzeichniss der Zipser Schwämme) in den Mittheilungen der ungarischen Akademie der Wissenschaften zu Pest, 3. Band. 1865. (Mathematikai és Természettudományi Közlemények.) – Hedwigia 4: 117–121. [Review of Kalchbrenner's paper with repeated descriptions of some new taxa. Authored probably by L. Rabenhorst]
- ANONYMUS (1891): Omitted diagnoses. – Grevillea 19: 71–75.
- COOKE M. C. (1880c): Fungi Australiani, imprimis e collectionibus a reverendo J. M. Berkeley pervisis. In: Mueller F. von, Supplementum ad volumen undecimum Fragmentorum phytographiae Australiae, indices plantarum acotyledonarum complectens, p. 75–104, Melbourne.
- COOKE M. C. (1892): Handbook of Australian fungi. p. [i]–xxxii, 1–457, pl. 1–36, London.
- KALCHBRENNER C. (1876b): Zwei neue Pilzgattungen. – Hedwigia 15: 115–116. [correct the pagination in the previous bibliography]
- MUELLER F. von (1879): Fragmenta phytographiae Australiae, Vol. 11(15): 59–80, Melbourne.
- MUELLER F. von (1880): Additamenta pro supplemento voluminis undecimi. In: Mueller F. von, Supplementum ad volumen undecimum Fragmentorum phytographiae Australiae, indices plantarum acotyledonarum complectens, p. 105–121, Melbourne.
- PECK C. H. (1881): New species of fungi. – Bot. Gaz. 6: 274–277.
- THÜMEN F. von (1878b): Symbolae ad floram mycologicam Australiae. – Flora, ser. n., 36: 440–444. [Thümen's Mycotheca universalis. Cent.13 is cited as "Thum. (1878)" in the previous list]
- THÜMEN F. von (1880a): Mycotheca universalis. Cent.16, no. 1501–1600, Klosterneuburg.
- THÜMEN F. von (1880b): Mycotheca universalis. Cent.17, no. 1601–1700, Klosterneuburg.
- THÜMEN F. von (1880c): Mycotheca universalis. Cent.18, no. 1701–1800, Klosterneuburg.
- THÜMEN F. von (1881): Diagnosen zu Thumen's "Mycotheca universalis." – Flora 64: 237–239.