

## A new *Chaetosphaeria* with a *Dictyochaeta* anamorph

MARTINA RÉBLOVÁ

Institute of Botany, Academy of Sciences, 252 43 Průhonice, Czech Republic

Réblová M. (1998): A new *Chaetosphaeria* with a *Dictyochaeta* anamorph. – *Czech Mycol.* 50: 151–159

*Chaetosphaeria montana* spec. nov. with a *Dictyochaeta* anamorph was found on rotten wood of *Fagus sylvatica* in the Czech Republic. The new species are described and illustrated. Relationships of *C. montana* with *C. pulchriseta*, *C. callimorpha* and other taxa are discussed. The diagnostic characters of *Chaetosphaeria montana*, *C. pulchriseta* and *C. callimorpha* and their anamorphs are given.

**Key words:** Ascomycotina, Lasiosphaeriaceae, systematics.

Réblová M. (1998): Nový druh *Chaetosphaeria* s anamorfou z rodu *Dictyochaeta*. – *Czech Mycol.* 50: 151–159

Z území České republiky je popsán nový druh *Chaetosphaeria montana* spec. nov. s anamorfou z rodu *Dictyochaeta*, nalezený na tlejícím dřevu *Fagus sylvatica*. Jsou diskutovány vztahy mezi nově popsáným druhem a nejbližšími příbuznými druhy *Chaetosphaeria pulchriseta* a *C. callimorpha* a dalšími zástupci rodu *Chaetosphaeria*. Diagnostické znaky druhů *Chaetosphaeria montana*, *C. pulchriseta* a *C. callimorpha* jsou uvedeny v tabulkách.