

MYKOLOGICKÉ LISTY Č. 51 – 100

INDEX RODOVÝCH A DRUHOVÝCH NÁZVŮ HUB

INDEX OF TAXA

INDEX NOMINUM GENERUM ATQUE SPECIERUM FUNGORUM

A

- abalonus, Pleurotus 68: 6
abeatum, Penicillium 83: 16
abietina, Columnocystis 89: 2; 97: 38
abietina, Gremmeniella 97: 32
abietina, Hohenbuehelia 51:22; 58:24; 84-85: 55; 94: 39; 97: 41
abietina, Ramaria 67: 7; 71: 7; 86: 14; 94: 43
abietinum, Gloeophyllum 67: 6; 82: 10
abietinum, Heterobasidion 98: 7
abietinum, Trichaptum 53:19; 67: 7; 69: 17; 86: 14; 97: 20, 38; 99: 37
abietis, Cenangium 52:22
abietis, Cylindrotrichum 78: 7
abietis-canadensis, Melampsora 59:28
abjecta, Inocybe 56:27
abnorme, Cryptomycocolax 94: 29
abramsii, Mycena 82: 9, 10
Absidia 57:22; 64: 13, 21; 70: 28; 78: 11-13; 95: 14
abstrusa, Pholiota 57:8
Acanthobasidium 66: 27
Acanthophysellum 66: 27
Acaulospora 77: 22
acerbum, Tricholoma 66: 13
acerina, Dendrothele 75: 6
acerina, Diplodina 86: 24; 87: 23
acerina, Melasmia 86: 12, 24
acerinum, Rhytisma 53: 2, 3, 5; 86: 12, 24
acerinus, Crepidotus 93: 4
aceris, Aleurodiscus 78: 6
aceris, Dendrothele 78: 6
aceris, Taphrina 59:27
acerosa, Arrhenia 94: 1. str. obálky (bar. foto), 2. str. obálky; 20, 21, 28, 38
acerosa, Omphalina 76: 10
acerosa var. acerosa, Omphalina 76: 10
acerosa var. latispora, Omphalina 76:10
acerosa var. tenella, Omphalina 76: 10
acerosum, Lecanicillium 84-85: 43
acerosus f. latisporus, Pleurotellus 76: 9, 10
acerosus var. tenellus, Pleurotellus 76: 9
acerosus, Pleurotus 76: 9, 11
acerosus var. acerosus, Pleurotus 76: 9, 10
acerimus, Lactarius 69: 19; 74: 10; 79: 5; 80: 9
acetabula, Helvella 59:15
acetabulum, Helvella 67: 5

acicola, *Desmazierella* 87: 20
acicula, *Mycena* 74: 13; 79: 6; 90-91: 11
acicularis, *Cudoniella* 84-85: 49; 98: 32
acremonoides, *Harzia* 95: 16, 17
Acremonium 64: 22; 71: 30; 74: 19, 20, 22; 78: 13, 24; 88: 33; 90-91: 32; 92: 26; 95: 14; 96: 35; 97: 36
acremonium, *Cephalosporium* 70: 28
acrifolia, *Russula* 67: 15
acris, *Lactarius* 51:23; 58:24; 88: 23; 94: 49, 52
aculeatum, *Penicillium* 83: 22
aculeatum var. apiculatum, *Penicillium* 83: 23
acuminata, *Alatospora* 78: 6
acuminatum var. acuminatum, *Fusarium* 70: 14
acuminatum var. armeniacum, *Fusarium* 70: 14
acuminatum, *Fusarium* 57:29; 95: 15
acuta, *Inocybe* 67: 11, 19; 94: 49
acuta, *Leptosphaeria* 71: 24
acutata, *Chaetosphaeria* 94: 47
acutatum, *Colletotrichum* 77: 23
acutella, *Inocybe* 58:24; 84-85: 55; 94: 38; 97: 45; 98: 32
acutiseta, *Chaetomella* 86: 24
adametzii, *Penicillium* 83: 14
adametzioides, *Penicillium* 83: 14
adhaerens, *Lentinus* 71: 25
adiposa, *Pholiota* 55: 6, 7; 57: 3, 6, 7; 78: 8, 9; 82: 11; 88: 18; 89: 4
admissa, *Tephrocybe* 94: 49
adscendens, *Physcia* 80: 12,13
adulterina, *Cystolepiota* 67: 10, 19
adunca, *Uncinula* 59:28
adusta, *Bjerkandera* 67: 6; 69: 16; 75: 6; 78: 6; 86: 13, 25; 88: 16; 97: 20; 99: 36, 39
adusta, *Russula* 29: 20
Aecidium 71: 25
aegopodii, *Puccinia* 71: 25
aeneum, *Penicillium* 83: 14
aereus, *Boletus* 52:23; 68: 29; 74: 10; 87: 8; 94:40; 97: 30
aeruginea, *Russula* 67: 15; 69: 20; 79: 6; 86: 18; 87: 17; 99: 36
aeruginosum, *Leccinum* 98: 32
aeruginosa, *Stropharia* 67: 17; 69: 20; 78: 7; 79: 6; 86: 17; 87: 17; 90-91: 11; 99: 40
aeruginosum, *Penicillium* 83: 20, 21
aesculi, *Guignardia* 87: 20
aestivalis var. *veneris*, *Agaricus* 67: 8
aestivalis, *Bovista* 89: 8
aestivum, *Tuber* 51:21; 58:26; 69: 15; 77: 5-9; 84-85: 55; 94: 40
aestuans, *Tricholoma* 95: 24
aethiopicum, *Penicillium* 83: 18
aethiops, *Kirschsteiniothelia* 71: 24
aetites, *Mycena* 80: 10
affinis, *Laccaria* 74: 9; 89: 9
agaricoides, *Endoptychum* 51: 24; 58: 24
Agaricus 51: 25; 76: 10; 81: 8, 9; 98: 29
agassizii, *Lachnellula* 59: 28
aggregata, *Erysiphe* 59: 27
agloea, *Myxomphalia* 90-91: 22

agrestis, Clitocybe 89:8
agrimoniae, Pucciniastrum 59:29
agropyri, Urocystis 59:29
acharii, Eutypa 66: 11; 82: 10, 23
alata, Oryctospora 99: 32
Alatospora 100: 5
alba, Lepiota 89: 9
alba, Mycena 69: 19
alba, Neofabraea 97: 47
alba, Torrubiella 84-85: 43
Albatrellus 72: 11
albella, Helvella 83: 13; 89: 13, 14
albicans, Candida 61: 13; 69: 26; 71: 11,12; 76: 27; 78: 20, 21, 23; 88: 30
albida, Antrodia 59:1,2,3; 90-91: 19; 95: 6; 97: 41
albidofuscus, Dichomitus 97: 42
albidoides, Antrodia 59:2
albidulus, Paxillus 97: 6, 9
albidum, Gerronema 69: 18
albidum, Hydnus 92: 10; 95: 33
albidus, Boletus 74: 10
albipes, Helvella 89: 13
albo-atrum, Verticillium 84-85: 38, 39
albobrunnea, Antrodia 84-85: 55
albocinerascens, Penicillium 83: 14
albocoremium, Penicillium 83: 22
albocrenulata, Hemipholiota 74: 10
albocrenulata, Pholiota 84-85: 49
albocrenulata, Stropharia 51:19,23; 58:26; 97: 29
albocyanea, Stropharia 78: 6; 79: 6
albolutescens, Anomoporia 55:11,12; 58:14
albsoluteus, Pycnoporellus 84-85: 56
albonigra, Russula 51:23; 58:25; 69: 20; 94: 15, 18, 52
albopruinosa, Diatrype 59:28
alboviolaceus, Cortinarius 86: 16
alboviridis, Kavinia 65: 9; 73: 6, 7, 13
Albugo 77: 19
album, Aphanocladium 84-85: 40
album, Engyodontium 95: 15
album, Microstroma 59:29
album, Penicillium 83: 19
albus, Ptychogaster 86: 13
albus, tenuissimus, graminis dactyloidis facie, seminibus rotundis, Aspergillus 83: 19
alcalina, Mycena 67: 14; 79: 6; 86: 17
aleophilum, Phaeoacremonium 93: 23-25
aleuriatus, Bolbitius 99: 39
Aleurobotrys 66: 27
Aleurocystidiellum 96: 21
Aleurodiscus 66: 27; 96: 20
alexandri, Clitocybe 52:23
alicantinum, Penicillium 83: 14
allahabadense, Penicillium 83: 22
alliaceus, Marasmius 58:7
allii, Penicillium 83: 18

allutus, *Cortinarius* 67: 10
alnetorum, *Cortinarius* 94: 48
alnetorum, *Russula* 51: 23; 58: 26; 84-85: 49; 94: 35, 36, 49
alni, *Phytophthora* 97: 32, 46
alni, *Polyporus*, *Postia* 52:6
alni, *Postia* 99: 39
alni, *Vullemnia* 97: 1-6; 99: 1
Alnicola 97: 45
alnicola, *Pholiota* 55: 8, 9; 57: 3, 11; 73: 8, 13; 86: 17; 99: 37
alniphilus, *Marasmius* 58:3
alnophila, *Dermocybe* 84-85: 17, 18
alopecuri, *Dilophospora* 94: 51
alpestris, *Helvella*, *Leptopodia* 60:5
alphitobus, *Coremium* 83: 20
alphitoides, *Microsphaera* 53: 2, 5; 71: 24; 87: 21; 92: 15; 100: 22, 24
alpicolum, *Entoloma* 51:22; 58:24; 84-85: 55; 94: 38
alta, *Peronospora* 59:27; 71: 23
Alternaria 64: 13, 22; 68: 16, 17, 21; 71: 31; 74: 18, 20; 78: 11-13, 22; 88: 33; 95: 12, 14; 99: 20; 100: 5; 18, 20
alternata var. *lycopersici*, *Alternaria* 60: 13,14,18
alternata, *Alternaria* 57: 28; 68: 16, 17; 69: 22; 79: 11; 92: 13, 14, 52; 95: 15; 97: 35
alternata, *Endophragmia* 71: 27; 99: 38
altipetum, *Apiorhynchostoma* 94: 47
alutacea, *Otidea* 53:5; 84-85: 48, 49
alutacea, *Russula* 69: 20
alutacea, *Skeletocutis* 58:13,14,16
alutaceoumbrina, *Tomentella* 98: 1
alutaceoumbrinum, *Tomentellastrum* 84-85: 22
Alytosprium 98: 1-5, 7
Amanita 83: 28; 88: 13, 35
amara, *Pholiota* 57:11
amara, *Russula* 87: 17; 99: 35, 40
amara, *Xeromphalina* 82: 3
Amauroderma 74: 28
Amaurodon 68: 10
ambiens, *Cytospora* 86: 24
ambiens, *Valsa* 53: 2, 5; 86: 24; 87: 22
ambigua, *Anomoporia* 55:11-13
ambiguus, *Uromyces* 98: 24
amentacea, *Ciboria* 86: 12
americana, *Uredinopsis* 59:29
americanum, *Phragmidium* 59:28
americanum, *Pucciniastrum* 59:29
amethystea, *Laccaria* 69: 18; 86: 16; 87: 16; 99: 36, 37; 67: 12; 79: 5; 99: 39
amianthinum, *Cystoderma* 69: 18; 86: 16; 89: 9
amicta, *Mycena* 94: 18
ammoniavirescens, *Paxillus* 97: 6, 9
ammophila, *Psathyrella* 51:23; 58:25
amoena, *Russula* 69: 20
amorpha, *Skeletocutis* 58:13
amorphus, *Aleurodiscus* 88: 21, 27; 93: 17; 96: 21
ampelicida, *Phyllosticta* 59:30; 93: 20
ampelina, *Elsinoe* 93: 20

ampelinum, Sphaeloma 93: 20
ampelinus, Phellinus 93: 23
ampla, Auriculariopsis 67: 6; 71: 26; 74: 10; 79: 4; 86: 13; 90-91: 11; 95: 7
amstelodami, Eurotium 65: 22
amygdalina, Mycena 67: 14
amygdalosporus, Crepidotus 93: 7
Amyloporia 99: 6
anceps, Biscogniauxia 96: 6, 7, 10
andersonii, Inonotus 51: 21; 52: 14; 55: 13; 58: 24; 86: 26
andinensis, Hypocrea 70: 29
andropogonis, Puccinia 59:28
andropogonis, Sorisorium 59:29; 98: 26
androsaceus, Marasmius 58: 6; 67: 13; 69: 19; 86: 17
androsaceus, Setulipes 58: 6; 75: 7; 89: 10
aneirina, Ceriporiopsis 97: 41
anglica, Sporidesmium 94: 51
angulatum, Trichladium 78: 6
angustata, Puccinia 59:28
angustata, Truncatella 71: 27; 86: 25
angustatum, Hysterium 99: 38
angustinus, Phaeoacremonium 93: 23, 24
angustispora, Diheterospora 84-85: 44
angustispora, Hemimycena 94: 7
angustispora, Rotiferophthora 84-85: 44
annae, Agaricus 67: 26
annosum (etiam annosus), Heterobasidion 52: 12, 13, 22; 67: 7; 69: 16; 72: 11; 86: 13, 26; 87: 15; 88: 17; 97: 38; 98: 7, 8; 99: 39
anomala, Cyphelopsis 71: 25, 26
anomala, Ustilago 59:29
anomalus var. anomalus, Marasmius 58: 9
anomalus var. microsporus, Marasmius 58: 9; 75: 5-8
anomalus, Cortinarius 87: 16; 98: 16
anomalus, Merismodes 55:30; 99: 36, 37
Anomoporia 55:11,12
anthocephala, Thelephora 59:29
anthophilum, Fusarium 60:13, 18; 70: 14
anthracina, Dermocybe 84-85: 14
anthracinus, Cortinarius 84-85: 1, 15
anthracobia var. Anthracobia, Fayodia 99: 9
anthracobia var. bisphaerigerella, Fayodia 90-91: 21; Fayodia 99: 9
anthracobia, Fayodia 90-91: 21; 99: 8-10
anthracophila, Tephrocybe 86: 17, 18
anthurii, Uredinopsis 59:29
antillanum, Lecanicillium 84-85: 43
antillanum, Verticillium 84-85: 43
antracophilum, Lyophyllum 89: 9
Antrodia 54:5; 59:1,2
Antrodiella 55:19; 56:1
Antromycopsis 68: 6
aphanis var. physocarpi, Sphaerotheca 59:28
aphanis, Sphaerotheca 59:28; 71: 24
aphanocladii, Lecanicillium 84-85: 42
Aphanocladium 84-85: 39

apiculata, Ramaria 71: 7
apium, Tricholoma 67: 29
apocrypta, Kabatiella 87: 23
Aporpium 70: 1
Aporpium 93: 18 - Aposphaeria 92: 13
appendiculatus, Boletus 54:18; 69: 17; 75: 6, 8
applanatum, Ganoderma 65: 10; 71: 3, 4; 73: 4; 82: 17, 4. str. obálky (bar. foto); 86: 26
applanatus var. fulvifibrillosus, Crepidotus 93: 5
applanatus var. kuzyanus, Crepidotus 93: 5
applanatus, Crepidotus 93: 3, 5; 94: 17
applicatus, Resupinatus 78: 7; 87: 17
aquaspersa, Rhinocladiella 78: 22
aquila, Rosellinia 71: 24
aquilana, Nodulosphaeria 55:30
aquosa, Collybia 61: 7; 67: 9
aquosus, Gymnopus 75: 6
arabicum, Penicillium 83: 15
ragonense, Penicillium 83: 17
arachnoidea, Rimbachia 74: 10
arachnophilum, Engyodontium 84-85: 43
aranearum, Acremonium 84-85: 42
aranearum, Aphanocladium 84-85: 42
aranearum, Cephalosporium 84-85: 43
aranearum, Engyodontium 84-85: 42
aranearum, Lecanicillium 84-85: 43
aranearum, Sporotrichum 84-85: 42
aranearum, Verticillium 84-85: 43
araneosum, Entoloma 99: 35, 38
arcangeliana, Mycena 94: 17
arctica, Cyathipodia, Helvella, Paxina 60:5
arctica var. macroisperma, Helvella 60:5
arctica, Gamundia 90-91: 22
arcuata, Melanoleuca 67: 14
arcuatum, Cortinarius 74: 10
arcularius, Polyporus 69: 17; 71: 26; 75: 7; 78: 7; 79: 4; 89: 10; 90-91: 11
arcyrioides, Lamproderma, Stemonitis 80: 12, 13
arcyrioides var. arcyrioides, Lamproderma 80: 12, 13
ardesiacum, Penicillium 83: 14
ardunennensis, Phaeocollybia 88: 24, 27
arenaria, Montagnea 51: 24; 58: 25, 28; 84-85: 55
arenariae, Puccinia 71: 25; 76: 12
arenicola, Penicillium 74: 19, 20; 83: 18
areolatum, Amylostereum 67: 6; 89: 2
areolatum, Scleroderma 86: 19; 89: 10
arescens, Exobasidium 98: 26
argentinicus, Aspergillus 65: 22
argillacea, Jaapia 76: 1
argyraceum, Tricholoma 69: 20; 80: 10
arhizus, Pisolithus 95: 32, 96: 30
archeri, Anthurus 87: 25; 88: 21
archeri, Clathrus 69: 21
ariae, Dermea 87: 20
arida, Coniophora 56:12; 68: 10

ari-triphylli, Uromyces 59:29
armeniacus, Boletus 74: 10
Armillaria 77: 13; 92: 15; 97: 38; 100: 4, 15, 25
aromaticum, Penicillium 83: 21
aromaticum f. microsporum, Penicillium 83: 20
aromaticum-casei, Penicillium 83: 21
Arrhenia 76: 10; 94: 21; 97: 45
arrhenii, Conocybe 67: 9
arrhenomanes, Pythium 77: 22
arrhizus, Rhizopus 61: 17
artemisiae, Erysiphe 55:30
artemisiella, Puccinia 55:29
Arthonia 73: 16
Arthrinium 67: 21; 78: 12; 95: 12, 14
Arthrobotrys 95: 14
arvensis, Agaricus 67: 8; 69: 17; 79: 4; 86: 15; 87: 16
arvernensis, Peziza 82: 10
asarina, Puccinia 76: 12; 90-91: 26; 98: 22
Ascobolus 88: 33
Ascochyta 100: 5
Ascospshaera 75: 29
asema, Collybia 67: 9; 78: 6; 99: 36, 38
aspera, Amanita 74: 10
aspera, Hyphodontia, Odontia 56:13
aspera, Lepiota 66: 12; 69: 19; 74: 13; 79: 6; 82: 10; 87: 16
Aspergilloides 83: 14, 24
Aspergillus 51: 15, 17; 57: 22, 27; 62: 12; 64: 21, 22; 65: 16-22; 66: 17; 68: 16, 17; 70: 11, 28; 72: 19; 74: 18-20, 22, 30; 77: 21; 78: 11, 13, 14, 23, 24; 79: 19; 92: 14; 95: 12, 14; 99: 20; 100: 18, 20
asperosporum, Penicillium 83: 16, 18
asperimum, Vascellum 51:13
asperula, Tomentella 81: 4-7
asperulatus, Geomyces 95: 15, 17
asperulus, Hypochnus 81: 4
aspideus, Lactarius 94: 41; 98: 32
aspidii, Incrupila 55:30
aspidiotus, Hyalopsora 59:28
astaci, Aphanomyces 100: 15
asterigma, Tomentella 77: 1
asterosperma, Octaviania 95: 33
asterospora, Inocybe 94: 52
asterum, Coleosporium 59:28
astragalina, Pholiota 57:4,8
astrantiae, Leptotrichila 55:30
Astromata 80: 20
asturianum, Penicillium 83: 17
aterrima, Moraeua 98: 26
Athelia 54:1
atra, Acremoniella 87: 22
atra, Helvella 96: 30; 99: 36
atra, Periconia 71: 27; 78: 7
atra, Stachybotrys 65: 11-13; 66: 19; 68: 19, 20
atramentaria, Thelephora 84-85: 21

atramentaria, *Tomentella* 83: 1, 84-85: 20-25
atramentarius, *Coprinus* 69: 17; 86: 16; 99: 37, 38
atramentarius, *Hydropus* 84-85: 55
atramentosum, *Penicillium* 83: 18
atramentosus, *Coprinus* 87: 16
atramentosus, *Hydropus* 51: 22; 54: 29; 58: 24
atrata, *Tephrocybe* 51:4
atratum, *Geastrum* 84-85: 32
atratum, *Lyophyllum* 89: 9
atrocineratum, *Dermoloma* 51:22; 58:24
atrocoerulea, *Hohenbuehelia* 69: 18; 73: 5
atrocoeruleus, *Pleurotus* 73: 6
atrocyannea, *Pseudotomentella* 68: 9, 10, 12
atrocyannea, *Tomentella* 68: 8-10
atrocyaneus, *Amaurodon* 68: 9
atrofusca, *Nectria* 59:28
atrofusca, *Pseudotomentella* 95: 1, 3-5
atrogiseum, *Acremonium* 96: 35
atromarginatus, *Pluteus* 67: 15; 99: 40
atropurpurea, *Russula* 67: 15
atropurpureum, *Geoglossum* 84-85: 55
atrosanguineum, *Penicillium* 83: 17
atrosquamosum, *Tricholoma* 51:22; 58:26
atrotomentosus, *Paxillus* 67: 15; 86: 14; 89: 10
atrovenetum, *Penicillium* 83: 16
atrovirens, *Cortinarius* 82: 5
atrovirens, *Penicillium* 83: 17
atrovirens, *Tomentella* 83: 1
atroviride, *Penicillium* 83: 21
atroviridis, *Sarcodon* 62: 11
attenuatum, *Lecanicillium* 84-85: 42
augustus, *Agaricus* 52:23; 67: 8; 75: 6; 79: 4; 87: 16; 93: 29
aurantia, *Aleuria* 53: 3, 5; 55: 30; 59:28; 67: 5; 69: 15
aurantiaca, *Hygrophoropsis* 67: 11; 79: 7; 86: 14; 87: 16; 89: 9
aurantiaca var. atrotomentosa, *Hygrophoropsis* 87: 16
aurantiaca, *Tomentellopsis* 90-91: 1
aurantiacum, *Hydnellum* 62: 7; 87: 7; 88: 8
aurantiacum, *Leccinum* 52:23; 76: 26; 78: 7; 79: 7; 80: 21; 89: 3, 6
aurantiacum, *Penicillium* 83: 22
aurantiacus, *Lactarius* 69: 19
aurantio-albidum, *Penicillium* 83: 18
aurantiobrunneum, *Penicillium* 83: 15
aurantiocandidum, *Penicillium* 83: 18, 22
aurantioflavum, *Penicillium* 83: 22
aurantiogriseum, *Penicillium* 65: 19, 22; 83: 18, 22
aurantiogriseum var. poznaniiense, *Penicillium* 83: 19
aurantiomarginata, *Mycena* 67: 14; 86: 17; 99: 39
aurantiorugosus, *Pluteus* 51: 22; 58: 25; 87: 5, 7; 88: 10
aurantioviolaceum, *Penicillium* 83: 16
aurantiovirens, *Penicillium* 65: 20; 83: 18
aurata, *Russula* 51:28; 67: 15
auratile, *Hydnellum* 62: 7
auratum, *Tricholoma* 95: 24

aurea, Auriporia 53:13-15,17,18
aurea, Phaeolepiota 83: 13
aurea, Poria 53:13
aurea, Russula 69: 20
aureifolius, Cortinarius 84-85: 11, 18
Aureobasidium 68: 18; 72: 24, 25; 78: 12; 88: 33; 95: 12
aureolatus, Aspergillus 69: 23, 25
aureonitens, Nectriopsis 53:3,5
auricomum, Ozonium 82: 10
auricomus, Coprinus 80: 9
auricula, Otidea 55:30
auricula-judae, Auricularia 86: 12; 87: 15; 71: 25; 79: 4; 80: 9
auricula-judae, Hirneola 86: 26; 88: 17; 99: 37, 39
auriflum, Penicillium 83: 16
Auriporium 53:13
Auriscalpium 62: 5; 81: 32
auriscalpium, Arrhenia 51:22; 58:23,26
auriscalpium, Hohenbuehelia 94: 16, 18
aurisporum, Ozonium 70: 6
aurivella var. cerifera, Pholiota, Dryophila 78: 8
aurivella, Pholiota 57: 3, 6; 69: 20; 78: 8,10, V/1; 89: 4
aurivellus, Agaricus 78: 8
aurora, Russula 94:18
aurulenta, Auriporia 53:13; 89: 2, 6, 4. str. obálky (bar. foto)
australe, Ganoderma, 82: 10
australicum, Penicillium 83: 19
australis, Chalara 90-91: 33
austriaca, Sarcoscypha 74: 11; 94: 40; 99: 10, 13
autochthonus, Crepidotus 93: 3, 7, 8
autumnale, Sistotrema 54:29
avellanea, Talaromyces 64: 14
avellanea, Tomentella 88: 2, 3
avellaneus, Talaromyces 57:28
avenaceum, Fusarium 57:29; 70: 14; 95: 15
avenae, Ustilago 55:29.
azonites, Lactarius 69: 19; 79: 5
azurea, Russula 67: 15

B

babingtonii, Entoloma 58:27
bacillosporus, Talaromyces 57:28
Bactrospora 73: 16
baculum, Penicillium 83: 20
badia, Peziza 67: 5
badia, Russula 67: 16; 86: 18
badia, Tomentella 98:1
badiofusca f. diatricopila, Tomentella 74: 1
badiofuscus, Boletus, Xerocomus 51:10,11
badium, Geastrum 53: 6; 59: 5; 89: 14
badius, Boletus 99: 36, 39
badius, Polyporus 66: 13; 80: 10; 82: 9; 89: 5, 6, 10; 99: 39
badius, Xerocomus 51: 10, 11; 67: 17; 70: 9; 78: 7; 79: 7; 86: 15; 87: 17; 89: 11

baeumleri, *Microsphaera* 55:30
baiiolum, *Penicillium* 83: 16
bailii, *Saccharomyces* 56:8
bakeri, *Phellinus* 90-91: 18
balaenae, *Ceriporiopsis* 56: 11; 98: 32
balanoides, *Acremonium* 84-85: 44
balanoides, *Cephalosporium* 84-85: 44
balanoides, *Haptocillium* 84-85: 41, 44
balanoides, *Tolypocladium* 84-85: 44
balanoides, *Verticillium* 84-85: 40, 44
baldinii, *Lizonia* 55:30
balsaminae, *Sphaerotheca* 55:29
balteatus, *Cortinarius* 51: 23; 58: 23; 93: 29
Bankera 62: 5
bantiana, *Cladophialophora* 78: 22
baradicum, *Penicillium* 83: 16
barbulatum, *Clitocybe* 58:27; 83: 11
baronii, *Goidanichiella* 94: 45
basiroseus, *Cortinarius* 51:23; 58:24
basirubens, *Tricholoma* 54:27
bassiana, *Beauveria* 70: 14; 99: 30
bataillei, *Cortinarius* 84-85: 1. str. obálky (bar. foto), 2. str. obálky, 4, 6
bataillei, *Dermocybe* 84-85: 6
batschiana, *Ciboria* 75: 6; 92: 14; 97: 33
batschii, *Tricholoma* 99: 38
battaruae, *Amanita* 67: 8; 86: 15; 88: 20
Battarraea 72: 24
bayeri, *Haplosporidium* 99: 32
Beauveria 64: 22; 94: 47
beckeri, *Amanita* 54:16; 79: 5; 83: 12; 94: 40
behenis, *Puccinia* 98: 22
beirnei, *Coelomomyces* 99: 32
bellulus, *Coprinus* 90-91: 11
bellulus, *Gymnopilus* 93: 11, 14
benesii, *Agaricus* 80: 9–11; 94: 48
benoistii, *Gymnopus* 61: 5-9; 75: 6, 8
benzoinum, *Ischnoderma* 86: 27
beomiforme, *Fusarium* 70: 14
bergeri, *Exophiala* 72: 25
berkeleyi, *Gastrum* 51: 23; 53: 6; 56: 18-20; 58: 24; 69: 21; 84-85: 55; berkeleyi, *Gastrum* 93: 1. str. obálky (bar. foto), 16, 17
berkeleyi var. *continentale*, *Gastrum* 56:19
berkeleyi, *Hygrocybe* 98: 32
berolinensis, *Psathyrella* 94: 49
bertai, *Penicillium* 83: 15
bethelii, *Physarum* 57:13,14,16,18,19
beticola, *Cercospora* 100: 23
betulae, *Ophiovalsa* 86: 23
betularum, *Russula* 56:15
betulicola, *Boletus* 54:21
betulicola, *Ciboria* 90-91: 11
betulina, *Discula* 86: 25
betulina, *Lenzites* 52:4; 82: 7; 97: 41

betulinum, *Melampsorium* 88: 17
betulinum, *Melanconium* 71: 27
betulinum, *Prosthemium* 86: 24
betulinum, *Trimmatostroma* 86: 25
betulinus, *Piptoporus* 67: 7; 75: 7; 79: 4; 82: 11; 86: 14; 87: 15; 97: 20
bialowiezense, *Penicillium* 83: 19
bickhamensis, *Crepidotus* 93: 7
bicolor var. *rubi*, *Dasyscyphus* 86: 12
bicolor, *Bipolaris* 95: 15, 17
bicolor, *Cortinarius* 67: 10
bicolor, *Laccaria* 72: 10; 94: 18
bicolor, *Laxitextum* 69: 16; 86: 13, 19
bicolor, *Ophiostoma* 97: 46
bicolor, *Vascellum* 51:13
bicorne, *Ceratobasidium* 54:29
bicornis, *Sawadea* 87: 22
bicornis, *Uncinula* 99: 38
bidwellii, *Guignardia* 93: 20
biennis, *Abortiporus* 74: 9
biennis, *Heteroporus* 56:27
biforme, *Penicillium* 83: 19
biforme var. *vitriolum*, *Penicillium* 83: 17
biforme, *Trichaptum* 90-91: 17
bilatae, *Penicillium* 83: 14
Bionectria 80: 20
biougeianeum, *Penicillium* 83: 19
biourgei, *Penicillium* 83: 21
Bipolaris 95: 12, 14
birnbaumii, *Leucocoprinus* 51:5
Biscogniauxia 96: 6, 7, 12
biseptata, *Endophragmiella* 99: 37
bisphaerigera, *Fayodia* 77: IV/1, 2; 99: 8, 9
bisphaerigera var. *bisphaerigera*, *Fayodia* 90-91: 21
bisphaerigera var. *longicystis*, *Fayodia* 90-91: 22
bisphaerigerella, *Fyodia* 99: 9
bisporigerus, *Marasmiellus* 65: 6
bisporus, *Agaricus* 100: 26; 80: 9
bisporus, *Xeromyces* 56:8
bisus, *Lentinellus* 94: 41
bitorquis, *Agaricus* 74: 13
bivalve, *Physarum* 59:27
Biverticillium 65: 20, 21; 83: 14, 24
blakesleei, *Penicillium* 83: 21
Blastomyces 70: 28
blennius, *Lactarius* 67: 12; 69: 19; 86: 18; 99: 37
blepharis, *Libertella* 93: 21
bliti, *Albugo* 77: 19
bloxami, *Brachysporium* 71: 25
bloxamii, *Entoloma* 51:29; 84-85: 55; 89: 30
bohemica, *Alnicola* 95: 32
bohemica, *Psilocybe* 87: 5; 94: 49
bohemica, *Ptychoverpa* 73: 9, 13; 79: 4
bohusii, *Agaricus* 74: 9

bolaris, *Cortinarius* 94: 41
Boletus 64: 28; 73: 3; 76: 25; 84-85: 26, 28; 88: 13
bombycina, *Anomoporia* 55:11,12
bombycina, *Volvariella* 69: 20
borealis, *Climacocystis* 97: 38; 99: 35, 37
botryoides, *Tomentella* 83: 1
botryosum, *Botryobasidium* 68: 10
botryosum, *Penicillium* 83: 16
Botryotrichium 95: 14
Botrytis 64: 13; 65: 11; 68: 17; 69: 28; 95: 12
botrytis, *Ramaria* 69: 17; 86: 8-10; 87: 6, 13; 94: 43
botrytis, *Trichia* 71: 27
botulispora, *Orbilia* 71: 24
boudieri, *Pluteus* 82: 11; 94: 42
bourdotiana, *Ramaria* 66: 13
bourdotii, *Clavaria* 73: 6,7
bourdotii, *Kavinia* 65: 9
bovinus, *Suillus* 75: 8; 79: 7; 87: 17; 89: 10; 99: 36, 40
bovinus var. *mitis*, *Suillus* 87: 17
Bovista 97: 45
bovista, *Disciseda* 89: 9, 12, 13
bovista, *Scleroderma* 89: 10
boydii, *Allescheria* 70: 28
boydii, *Pseudallescheria* 70: 28
brachyspora, *Heterochaetella* 66: 5, 6
brachyurum, *Coryneum* 86: 24; 87: 21
branjeziana, *Helvella* 62: 16
brasiliandum, *Penicillium* 83: 16
brassiolens, *Micromphale* 65: 3
brefeldianum, *Eupenicillium* 62: 12
bresadolae var. *flavogriseus*, *Suillus* 67: 29
bresadolae, *Crepidotus* 93: 8
bresadolae, *Hypochnus* 92: 1
bresadolae, *Mucronella* 97: 41
bresadolae, *Tomentella* 84-85: 21; 92: 1-6, 4. str. obálky (bar. foto)
bresadoliana, *Tomentellopsis* 61: 1-4; 93: 2. str. obálky (oprava), 3
brevicaulis, *Scopulariopsis* 69: 23, 25; 78: 13; 79: 23
brevicompactum, *Penicillium* 69: 25; 71: 25; 74: 19, 20, 22; 83: 19, 22
brevicompactum var. *magnum*, *Penicillium* 83: 21
brevipes, *Melanoleuca* 51:5
brevipes, *Pileolaria* 59:28
breviseta, *Hyphodontia* 89: 3
brevispina, *Tomentella* 88: 4; 92: 4
brevisporus, *Marasmiellus* 65: 4
brevissima, *Tomentella* 81:7
brevissimum, *Penicillium* 83: 14
brienzensis, *Ramaria* 95: 33
brinkmannii, *Sistotrema* 97: 42
broomeanus, *Melanogaster* 79: 8
broomei, *Ramaria* 69: 7, 8
brownii, *Flaviporus* 51:8,10
brumale, *Tulostoma* 59:15; 80: 11; 97: 22
brumalis, *Clitocybe* 69: 17; 82: 10; 86: 15

brumalis, *Polyporus* 69: 17; 78: 6; 79: 4; 86: 14; 99: 36
brumptii, *Scopulariopsis* 95: 16, 17
brunnea, *Marssonina* 59:30
brunneofirma, *Tomentella* 98: 1
brunneola var. „myriadea“, *Xeromphalina* 82: 2
brunneola var. brunneola, *Xeromphalina* 82: 2
brunneoroseus, *Crepidotus* 93: 4, 7
brunneorubrum, *Penicillium* 83: 20
brunneorufa, *Tomentella* 83: 3
brunneostoloniferum, *Penicillium* 83: 19
brunneoviolacea, *Russula* 69: 20; 94: 16; 98:32
brunneoviolaceum, *Penicillium* 83: 18
brunneoviride, *Penicillium* 83: 16
brunneum, *Penicillium* 83: 22
Brunnypila 96: 36
bryophila, *Rimbachia* 90-91: 11
bryophila, *Tomentella* 81: 4, 7; 83: 1; 92: 4
bucknalii, *Cystolepiota* 51:22; 58:24
bucknallii, *Cystolepiota* 97: 29
bugellensis, *Hypodontia* 95: 7, 11
bulbiger, *Leucocortinarius* 67: 13; 84-85: 49; 86: 17, 19; 99: 37
bulbilosa, *Pochonia* 84-85: 44, 46
bulbilosum, *Verticillium* 84-85: 40, 44, 46
bulbosa, *Armillaria* 74: 9; *Armillaria* 86: 15
bulbosum, *Phragmidium* 99: 38
bulgaricus, *Leptoporus* 54:5
bulgarioides, *Ciboria* 55:29
bullardi, *Marasmius* 58:3; 96: 8; 82: 10; 86: 17
butyracea f. asema, *Rhodocollybia* 86: 17
butyracea var. asema, *Rhodocollybia* 69: 20
butyracea var. butyracea, *Rhodocollybia* 80: 10.
butyracea, *Collybia* 67: 9; 70: 9
butyracea, *Rhodocollybia* 61: 7; 69: 20; 86: 17; 87: 17; 89: 10
buxi, *Marasmius* 58:5.
Byssochlamys 62: 12, 13; 64: 22.
byssoides, *Periconia* 87: 24

C

cacaliae, *Coleosporium* 55:30
cactorum, *Phytophthora* 52:22
Cacumisporium 74: 30
caerulea, *Pritzeliella* 83: 19
caerulea, *Stropharia* 79: 6; 80: 10; 99: 40
caerulea, *Terana* 95: 9
caerulescens, *Penicillium* 83: 18
caerulescens, *Taphrina* 59:27
caeruleum, *Hydnellum* 59:29; 62: 7; 87: 7; 88: 8
caeruleum, *Pulcherricum* 73: 13-16; 95: 9, 11
caesarea, *Amanita* 51: 22; 53: 27; 58: 23; 83: 10; 84-85: 55; 90-91: 44; 94: 40, 48; 96: 30
caesia, *Menispora* 99: 37
caesia, *Postia* 52: 5-7; 67: 7; 69: 17; 86: 14; 99: 37, 39
caesiae, *Citromyces* 83: 15

caesiocinctum, Entoloma 97: 43
caesiocinerea, Tomentella 98: 1
caesiocinereum, Tomentellastrum 83: 1
caesiotincta, Volvariella 51: 22; 58: 26, 28; 94: 39
caesium, Gonytrichum 78: 6
caesius, Oligoporus 54: 29; 86: 27; 87: 16; 97: 20
caesius, Tyromyces 52:6
caespitosa, Chamonixia 51: 19, 24; 58: 23; 84-85: 55; 97: 29
caespitosus, Mucor 83: 19
cajanderi, Fomitopsis 90-91: 19
cakiles, Peronospora 59:27
calamistrata, Inocybe 88: 23, 27
calcareum, Hysterangium 51:24; 58:24
calcea, Poria 55:20
calcicola, Tomentella 64: 3; 83: 3
calcitrapae, Puccinia 59:28
Caldesiella 66: 1
caligatum, Tricholoma 67: 29; 88: 11
calolepis, Crepidotus 93: 3, 4
Caloplaca 100: 16
calopus, Boletus 94: 31
calopus, Rutstroemia 94: 51
calthae, Puccinia 90-91: 26
calyculata ("caliculata"), Hemitrichia 57:13,14,16,18,19
calyptraeformis, Hygrocybe 51:29
calyptatus, Pleurotus 68: 3, 8; 97: 22-24
calyptriformis (etiam calyptraeformis), Hygrocybe 84-85: 55; 87: 5; 89: 30
Camarosporium 87: 20, 23
cambivora, Phytophthora 97: 32
camemberti, Penicillium 64: 12; 83: 19
camemberti var. candidum, Penicillium 51:17
camemberti var. rogeri, Penicillium 83: 19
camerunense, Penicillium 83: 20
campanella, Fayodia 90-91: 21; 99: 8
campanella, Xeromphalia 67: 17; 82: 2, 4; 86: 18
campanelloides, Xeromphalina 82: 2
campanulae, Coleosporium 90-91: 24; 98: 20
campanulatum, Haptocillium 84-85: 45
campanulatum, Verticillium 84-85: 45
campestre, Geastrum 53:6
campestris, Agaricus 54:19; 69: 17; 79: 4; 86: 15
camphoratus, Lactarius 69: 19; 86: 18
camptobactrum, Leptodontidium 86: 25
canadense, Penicillium 83: 18
canadensis, Coelomomyces 99: 32
candelabrum, Sesquicillium 78: 6
candidans, Clitocybe 67: 9
candidans, Nectriopsis 59:28
Candida 57: 22, 27; 61: 18; 68: 17; 70: 28; 71: 13; 78: 21, 23, 24; 99: 20
candida, Albugo 59:27; 71: 23; 77: 19; 98: 20, 27
candida, Calvatia 89: 8, 12, 13; 94: 48
candida, Hemimycena 94: 5, 10
candidissima, Poria, Trechispora 58:17-19,22

candidofulvum, *Penicillium* 83: 15
candidum, *Geotrichum* 95: 15, 17; 100: 12
candidum, *Lycoperdon* 51:13
candidum, *Penicillium* 83: 19
candidus, *Aspergillus* 65: 22; 74: 19, 20; 78:11-13
candidus, *Henningsomyces* 99: 35, 38
candidus, *Marasmiellus* 65: 3
candidus, *Scopulariopsis* 78: 12
candolleana, *Psathyrella* 67: 15; 69: 20; 74: 13; 79: 6; 87: 17; 89: 10
canescens, *Diploicia* 75: 2, 4
canescens, *Penicillium* 83: 16
canescens, *Poria* 69: 5
Cantharellus 64: 29
cantharellus, *Hygrocybe* 98: 9, 10, 12, 32
caperata, *Parmelia* 75: 2
caperatus, *Rozites* 94: 49
capillaris, *Mycena* 82: 10; 99: 36
capillipes, *Marasmius* 58: 6
capitata, *Cordyceps* 94: 45
capitatum, *Cacumisporium* 78: 6
capitatum, *Hyphoderma* 76: 1
Capitotricha 96: 36
capnoides, *Hypholoma* 67: 11; 69: 18; 86: 16; 87: 16; 99: 36, 39
capnoides, *Hypochnus* 77: 1
caprearum, *Melampsora* 98: 20
capreolarius, *Hygrophorus* 51:21; 58:24; 84-85: 55
capsulata, *Emmonsia* 61: 15
capsulatum, *Histoplasma* 61: 15, 18; 72: 18; 78: 21
capsulatum, *Penicillium* 83: 14
capula, *Calyptella* 90-91: 11
carbonaria, *Faerberia* 96: 30
carbonaria, *Geopyxis* 67: 5; 86: 12
carbonaria, *Pholiota* 57: 4, 9; 67: 15
carbonarius, *Aspergillus* 66: 17
carbonicola, *Lamprospora* 55:29
carestiae, *Triblidium* 55:29
carestiana, *Urceolella* 55:29
carcharias, *Cystoderma* 67: 10; 86: 16
caricina, *Puccinia* 59:28
caricis, *Anthracoidea* 59:29
caricis, *Eudarluca* 59: 30; 87: 20
caricis, *Marasmius* 58: 2
caricis, *Phaeosphaeria* 55: 29
caricis-albae, *Anthracoidea* 98: 25
carinii, *Lepiota* 84-85: 49
carinii, *Pneumocystis* 61: 14, 15, 18; 78: 21
carlinae, *Puccinia* 98: 22
carminoviolaceum, *Penicillium* 83: 15
carnea, *Pezicula* 59: 28
carneogrisea, *Skeletocutis* 56:15,17; 58:13
carneo-lutea, *Schizopora* 51:1,2
carneolutea, *Schizopora* 66: 7; 71: 26; 90-91: 17
carneolutescens, *Penicillium* 83: 18

carneopallidus, Marasmiellus 51: 22; 58: 25; 59: 15; 65: 2, 3; 83: 11; 84-85: 55
carneosanguinea, Parascutellinia 51:20; 58:25
carneum, Penicillium 83: 22
carnosum, Ganoderma 75: 3, 4; 86: 13; 97: 41; 99: 40
carpatica, Hymenochaete 54: 28, 29; 82: 8, 10; 88: 22, 27; 94: 18; 97: 41
carpaticus, Crepidotus 93: 3, 5; 94: 49
carpatorossicus, Crepidotus 93: 2
carpinea, Pezicula 69: 15
carpinea, Sphaerognomonia 87: 22
carpineti, Dermocybe 84-85: 6
carpini, Hygrophorus 99: 40
carpini, Leccinum 75: 7
carpini, Russula 74: 10
carpophila, Xylaria 82: 10; 86: 12
carpophilus, Flammulaster 78: 6; 94: 17
carrionii, Cladophialophora 78: 22
caryae, Aporium 93: 18; 97: 41
caryaes, Protomerulius 93: 18
caryophylleae, Anthracoidea 98: 25
casei, Penicillium 78: 14; 83: 21
casei var. compactum, Penicillium 83: 21
caseicola, Penicillium 83: 19
caseifulvum, Penicillium 83: 22
caspari, Crepidotus 93: 2, 7, 8
caspari var. caspari, Crepidotus 93: 4, 7
caspari var. subglobisporus, Crepidotus 93: 4, 7
castanea var. ignipes, Lepiota 60:2,3
castanea, Cryptodiaporthe 86: 22
castanea, Lepiota 60: 2, 3; 79: 6
castanea, Phomopsis 86: 25
castaneus, Gyroporus 69: 18; 94:41
castellae, Penicillium 83: 18
castellanii, Exophiala 78: 22
castellonense, Penicillium 83: 17
castellonse, Penicillium 64: 14
castrans, Strongwellsea 99: 32
catalaunica, Leptonia 51:22; 58:25
catenulata, Diheterospora 84-85: 43
catenulatum, Verticillium 84-85: 43
Catillaria 73: 16
catinus, Tarzetta 67: 5
caussei, Xerula 54:27
cauticinalis, Xeromphalina 82: 4, 19
cauticinalis var. cauticinalis, Xeromphalina 82: 3
cauticinalis var. subfellea, Xeromphalina 82: 2
cava, Pleurophoma 97: 35
cavicola, Phellinus 64: 5, 8
cavipes, Boletinus 79: 7; 87: 17; 99: 38
cavipes f. aureus, Boletinus 87: 17
cavipes, Hebeloma 94: 49
cepii, Dichotomomyces 67: 21
cepii, Dichotomyces 57:28
cenchri, Sorisorium 59:29

centrifuga, Phlebia 97: 42
centrifugum var. macrosporum, Corticium 54:1
centroafricanus, Polyporus 66: 27
centunculus, Simocybe 84-85: 49
Cephaloascus 75: 29
Cephalosporium 71: 30; 92: 26; 93: 24; 95: 14
cephalosporum, Verticillium 84-85: 44, 46
cephalotricha, Hemimycena 94: 6, 8
Ceratobasidium 71: 29
Ceratocystiopsis 90-91: 29, 30
Ceratocystis 77: 14; 90-91: 27, 31-34, 39
ceratoniae, Dirina 73: 16
Ceratosebacina 71: 29
ceratosperma, Valsa 87: 22
Ceratostomella 100: 5
cerea, Peziza 69: 15
cerealis, Oidiodendron 95: 16, 17
cerevisiae, Saccharomyces 69: 26; 72: 19; 100: 11
cerifera, Pholiota 57: 6; 78: 7-11, V/1, 2, VI/2; 89: 1. str. obálky (bar. foto), 2. str. obálky, 4
ceriferus, Agaricus 78: 8
Ceriporiopsis 100: 15
cerreyi, Apiorhynchostoma 94: 47
cerviculata, Eutypella 55:30
cervina, Trametes 78: 4; 97: 41
cervinus, Pluteus 67: 15; 69: 20; 71: 25; 75: 7; 78: 7; 79: 6; 86: 17, 28; 87: 17; 89: 10; 90-91:
44; 99: 37, 39, 40
cervorum, Scutellinia 71: 24; 73: 10
cesatii, Crepidotus 80: 9; 93: 4-6
cesatii var. subsphaerosporus, Crepidotus 93: 6
cessans, Russula 89: 10
cetratum, Entoloma 67: 10
cibarius, Cantharellus 51:29; 67: 6; 69: 16; 86: 13; 88: 6; 93: 29
cibarius var. amethysteus, Cantharellus 69: 16
Ciboria 100: 24
cicatricata, Russula 67: 16
ciegleri, Penicillium 83: 18
cichoraceum, Erysiphe 59:27
ciliata, Menispora 78: 6, 7; 99: 37
ciliatus f. lepideus, Polyporus 86: 14
ciliatus, Polyporus 67: 7; 69: 17; 90-91: 11
ciliinodis, Ustilago 59:29
cinarescens, Penicillium 64: 14
cinerascens var. capnoides, Tomentella 77: 1
cinerascens, Hypochnus 77: 1
cinerascens, Penicillium 83: 16
cinerascens, Tomentella 77: 1; 81: 1, 4, 6; 88: 4
cinerea var. sublilascens, Clavulina 81: 2
cinerea, Arcyria 52:7,9,11,12
cinerea, Botrytis 52: 21, 22; 74: 19, 20; 78: 7, 12; 79: 23; 93: 20; 94: 52
cinerea, Clavulina 81: 1-3; 86:13
cinerea, Mollisia 67: 5; 71: 24, 26
cinerea, Peniophora 66: 12; 71: 25; 73: 8; 75: 7; 82: 18; 89: 10
cinerella, Mycena 80: 10

cinereoatrum, *Penicillium* 83: 15
cinereolilacina, *Biscogniauxia* 96: 6, 7, 9
cinereoumbrina, *Tomentella* 81: 4; 98: 1-7
cinereoumbrinum, *Tomentellastrum* 98: 2
cinereoumbrinus, *Hypochnus* 98: 2
cingulata, *Glomerella* 86: 23
cingulatum, *Tricholoma* 51:28; 74: 8, 11; 90-91: 11
cinnabarina, *Nectria* 53: 5; 56: 14; 69: 15; 75: 7; 79: 4; 86: 12, 23; 87: 21
cinnabarinum, *Cystoderma* 67: 10; 69: 18
cinnabarinus, *Cortinarius* 84-85: 1
cinnabarinus, *Pycnoporus* 51: 5; 79: 4; 86: 14; 87: 15; 88: 18
cinnamomea, *Coltricia* 54:30
cinnamomea, *Dermocybe* 84-85: 8, 9; 86: 16; 99: 36
cinnamomea, *Pezicula* 71: 26; 86: 24; 87: 21; 92: 12-14
cinnamomeobadia, *Dermocybe* 84-85: 14, 17
cinnamomeobadius, *Cortinarius* 84-85: 14, 16, 17
cinnamomeofulva, *Dermocybe* 84-85: 9
cinnamomeolutea var. porphyreovelata, *Dermocybe* 84-85: 10
cinnamomeolutea, *Dermocybe* 84-85: 9, 10
cinnamomeoluteus, *Cortinarius* 84-85: 5, 8, 9; 98: 32
cinnamomeus var. lutescens, *Cortinarius* 84-85: 9
cinnamomeus, *Cortinarius* 84-85: 3, 8, 10
cinnamomi, *Phytophthora* 92: 14
circaeae, *Puccinia* 59: 28; 98: 22
circeae, *Puccinia* 90-91: 26
circellatus, *Lactarius* 67: 12; 69: 19
circinata, *Uncinula* 59:28
circinelloides f. circinelloides, *Mucor* 95: 16
circinelloides f. janssenii, *Mucor* 95: 16
circinelloides f. lusitanicus, *Mucor* 95: 16
cirrhata, *Collybia* 56: 12; 89:8
cirratus, *Creolophus* 83: 8-10, 4. str. obálky (bar. foto); 96: 21
cirrochroa, *Caloplaca* 75: 2, 4
cissi, *Myosyrinx* 55:30
cistoadelpha, *Russula* 59: 14,15
cistophilus, *Lactarius* 59: 14; 83: 13
cistophilus, *Rhodophyllus* 59:14
cistophyllum, *Hebeloma* 59:14
citreonigrum, *Penicillium* 83: 14; 83: 20
citreosulfuratum, *Penicillium* 83: 15
citreovirens, *Penicillium* 83: 16
citreoviride, *Penicillium* 83: 15
citreoviride var. aeneum, *Penicillium* 83: 15
citrina, *Amanita* 67: 8; 69: 17; 78: 6; 87: 16; 99: 37
citrina var. alba, *Amanita* 67: 8
citrina, *Bisporella* 67: 5; 73: 2, 8, 13; 90-91: 11
citrina, *Calycella* 53:5
citrina, *Hypocrea* 66: 11
citrinella, *Antrodiella* 97: 16
citrinella, *Mycena* 67: 14
citrinomarginata, *Mycena* 67: 14
citrinopileatus, *Pleurotus* 68: 5
citrinoviride, *Trichoderma* 70: 29

citrinum, *Penicillium* 69: 23, 25; 83: 16
citrinum, *Scleroderma* 69: 21; 79: 8; 86: 19; 87: 18; 89: 10
citriola, *Phytophthora* 97: 32
citriolens, *Lactarius* 67: 12, 19
Cladonia 89: 7
Cladophialophora 72: 25
cladosporioides, *Cladosporium* 74: 20; 94: 52; 95: 15
Cladosporium 64: 13, 22; 68: 16, 17, 21; 74: 19, 20; 78: 11-13; 88: 33; 94: 47; 95: 12, 14, 99: 20
clangularis, *Trechispora* 58: 17-19, 22
clandestina, *Podosphaera* 59: 28
clandestinum, *Entoloma* 52: 1
claroflava, *Russula* 67: 16; 69: 20; 90-91: 44
clathroides, *Hericium* 54: 21
Clavaria 56: 28; 81: 2
clavariarum, *Helminthosphaeria* 59: 28
clavariiforme, *Gymnosporangium* 55: 30
clavatus, *Aspergillus* 67: 23; 78: 13, 14
clavatus, *Gomphus* 51: 28; 84-85: 55; 87: 6, 11; 89: 30; 90-91: 44
clavellosa, *Nyssopsora* 59: 28
Claviceps 100: 5, 11, 14, 38
Clavicorona 81: 32
claviforme, *Coremium* 83: 21
claviforme, *Penicillium* 70: 28; 83: 21
clavigerum, *Penicillium* 100: 4. str. obálky (foto); 83: 1
clavipes, *Clitocybe* 67: 9; 82: 10; 86: 15; 89: 8
Clavulina 71: 8; 81: 1, 3
Clavulinopsis 98: 16
clavus, *Cudoniella* 71: 24; 86: 12, 19
clintonianus, *Suillus* 51: 11, 12
clintonii, *Uncinula* 59: 28
Clitocybe 52: 23; 56: 28; 71: 32; 73: 5
Clonostachys 80: 20
cluniae, *Penicillium* 83: 17
clypeatum, *Entoloma* 79: 5; 86: 16; 97: 39; 98: 33
clypeolaria, *Lepiota* 67: 13; 69: 19; 86: 16; 99: 37
clypeolaria var. *latispora*, *Lepiota* 69: 19
cnici, *Puccinia* 76: 12
cnici-oleracei, *Puccinia* 59: 28; 76: 12
coalescens, *Penicillium* 83: 22
coalitum, *Hydnellum* 62: 8, 9
Coccidiascus 75: 29
Coccidioides 70: 28
coccinea var. *faginata*, *Nectria* 59: 28
coccinea, *Hygrocybe* 69: 18
coccinea, *Nectria* 55: 29
coccinea, *Sarcoscypha* 52: 23; 65: 24; 99: 10, 11, 13
coccineocrenata, *Hygrocybe* 94: 38; 97: 42; 98: 9, 10, 12
coccineum, *Hypoxyylon* 71: 26
coccodes, *Colletotrichum* 77: 23
coerulea, *Tomentella* 83: 1, 4
coeruleoviride, *Penicillium* 83: 16
coerulescens, *Ceratocystis* 90-91: 33

coerulescens, *Cortinarius* 51:23; 58:24
cognata, *Melanoleuca* 69: 19; 86: 17
cohaerens, *Hypoxyton* 82: 10
cohaerens, *Marasmius* 58: 7, 8; 67: 13; 78: 6
cochleatus, *Lentinellus* 66: 11
Cochliobolus 95: 14
Cokeromyces 64: 21
Coleosporium 52: 22; 97: 34
coliforme ("colliforme"), *Myriostoma* 51: 29; 54: 27; 75: 1-4; 84-85: 55; 89: 30
collabens, *Junghuhnia* 54:29; 55:19; 56:1,2
Colletotrichum 100: 7, 20, 21; 77: 23
collinitus, *Suillus* 99: 38
collinsii, *Apiosporina* 59:28
collinus, *Marasmius* 58:7,10
Collybia 56: 12; 58: 1, 7; 61: 7; 87: 2; 97: 45
colossus, *Tricholoma* 84-85: 55; 89: 30
Colpoma 88: 33
Coltricia 74: 28
Coltriciella 74: 28
columbaria, *Russula* 52:23
columbinus, *Pleurotus* 68: 5
comatus, *Coprinus* 54:19; 69: 18; 74: 13; 79: 5; 86: 16; 87: 16; 99: 40
comedens, *Vullemminia* 56: 16; 69: 17; 86: 14; 89: 11; 95: 10; 97: 1-3, 5; 99: 1, 3, 4, 4. str.
 obálky (bar. foto)
comma, *Orbilia* 55:30
commelinaceae, *Ustilago* 59:29
commune, *Penicillium* 65: 20; 83: 19
commune, *Schizophyllum* 53: 28; 67: 7; 69: 17; 71: 25, 26; 75: 7; 80: 10; 86: 14; 88: 18; 89:
 10
communis, *Taphrina* 59:27
communis, *Xerocomus* 89: 11-13
commutabilis, *Inocybe* 67: 11, 19
commutata, *Durella* 53:5
comosa, *Pholiota* 55: 10; 57: 1, 2, 11, 12
compacta, *Fonsecaea* 78: 22
compactum, *Hydnellum* 62: 8
compactus, *Leucopaxillus* 84-85: 55; 89: 30
complanatum, *Sclerotium* 55:30
compressulum, *Phaeocalicium* 55:29
compressum, *Acrospermum* 55:29
concavovrgulosum, *Penicillium* 83: 23
concentricum, *Penicillium* 83: 19
concinna, *Otidea* 51:20; 58:25
concinnus, *Cortinarius* 84-85: 11
concolor, *Ramaria* 71: 7, 8
concolor f. concolor, *Ramaria* 71: 8
concolor f. marpii, *Ramaria* 71: 8
concolor f. tsugina, *Ramaria* 71: 8
concrescens, *Hydnellum* 62: 8; 80: 6, 7
conditaneum, *Penicillium* 83: 18
confertum, *Penicillium* 83: 19
confluens, *Gymnopus* 69: 18
confluens, *Albatrellus* 56:21; 93: 29

confluens, *Collybia* 99: 37
confluens, *Gymnopus* 86: 16; 87: 16
confluens, *Phellodon* 58:27; 62: 5; 80: 1.str. obálky (bar. foto), 6,7
confluens, *Radulomyces* 73: 9; 75: 7
confluens, *Sistotrema* 62: 5; 72: 9
confragosa, *Daedaleopsis* 52: 2-4; 67: 6; 69: 16; 69: 4; 86: 13; 87: 15; 88: 16; 89: 9; 97: 20;
99: 36, 38
confragosa, *Torrubiella* 84-85: 42
confragosa, *Tubaria* 58:27
confusa, *Taphrina* 59:27
congregatus, *Coprinus* 80: 9
conchatus, *Panus* 82: 12, 15, 16; 84-85: 57
conchatus, *Phellinus* 64: 6, 8; 66: 13
conchifer, *Trametes* 90-91: 18
conica, *Hygrocybe* 59: 15; 67: 11; 69: 18; 75: 5, 6; 79: 5; 86: 16
coniothyrium, *Leptosphaeria* 71: 26; 87: 20
conissans, *Pholiota* 57: 5, 8; 98: 32
connatum, *Lyophyllum* 98: 14
Conocybe 74: 29; 87: 27
conopilea, *Psathyrella* 99: 40
conscriptum, *Helotium* 73: 6
conscriptus, *Hymenoscypus* 73: 6, 13
conservandi, *Penicillium* 83: 21
consobrina, *Russula* 51: 23; 58: 26
conspersa, *Parmelia* 75: 2
conspersa, *Tubaria* 67: 17; 79: 7
conspersum, *Botryobasidium* 89: 3
conspersum, *Haplotrichum* 89: 3, 6
constrictum, *Trichomella* 84-85: 49
contiguus, *Phellinus* 64: 7, 8; 66: 13; 69: 16; 71: 25, 26; 90-91: 18; 99: 38
controversa, *Tilletia* 65: 25; 80: 14
controversus, *Lactarius* 78: 7; 84-85: 49; 90-91: 11
convallariae, *Phyllosticta* 71: 25
convolvuli, *Puccinia* 59:28
cookei, *Collybia* 90-91: 11; 99: 39
cookei, *Periconia* 78: 7
Coprinus 71: 32; 81: 8; 88: 33; 90-91: 48
coprobium, *Penicillium* 83: 19
coprophilum, *Coremium* 83: 19
coprophilum, *Penicillium* 83: 19
coracina, *Tephrocybe* 67: 17
coralligenum, *Penicillium* 83: 16
coralloides, *Clavulina* 67: 6; 81: 1-3
coralloides var. bicolor, *Clavulina* 81: 1. str. obálky (bar. foto), 2. str. obálky, 2
coralloides var. coralloides, *Clavulina* 81: 2
coralloides var. cristata, *Clavulina* 81: 2
coralloides var. incarnata, *Clavulina* 81: 1
coralloides var. subcinerea, *Clavulina* 81: 2
coralloides var. subrugosa, *Clavulina* 81: 2
coralloides, *Hericium* 94: 14, 18, 49, 53; 96: 20
cordubense, *Penicillium* 83: 18
Cordyceps 84-85: 41, 43; 90-91: 44
Coremiopleurotus 68: 1, 4, 6, 8

Coriolopsis 78: 3–5; 97: 40, 41
corium, Aleuria, Cowlesia, Cyathipodia, Fuckelina, Helvella, Lachnea, Macropodium,
Sarcoscypha, Scypharia 60: 5, 7-11
corium var. alpestris, Cyathipodia, Helvella 60:5
corium, Merulius 75: 7
corium, Merulius 53:19
corium, Mycenastrum 51: 29; 54: 27; 83: 13
cornea, Calocera 67: 6; 69: 15; 75: 6; 79: 4; 86: 12; 99: 40
corniculata, Clavulinopsis 69: 16
cornigerum, Ceratobasidium 76: 1
cornucopiae, Pleurotus 68: 3-6, 8; 71: 20
cornucopioides, Craterellus 67: 6; 69: 16; 86: 13
cornui, Xeromphalina 82: 3
cornutum, Gymnosporangium 55: 30; 90-91: 25
Cornuvesia 90-91: 28, 30
corollinum, Geastrum 53:8,9,20-24; 59:6
coronaria, Sarcosphaera 83: 13; 84-85: 55; 87: 7, 88: 10; 89: 30; 94: 31, 40
coronata, Cyathicula 78: 7
coronata, Puccinia 59: 28; 71: 25; 100: 15
coronata, Valsa 87: 22
coronatum ("coronatus"), Geastrum 53: 6, 8, 10, 11; 59: 5; 84-85: 32; 87: 5, 10; 90-91: 49; 94:
39
coronilla, Stropharia 74: 13; 79: 6; 87: 17
corrugara, Ramaria 69: 8, 9
corrugata, Hymenochaete 86: 5
corticola, Oxyporus 89: 4
corticola, Pezicula 84-85: 49
Cortinarius 51: 25; 54: 27; 64: 18; 71: 32; 76: 25; 79: 18; 81: 8, 18; 84-85: 1, 20, 52; 94: 38;
95: 23; 97: 45; 100: 4
corvina, Leptonia 51:22; 58:25
coryli, Vuilleminia 97: 2; 99: 1, 2, 4
coryli var. alni, Vuilleminia 97: 2
corylophiloides, Penicillium 83: 17; 83: 16
corylophilum, Penicillium 95: 16
corymbifer, Mycocladus 95: 16, 17
corymbifera, Absidia 61: 17
corymbiferum, Penicillium 83: 18, 20
Coryneum 86: 23
cosmariospora, Nectria 53:3,5
cossus, Hygrophorus 67: 11
costata, Clitocybe 67: 9
cotonea, Psathyrella 94: 41; 95: 32
crassa, Amyloporia 99: 5
crassa, Antrodia 99: 5
crassa, Neurospora 72: 19
crassipes, Morchella 79: 4; 83: 11
craterellus, Chaetocalathus 68: 13
crateriforme, Penicillium 64: 14; 65: 20, 21; 83: 22
craterium, Urnula 59: 28; 87: 7; 88: 12
cremogriseum, Penicillium 83: 16
Creolophus 81: 32
Crepidotus 73: 5; 93: 1-3, 9; 96: 36; 98: 29
crinale, Hydnus 64: 1

crinalis, *Odontia* 64: 1
crinalis, *Tomentella* 64: 1, 3, 4; 66: 3; 81: 4
Crinipellis 54: 27; 58: 1; 62: 27; 68: 13, 15
crinita, *Scutellinia* 84-85: 49
crispa, *Helvella* 84-85: 49
crispa, *Plicaturopsis* 59:29
crispa, *Sparassis* 69: 17; 86: 28; 87: 16
crispata, *Hemimycena* 80: 9; 94: 10; 95: 33
crispula, *Hemimycena* 94: 5-7
crispula var. *crispula*, *Hemimycena* 94: 7
crispula var. *tetraspora*, *Hemimycena* 94: 7
crispuloides, *Hemimycena* 94: 5, 7
cristata, *Clavulina* 69: 16; 81: 1; 86:13; 87: 15; 99: 37
cristata, *Lepiota* 58: 7, 10; 67: 13; 74: 13; 78: 6, 7; 86: 16; 87: 16; 89: 9; 99: 37
cristatus, *Albatrellus* 69: 16
cristatus, *Crepidotus* 93: 3, 5
Cristella 58:17
crocata, *Mycena* 94: 17
crocea, *Dermocybe* 84-85: 9; 89: 9
crocea var. *porphyreovelata*, *Dermocybe* 84-85: 10
crocea, *Ramariopsis* 98: 17
croceifolius, *Cortinarius* 84-85: 13
croceocona, *Dermocybe* 84-85: 9
croceoconus, *Cortinarius* 84-85: 5, 9
croceus, *Cortinarius* 84-85: 7, 10
croceus subsp. (var.) *croceus*, *Cortinarius* 84-85: 5, 9, 10
croceus var. *porphyreovelatus*, *Cortinarius* 84-85: 5, 10
croceus, *Aurantioporus* 51:21,29;56:20-22; 58:23
croceus, *Hapalopilus* (*Aurantioporus*) 84-85: 55; 89: 30
crocicola, *Penicillium* 83: 16
crocipodium, *Leccinum* 87: 8; 88: 15
crocophyllus, *Crepidotus* 51: 23; 58: 24; 84-85: 55; 93: 3, 5
crookwellense, *Fusarium* 57:29
crucibuliforme, *Crucibulum* 87: 17
cruciferarum, *Erysiphe* 55:30
cruenta, *Hymenochaete* 72: 10; 96: 30
cruentum, *Sporisorium* 77: 21
crusei, *Candida* 78: 21
crustacea var. *crustacea*, *Mucilago* 55:30
crustacea, *Tomentella* 88: 1, 2
crustaceum, *Hypoxyylon* 53:2,5
crustaceus, *Sarcinomyces* 94: 51
crustorum var. *spinulosporum*, *Penicillium* 83: 20
crustorum, *Penicillium* 79: 19; 83: 19; 95: 16
crustosa, *Hyphodontia* 56:13
crustosum, *Penicillium* 65: 19
crustuliniforme, *Hebeloma* 67: 11; 69: 18; 79: 5; 87: 16
Cryptocline 88: 33
Cryptococcus 57: 22; 61: 18; 65: 13; 70: 28
cryptocystis, *Conocybe* 67: 9
cryptomeriae, *Hemimycena* 94: 6
cryptomeriae, *Physalacria* 59:29
Cryptosporiopsis 88: 33

cryptotaeniae, Puccinia 59:28
cucullata, Hemimycena 80: 9; 94: 4
cucumerina, Plectosphaerella 84-85: 40
cucumis, Macrocytistidia 86: 17
culmicola, Hohenbuehelia 84-85: 55
culmorum, Fusarium 57: 29; 66: 17; 71: 22, 27; 95: 15
cumulatum, Hydnellum 62: 8
cuneifolium, Dermoloma 80: 9, 10, 12; 94: 49
Cunninghamella 64: 21; 95: 14
cuprophilum, Penicillium 83: 17
cupularis, Tarzetta 55:30
curreyana, Myriosclerotinia 76: 4-6, 8, 9
curreyi, Marasmius 58: 2; 74: 13; 80: 10, 12; 89: 10
curta, Ramaria 69: 7-9
curtipes var. uredinicola, Cephalosporium 84-85: 44
curtipes, Russula 98: 32
curtisii, Vascellum 51:13
curvatispora, Orbilia 53:5
curvipes, Pholiota 55:7,8; 57:10
curvispora, Selenosporella 78: 6
Curvularia 64: 22; 68: 17; 71: 31; 95: 12, 14
cuspidatum, Arthrinium 94: 51
cuticularis, Inonotus 71: 3, 4; 86: 27; 95: 7, 11
cyanea, Lazulinospora 68: 12
cyanea, Stropharia 99: 39
cyaneofulvum, Penicillium 83: 20
cyanescens, Gyroporus 94: 49
cyanescens, Psilocybe 51: 5; 69: 20
cyaneum, Penicillium 83: 15
cyaneus, Citromyces 83: 15
cyanophylla, Omphalina 54:9-11
cyanophyllus, Agaricus, Omphalia 54:10
cyanoxantha, Russula 52: 23; 54: 26; 67: 16; 69: 20; 75: 7; 79: 6; 86: 12, 18; 87: 17; 89: 10;
94: 31
cyathiformis, Pseudoclitocybe 69: 20; 78: 6; 87: 17
cyathoidea, Cyathicula 55:29
cyclaminis, Phialophora 87: 24
Cyclomyces 74: 28
cyclopium, Penicillium 64: 12; 65: 19; 83: 18, 22
cyclopium var. (f.) album, Penicillium 83: 19
cyclopium var. aurantiovirens, Penicillium 83: 18, 19
cyclopium var. echinulatum, Penicillium 83: 20
cyclosporus, Phaeostalagmus 71: 25
cylichnium, Ascocoryne 82: 10; 94: 18
cylindracea, Agrocybe 51:23; 58:23
Cylindrocarpon 97: 35
Cylindrocladium 71: 21
Cylindrotrichum 74: 30
Cymatoderma 99: 13
cynodontis, Ustilago 55:30
Cyphella 56:28
cypelloides, Hemimycena 94: 5
cypripedii, Cercospora 59:30

cyrneus, Sarcodon 62: 11
cystidiosus, Pleurotus 68: 1, 6, 8.
Cystodendron 92: 13; 94: 51
Cystolepiota 53:28.
Cystotheca 75: 29
Cytospora 87: 22

D

Daedaleopsis 52:2
dahliae, Verticillium 84-85: 38; 93: 21
Daldinia 100: 6
daleae, Penicillium 83: 17
dalmaticus, Leptoporus 54:5
damascenum, Penicillium 83: 17
Dasyscyphella 96: 36
Dasyscyphus 59:15
daulnoyae, Clavaria 90-91: 1. str. obálky (bar. foto), 2. str. obálky, 9, 10, 12
decastes, Lyophyllum 69: 19; 74: 13
decipiens, Anthostoma 71: 24
decipiens, Cryptosphaeria 71:24
decipiens, Gymnopilus 93: 12
decipiens, Leccinum 67: 13; 76 (kresba na obálce); 77 (kresba na obálce); 78 (kresba na obálce); 79 (kresba na obálce)
decipiens, Synchytrium 59:27
decipiens, Trichia 71: 27
decora, Tricholomopsis 52: 23; 94: 18; 97: 38
decorticata, Diatrype 96: 8
decumbens, Penicillium 65: 19; 78: 7; 83: 15
decumbens var. atrovirens, Penicillium 83: 17
decurrens, Ramaria 69: 7, 8; 94: 43
decussata, Pholiota 57:9
definitum, Hyphoderma 97: 41
delectabilis var. bispora, Hemimycena 94: 8
delectabilis var. delectabilis, Hemimycena 94: 8
delectabilis var. paucicystidiata, Hemimycena 94: 8
delibutus, Cortinarius 87: 16; 99: 40
delica, Russula 67: 16; 69: 20; 99: 16, 18
delicata, Limacella 90-91: 49
delicata var. vinorubescens, Limacella 84-85: 49
Delicatula 66: 29
delicatulum, Coleosporium 59:28
delicatum, Acanthobasidium 76: 1
deliciosus, Lactarius 54: 19; 67: 12; 69: 19; 89: 9; 93: 29
dematiicola, Hyaloscypha 99: 38
dematiooides, Hyaloscypha 78: 6
demissa, Lecanora 75:2, 4
dendriticum, Penicillium 83: 22
dennisii, Biscogniauxia 96: 6, 11
dennisii, Sclerotinia 76: 7
densifolia, Russula 67: 16
Dentipellis 83: 8, 32
denudata, Arcyria 57:13-15,18

denudatus, *Ascobolus* 74: 9
depauperatus, *Pluteus* 94: 31, 42; 75: 6-8
depilatus, *Boletus* 94: 40
depressa, *Peziza* 99: 37
depressum, *Vascellum* 51:12,13
dermatitidis, *Blastomyces* 78: 21
dermatitidis, *Exophiala* 78: 22
dermatitidis, *Exophialophora* 78: 22
dermatitis, *Coccidioides* 78: 21
Dermocybe 82: 6; 84-85: 1, 2, 6, 17-20; 87: 29; 97: 45; 100: 4
destructans, *Cylindrocarpon* 92: 13; 93: 23, 25
destructor, *Peronospora* 52:21
destruens, *Entomophthora* 99: 30
destruens, *Pholiota* 52: 22; 55: 9; 57: 11; 88: 18
deterrimus, *Lactarius* 67: 12; 86: 18; 87: 16; 98: 14
deusta, *Ustulina* 51: 28; 53: 2, 5; 59: 28; 67: 5; 86: 12; 99: 38, 40
deustum, *Hypoxylon* 86: 23; 87: 20
devonica, *Flammula* 55:7,8; 57:10
dianthorum, *Microbotryum* 90-91: 25; 98: 21
diatreta, *Clitocybe* 80: 9; 89: 8
Diatype 96: 8, 35; 99: 37, 38
dicentrae, *Cerothelium* 59:28
dicolor, *Clitocybe* 69: 17
didyma, *Ramularia* 71: 25
didymum, *Conostroma* 87: 19
dierckxii, *Penicillium* 83: 15
diervilleae, *Ramularia* 59:30
dietrichii, *Pluteus* 74: 10
diffusa, *Microsphaera* 59:27
digitalis, *Cyphella* 51:21; 58:24
digitata, *Monilia* 83: 19
digitatoides, *Penicillium* 83: 19
digitatum var. latum, *Penicillium* 83: 21
digitatum, *Penicillium* 65: 19; 83: 19
Dichomitus 54: 5; 69: 4
dichroum, *Entoloma* 84-85: 49
dichrous, *Gloeoporus* 54: 29; 90-91: 17; 95: 7
dilepis, *Gymnopilus* 93: 10
dimorphospora, *Phialocephala* 92: 12
dimorphosporum, *Penicillium* 83: 15
dimorphosporus f. dimorphosporus, *Mucor* 95: 16, 17
dimorphum, *Aphanocladium* 84-85: 42
dimorphum, *Lecanicillium* 84-85: 42
Dinemasporium 71: 27
dinemasporium, *Phomatospora* 71: 27
dioicae, *Puccinia* 59:28
dionysae ("dionysiae") *Cortinarius* 51:23; 58.24
diosma, *Clitocybe* 94: 49
diosma, *Mycena* 87: 7; 88: 10; 94: 49; 97: 42
Diplodia 94: 52; 95: 12
dipodiella, *Coniella* 93: 20
diplodiooides, *Cryptosporiopsis* 55:30
dipodomycicola, *Penicillium* 83: 22

dipodomyis, *Penicillium* 83: 22
disciformis, *Aleurodiscus* 75: 6; 96: 20-23
disciformis, *Diatrype* 53: 5; 67: 5; 69: 15; 71: 24; 26; 86: 12, 22; 96: 8; 99: 36, 39
disciformis, *Libertella* 71: 25
disciformis, *Thelephora* 96: 21
discoideus, *Hygrophorus* 67: 11; 99: 39
discolor, *Penicillium* 57: 28; 83: 22
discorosea, *Omphalina* 51: 21; 58: 25; 84-85: 55
Discosia 86: 24; 87: 23
discreta, *Biscogniauxia* 96: 11
disseminatus, *Coprinus* 67: 10; 69: 18; 74: 13; 78: 6; 79: 5; 82: 10; 99: 36, 38
distincta, *Puccinia* 75: 8-15
distorta, *Collybia* 67: 9
ditopa, *Clitocybe* 67: 9
ditopa, *Ditopella* 87: 20
divergens, *Penicillium* 83: 20
diversum, *Penicillium* 83: 22
diversum var. aereum, *Penicillium* 83: 23
dlaminii, *Fusarium* 60: 13, 18; 66: 17; 70: 14
domesticus, *Coprinus* 80: 9; 82: 10; 89: 8
donkii, *Penicillium* 83: 15
Doratomyces 64: 13; 74: 20
dothidea, *Bothryosphaeria* 86: 22
Drechslera 64: 22; 71: 31; 95: 14
dryadeus, *Inonotus* 51: 5; 66: 11; 69: 16; 75: 6, 7, 8; 88: 17; 92: 15
dryina, *Tubakia* 92: 13
dryinus, *Pleurotus* 68: 3, 8; 74: 10; 78: 6; 84-85: 49; 86: 28; 99: 36, 38
dryinus, *Polyporus* 86: 14
dryophila, *Collybia* 61: 7; 67: 9; 99: 36
dryophila, *Obolarina* 54: 26; 60: 29
dryophilus, *Gymnopus* 61: 7, 9; 69: 18; 79: 5; 80: 9; 82: 10; 86: 16; 89: 9
dryophilus, *Inonotus* 66: 11; 69: 16; 84-85: 49; 92: 15
dubia, *Coryne* 71: 26; 86: 11
dubia, *Heterochaetella* 66: 5, 6
duclauxii, *Penicillium* 83: 22
dueemmeri, *Caldesiella* 83: 1
duemmeri, *Tomentella* 64: 3; 83: 1-5
duchesneae, *Frommea* 97: 25
duchesneae, *Kuehneola* 97: 25
dulcamara, *Inocybe* 67: 11; 89: 9
dulciolens, *Tricholoma* 67: 29; 95: 33
duninii, *Penicillium* 83: 20
Duosporium 71: 31
dupainii, *Boletus* 51: 29; 84-85: 55
dura, *Agrocybe* 80: 9
duracinus, *Cortinarius* 74: 10
duriaei, *Myriangium* 55: 30
duriusculum, *Leccinum* 51: 21; 58: 25
dysthaloides, *Entoloma* 51: 2, 3; 89: 9

E

eatoniae var. *ranunculi*, *Puccinia* 59: 28

eben-bitariarum, *Penicillium* 83: 17
eberhardtii, *Penicillium* 83: 22
eburneus, *Hygrophorus* 67: 11; 69: 18; 86: 16
ecdyonuri, *Haplosporidium* 99: 32
ectypa, *Armillaria* 51: 22, 29; 58: 23; 84-85: 55
edodes, *Lentinula* 100: 27, 28
edulis, *Boletus* 51: 11; 54: 19; 67: 8; 69: 17; 73: 3; 78: 6; 86: 14; 87: 17; 94: 31; 99: 37, 39
ehrendorferi, *Crepidotus* 93: 3, 5
echinata, *Memnoniella* 68: 19
echinata, *Psalliota* 81: 8
echinatum, *Lycoperdon* 67: 18
echinatum, *Melanophyllum* 66: 12; 99: 39
echinocephala, *Amanita* 54: 16; 75: 6, 8; 83: 12; 87: 7; 88: 13; 94: 40, 48; 99: 35, 37; 99: 35
echinocystis, *Hyphoderma* 97: 41
Echinochaete 66: 27
echinophila, *Lanzia*, *Rutstroemia* 54: 8, 9
Echinoramaria 69: 6, 11
echinospora var. aurantiaca, *Tomentellopsis* 90-91: 1
echinospora var. microspora, *Tomentellopsis* 90-91: 1
echinospora, *Peziza* 67: 5
echinospora, *Tomentellopsis* 61: 1, 3, 5; 76: 2; 90-91: 5
echinosporum, *Corticium* 96: 1
echinosporum, *Penicillium* 83: 16, 23
echinulatum, *Penicillium* 83: 17, 20, 22
echinulonalgiovense, *Penicillium* 83: 17
Eladia 71: 31
elaeodes, *Callistosporium* 82: 5
elaeodes, *Russula* 67: 16
Elaphomyces 88: 22; 94: 45
elastica, *Helvella* 67: 5; 69: 15
elatum, *Chaetomium* 69: 25
elegans f. badius, *Ixocomus* 51:12
elegans, *Geastrum* 53:6
elegans, *Penicillium* 83: 17
elegans, *Phaeoannellomyces* 78: 22
elegans, *Pholiota* 57: 1, 5; 78: 6, 7; 90-91: 12-15, 49, 4. str. obálky (bar. foto)
elegans, *Pollaccia* 87: 22; 86: 24
elegans, *Russula* 67: 29
elegans, *Trametes* 90-91: 19
eleocharidis, *Puccinia* 59:28
eliae, *Amanita* 98: 32
ellae, *Comatricha* 52: 7-9, 11, 12
ellipsospora, *Perenniporia* 90-91: 17
ellipsosporum, *Hydnnum* 92: 10, 11
ellisi, *Coprinus* 89: 8
ellisi, *Gymnosporangium* 59:28
ellisi, *Microsphaera* 59:27
elongata, *Cucurbitaria* 87: 20
elongatum, *Penicillium* 83: 20, 23
Elsinoe 75: 29
elynae, *Anthracoidea* 55:30
elynae, *Clathrospora* 55:30
emarginata, *Sarcoscypha* 99: 11

Emericella 95: 14
Emericellopsis 72: 24
emetica, Russula 56: 15; 79: 6; 86: 18; 99: 37
emetica var. silvestris, Russula 67: 16
emmonsii, Cladophialophora 72: 25
encephala, Tremella 67: 6; 93: 17
Endomyces 64: 21
Endoperplexa 71: 29
endotephrum, Vascellum 51:13
Engyodontium 84-85: 39
Entoloma 51: 2, 4; 52: 1; 71: 32; 84-85: 56; 94: 38; 97: 39, 45
Entomophthora 99: 30, 33
entomorhiza, Cordyceps 51:28
Entonaema 100: 6
ëous, Pleurotus 68: 4, 8
ephebeus, Pluteus 82: 11
epibryus, Crepidotus 67: 10; 93: 2, 3, 7, 8
Epicoccum 64: 13; 68: 18; 74: 18; 88: 33; 95: 12, 14
epidendrum, Lycogala 67: 4; 71: 25, 27; 86: 11
Epidermophyton 70: 28
epidryas, Marasmius 58:9
Epichloë 88: 33
epichloe, Hemimycena 80: 9; 94: 9
Epichloea 80: 20
epichysium, Omphalina 51: 21; 58: 25
epilobii, Puccinia 76: 12
epilobii, Pucciniastrum 59: 29; 90-91: 27
epiphylla, Athelia 54:1,2; 56:11
epiphylla, Ravenelia 59:29
epiphyloides, Marasmius 58:4
epiphyllum, Cladosporium 51:16
epiphyllus, Hymenoscyphus 69: 15
epiphyllus, Marasmius 58: 5; 67: 14; 78: 7; 79: 6; 87: 17; 89: 4
epiphytum, Verticillium 84-85: 41, 44
epipterygia, Mycena 67: 14; 69: 19; 86: 17; 89: 10; 99: 39
episphaeria, Nectria 59: 28; 69: 15; 71: 24; 78: 7; 99: 37, 38
epistroma, Dendrodochium 86: 23; 87: 21
epixyla, Peziza 84-85: 49
epsomiens, Cortinarius 83: 11
epsomiensis, ("epsonniensis"), Cortinarius 51: 23; 58: 24; 84-85: 55
epsteinii, Penicillium 83: 19
equestre var. albipes, Tricholoma 67: 29
equestre, Tricholoma 89: 11-13; 95: 1. str. obálky (bar. foto), 2. str. obálky, 20-25
equiseti, Fusarium 57: 29; 70: 14
eragrostidis, Curvularia 95: 15, 17
eranthidis, Urocystis 55:29
erebia, Agrocybe 69: 17; 79: 5; 92: 1. str. obálky (bar. foto), 2. str. obálky
erinaceum, Lycoperdon 89: 9, 12, 13
erinaceus, Hericium 51: 29; 84-85: 55; 87: 6; 88: 8; 89: 30; 94: 39, 40; 95: 32; 96: 1. str.
obálky (bar. foto), 2. str. obálky, 1, 20-23, 3. str. obálky; 96: 20
erinaceus, Phaeomarasmius 82: 11
erminea, Lepiota 51: 5; 66: 12; 69: 19
erubescens, Inocybe 62: 16; 88: 36; 94: 53

eryngii, Pleurotus 68: 2, 5, 6, 8; 100: 27, 28
eryngii var. eryngii, Pleurotus 68: 6
eryngii var. ferulae, Pleurotus 68: 6
eryngii var. nebrodensis, Pleurotus 68: 6
erythromellis, Penicillium 83: 22
erythropoda, Russula 89: 10; 99: 40
erythropus, Boletus 54: 18; 56: 11; 67: 9; 86: 14; 87: 17; 94: 31; 98: 14
erythropus, Gymnopus 75: 6; 94: 52
erythropus, Typhula 99: 38
esculenta, Gyromitra 52: 23; 79: 4; 97: 22
esculenta, Morchella 79: 4
esculentus, Strobilurus 60: 1.str. obálky; 67: 16; 86: 17
escharoides, Alnicola 99: 39
essettei, Agaricus 67: 8; 80: 9
es-suweidense, Penicillium 83: 18
estinogenum, Penicillium 83: 17
euglaicum, Eupenicillium 64: 14
euchroum, Entoloma 84-85: 49
eulividum, Entoloma 51:28
eumacrospora, Puccinia 59:28
eumorpha, Ramaria 69: 7, 8
Eupenicillium 99: 20
euphorbiae, Uromyces 59:29
euphrasiae, Coleosporium 90-91: 24
Eurotium 56: 8; 64: 22; 78: 13; 99: 20
Eutypa 71: 24; 82: 8; 99: 39
evansii, Lecanicillium 84-85: 43
everhartii, Phellinus 90-91: 18
evolvens, Cylindrobasidium 69: 16; 75: 6
excavatum, Tuber 77: 5, 6, 8, 9
excellens, Agaricus 99: 39
excelsa, Amanita 87: 16
excelsa, Ceriporia 97: 41
excipuliformis, Calvatia 67: 18; 69: 21; 75: 6; 79: 7; 86: 19
excipuliformis var. pistilliformis, Calvatia 51: 4; 69: 21
excoriata, Macrolepiota 78: 7; 89: 9; 99: 16, 18
excoriata var. squarrosa, Macrolepiota 89: 9
Exidiopsis 70: 5, 6
exiguus, Pluteus 82: 11
Exophiala 72: 25; 78: 22
expansum var. crustorum, Penicillium 83: 19
expansum, Penicillium 51: 17; 64: 13; 68: 16; 71: 27; 74: 19; 83: 20; 95: 16
extensa, Microsphaera 59:27
extenuata, Trametes 78: 1
eyrei, Melanophyllum 51:22; 58:25.
ezcarayense, Tricholoma 67: 29

F

fabae, Uromyces 71: 25
fagacearum, Ceratocystis 77: 14, 15; 90-91: 33; 92: 12
fagetorum, Ramaria 83: 7; 94: 43
fagi, Penicillium 83: 18

faginea, Antrodiella 55:19; 73: 1
faginea, Ascotremella 51: 20; 58: 23, 27; 73: 10, 13; 74: 10, 15-17; 84-85: 49; 88: 21, 27; 94: 41, 52; 95: 32; 97: 41
faginea, Libertella 87: 23
faginea, Mollisia 71: 24; 82: 10
faginea, Phleogena 55: 30; 84-85: 33-37
faginea, Russula 95: 32; 98: 32
fagineum, Helotium 53:2,5
fagineus, Hymenoscyphus 55: 30; 86: 23
falcata, Ceratocystiopsis 90-91: 30
falcata, Clavaria 98: 17
fallax, Craterellus 59:29
farcta, Nidularia 69: 21
farinacea, Trechispora 95: 10
farinosa, Isaria, 66: 11
farinosum, Penicillium 83: 19
farinosus, Bulbillomyces 99: 37
farinosus, Paecilomyces 74: 10
fasciculare, Hypholoma 67: 11; 69: 18; 71: 9; 79: 5; 80: 9; 86: 16; 87: 16; 89: 9; 99: 39, 40
fascicularis, Encoelia 84-85: 49
fasciculata, Cyphella 73: 8
fasciculata, Oospora 83: 21
fasciculatus, Merismodes 73 : 2, 8, 13
fascinans, Lactarius 64: 28
fastigiata, Gyromitra 51: 21; 58: 24; 97: 22, 24
fastigiata, Inocybe 79: 5
fastigiata, Phialophora 86: 25; 87: 24; 92: 13; 94: 51; 97: 35
fastuosus, Phellinus 93: 23
favacea, Diatrypella 82: 10; 86: 22, 23; 87: 20, 21
favoginea, Trichia 71: 27
favrei var. favrei, Marasmius 58:5
favrei var. sorbi, Marasmius 58:5
favrei, Callistosporium 82: 5
favrei, Lyophyllum 84-85: 56
Fayodia 66: 29; 90-91: 20, 21, 24; 99: 8
fecundissimum, Polyscytalum 55:30
fechtneri, Boletus 51: 21; 58: 23; 83: 11; 90-91: 53; 94: 39, 40
felina, Lepiota 66: 12; 67: 13; 69: 19; 84-85: 49
fellea, Russula 52: 23; 67: 16; 86: 18; 94: 18
fellea, Xeromphalina 82: 3
felleus, Tylopilus 69: 20; 86: 15; 87: 17
fellutanum, Penicillium 83: 17
fellutanum var. nigrocastaneum, Penicillium 83: 17
fennelliae, Penicillium 83: 20
fennica, Ramaria 94: 49
fennica var. fumigata, Ramaria 94: 43
fennicus, Sarcodon 62: 10
ferreus, Phellinus 90-91: 18
ferruginascens, Cantharellus 74: 10; 84-85: 49
ferruginea, Odontia 64: 1
ferrugineofuscus, Phellinus 54: 29; 64: 7, 8; 71: 1; 83: 9
ferrugineum, Hydnellum 62: 8, 9; 72: 10
ferrugineum, Hydnus 64: 1

ferruginosa, Caldesiella 64: 1
ferruginosa, Tubifera 71: 25; 86: 11
ferruginosum, Cenangium 97: 32
ferruginosum, Hydnus 64: 1
ferruginosus, Phellinus 64: 7, 8; 71: 1; 75: 7; 90-91: 18
fervida var. macrosporus, Dermocybe 84-85: 15
fervida, Dermocybe 84-85: 15
fervidoides, Cortinarius 84-85: 13, 14
fervidus, Cortinarius 84-85: 4, 13
festiva, Phaeocollybia 51:23; 58:25
fibrillosa, Phlebiella 95: 9
fibrosa, Inocybe 74: 10
fibrosa, Tomentellina 64: 3; 81: 4
fibula, Rickenella 67: 15; 69: 20; 75: 7; 78: 6; 86: 17; 89: 10; 99: 36, 40
ficariae, Uromyces 55: 29; 71: 25
fijiensis, Aspergillus 65: 21
filamentosum, Tricholoma 94: 40
filamentosus, Agaricus 78: 8
filicinum, Herpobasidium 59:29
filopes, Mycena 80: 10
filum, Sphaerellopsis 87: 20
fimbriata, Ceratocystis 77: 17; 90-91: 33
fimbriata f. platani, Ceratocystis 90-91: 33
fimbriata, Comatricha 52:7,8,11,12
fimbriatella, Fibroporia 58:14
fimbriatella, Junghuhnia 56:1-3,5
fimbriatum, Geastrum 53: 7, 8; 59: 4; 67: 18; 99: 37, 40
fimbriatum, Steccherinum 99: 40
fimbriatum, Tulostoma 80: 11
fimbriisporum, Graphium 97: 46
fimentaria, Stilbella 59:30
fimicola, Ceratocystis 90-91: 31
fimicola, Paneolus 75: 7
fimiputris, Panaeolus 96: 30
firmula, Russula 67: 16
fischeri, Neosartorya 62: 12; 78: 13
fissiliformis, Antrodiella 94: 14, 18; 95: 32; 98: 32
fissilis, Aurantioporus 74: 10
fissilis, Tyromyces 54:30
fistulosa, Macrotyphula 67: 7; 90-91: 11
flabelliformis, Lentinellus 53:28
flaccida, Lepista 67: 13; 69: 19; 80: 9; 89: 9; 99: 39
flaccida, Ramaria 69: 7, 9, 10; 71: 26
flaccida, Tomentella 84-85: 21
Flagellospora 71: 21; 78: 6
flagellum, Hericium 87: 8; 88: 14; 94: 14, 18, 39; 95: 32; 96: 20
flammans, Pholiota 57: 3, 4, 7; 67: 15; 73: 11,13
Flammula 55:8; 57:11; 70: 23
Flammulina 96: 14
flammuloides, Pholiota 57:7
flava, Lindtneria 67: 1; 76: 1; 79: 1
flava, Malbranchea 69: 22-25
flava, Spathularia 87: 7

flavescens, *Corticium* 54:1
flavescens, *Dichomitus* 54:5
flavescens, *Diplomitoporus* 80: 16; 84-85: 29; 90-91: 49
flavescens, *Mycena* 89: 10
flavescens, *Ramaria* 94: 43
flavida, *Pholiota* 51:5; 55:8; 57:11; 69: 20
flavida, *Spathularia* 88: 11
flavidomarginatum, *Penicillium* 83: 20
flavidorsum, *Penicillium* 83: 15
flavidostipitatum, *Penicillium* 83: 17
Flavidula 55:7
flavidus, *Suillus* 58: 27; 94: 38; 96: 30; 98: 32; 99: 35, 36
flavigelatinosa, *Ramaria* 83: 1. str. obálky (bar. foto), 2. str. obálky, 5-8
flavigenum, *Penicillium* 83: 22
flavipes, *Clavaria* 95: 33
flavipora, *Schizophora* 51: 1, 2; 66: 7-9; 75: 7; 78: 7; 90-91: 17; 97: 20; 99: 39
flavoalba, *Mycena* 67: 14; 80: 10
flavobrunescens, *Ramaria* 94: 49
flavocinereum, *Penicillium* 83: 16
flavoglaucum, *Penicillium* 83: 19, 21
flavo-immaturus, *Clavariadelphus* 52:23
flavorubra, *Taphrina* 59:27
flavosanguineus, *Boletus* 67: 29
flavovirens, *Eutypa* 82: 8, 10
flavovirens, *Pseudotomentella* 72: 3
flavovirens, *Tricholoma* 95: 20
flavoviridis, *Nectria* 71: 24
flavum, *Oncocladium* 69: 22-24
flavus, *Aspergillus* 51: 14, 15; 56: 8; 57: 28, 29; 59: 7; 64: 12; 65: 21, 22; 66: 14; 70: 10; 73: 25; 74: 19, 20, 22; 78: 11, 12, 13, 14; 79: 12, 17, 19; 78: 20; 100: 20
flavus, *Boletus* 67: 29
flavus, *Gymnopilus* 93: 11
flavus, *Suillus* 52:23
flavus, *Talaromyces* 56: 8; 62: 12; 87: 22
flexuosa, *Uncinuliella* 59:28
flexuosum, *Penicillium* 83: 20
flexuosus, *Lactarius* 67: 12
floccosum, *Epidermophyton* 72: 25
floridana, *Entomophthora* 99: 30, 32
floridanum, *Vascellum* 51:13
floriforme, *Geastrum* 53: 7, 9; 59: 4; 89: 14
floriformis, *Trichia* 82: 9
fluitans, *Penicillium* 83: 15
fluryi, *Suillus* 75: 5,8; 79: 7
fluxicolor, *Russula* 67: 29
fluxilis, *Hohenbuehelia* 73: 5, 6, 13
focale, *Tricholoma* 98: 32
foeniseckii, *Panaeolina* 80: 10
foetens, *Camarophyllopsis* 51:21; 58:23
foetens, *Russula* 67: 16; 69: 20; 86: 18
foetidum, *Lycoperdon* 69: 21; 75: 7; 78: 6; 86: 19
foetidum, *Micromphale* 65: 3; 75: 7
foetidus, *Marasmiellus* 65: 3; 99: 39

foliacea, Tremella 67: 6; 69: 15; 86: 12, 28
fomentarius, Fomes 52: 22; 65: 25; 67: 6; 69: 16; 75: 6; 72: 11; 78: 6; 79: 4; 86: 13, 26; 87:
15; 90-91: 18; 97: 20; 99: 38, 39
Fomitiporia 64: 5
Fomitopsis 54: 5; 90-91: 18
formosa, Ramaria 69: 17
formosanum, Penicillium 83: 20
fornicata, Hygrocybe 80: 9; 94: 49; 95: 32
fornicatum, Geastrum 53: 7; 59: 5; 63: 30
Foveostroma 87: 20
fracidus, Chamaemyces 51: 22; 58: 23; 69: 18
fracticum, Tricholoma 79: 6, 7
fractipes, Spongipellis 51: 21; 58: 26; 87: 8
fragariae, Phragmidium 98: 21
fragiforme, Hypoxylon 53: 2, 5; 55: 30; 67: 4; 69: 15; 71: 26; 86: 12; 87: 15; 88: 34
fragilipes, Boletus 62: 26
fragilis, Clavaria 57: 30; 84-85: 49; 87: 15
fragilis, Crepidotus 93: 8
fragilis, Dentipellis 94: 17, 41
fragilis, Oligoporus 90-91: 18; 94: 18
fragilis, Postia 67: 7; 86: 14; 99: 37
fragilis, Russula 67: 16; 69: 20; 75: 7; 86: 18; 90-91: 11; 99: 40
fragilis, Tomentella 88: 4
fragrans, Antrodiella 55: 20
fragrans, Boletus 51: 10
fragrans, Clitocybe 78: 6; 86: 15
fraternum, Gymnosporangium 59: 28
fraxinea, Perenniporia 69: 5; 74: 10
fraxini, Phyllactinia 59: 28; 87: 21
fraxinophila, Perenniporia 90-91: 17
fraxinophila, Xeromphalina 82: 3
freii, Penicillium 83: 22
frequentans, Penicillium 68: 18; 83: 15
friabilis, Amanita 84-85: 55; 89: 30; 90-91: 11
friesii, Cantharellus 87: 6, 88: 6, 22, 27; 94: 41; 95: 32
friesii, Valsa 87: 22
frondosa, Grifola 84-85: 49
fructigenus, Hymenoscypus 55: 29; 82: 10; 86: 12
frustulatus, Xylobolus 69: 17; 82: 10
frustulosum, Stereum 52: 22; 82: 10
fruticulosa, Ceratiomyxa 67: 4
fucatum, Tricholoma 95: 24
fuckeliana, Botryotinia 93: 20, 21
fuckelii, Coniothyrium 87: 20
fuckelii, Lophiostoma 71: 26
fujikuroi, Gibberella 60: 12
fulgens, Caloscypha 55: 29
fulgens, Gymnopilus 93: 12, 14, 18, 31, 39
fulgens, Pycnoporellus 87: 6, 13; 95: 32; 97: 17-21, 42, 43
fulgens, Tuber 94: 40
fuligineipes, Clitocybe 67: 9
fuligineo-alba, Bankera 62: 5; 87: 5, 9; 96: 30
fuligineo-violaceus, Sarcodon 62: 11; 84-85: 56; 95: 32

fuligineum, Melanconium 93: 20
fuliginosus, Lactarius 86: 18
fulminoides, Cortinarius 51:23; 58:24
fulva, Amanita 67:8; 69: 17; 89: 8; 99: 40
fulva, Byssochlamys 56:8; 62: 12
fulvella, Lepiota 99: 39
Fulvifomes 64: 5
fulvoochrascens, Cortinarius 51:23; 58:24
fulvum, Tricholoma 69: 20; 79: 7; 86: 18; 99: 38, 40
fumidiceps, Tyromyces 90-91: 18; 97: 14-17
fumigatus, Aspergillus 60: 14; 65: 12, 13, 21, 22; 68: 17, 18; 70: 11; 72: 18; 78: 11-14, 20, 21,
23, 24; 79: 12; 95: 15
fumosa, Bjerkandera 78: 6; 86: 13; 99: 39
fumosoroseus, Paecilomyces 70: 14; 100: 22
fumosum, Lyophyllum 87: 16
Funalia 78: 3
funerea, Pestalotiopsis 87: 23
fungicola, Tomentella 92: 4
fungicola, Verticillium 84-85: 38
funiculosum, Penicillium 65: 21; 83: 22
Furcatum 83: 14, 24
furfuracea, Encoelia 96: 14-19, 4. str. obálky (bar. foto)
furfuracea, Tubaria 67: 17; 69: 20; 79: 7
furnacea, Limacella 67: 27
Fusarium 57: 22, 28, 29; 59: 8; 60: 11-13; 61: 17; 62: 12; 64: 13, 21, 22; 67: 23; 68: 16, 25,
26; 71: 20-22; 74: 20; 77: 21; 78: 6, 12, 13, 14, 23, 24; 79: 11, 24; 87: 21; 92: 14; 95: 12-
14; 97: 36; 98: 28; 99: 20; 12, 15, 20-23
fusca, Sphaerotheca 55:30; 59:28
fusca, Stemonitis 67: 4
fusca, Tapesia 67: 5; 82: 10
fusca, Thaxteria 78: 6
fuscescens var. fagicola, Lachnum 71: 24
fuscescens, Coprinus 51:5
fuscidula, Inocybe 94: 52
fuscocrota var. fuscoatra, Humicola 95: 16
fuscocinerea, Tomentella 98: 1
fuscocinereum, Tomentellastrum 84-85: 22
fuscoglaucus, Agaricus 84-85: 49
fuscoglaucum, Penicillium 83: 19
fuscopurpurea, Collybia 67: 9
fuscopurpureus, Gymnopus 82: 10; 94: 53
fuscoseus, Boletus 87: 15
fuscotomentosum, Entoloma 51: 22; 58: 24; 94: 38
fuscoviolaceum, Trichaptum 56:15; 67: 7
fuscum, Hypoxylon 71: 24; 82: 10; 86: 12; 99: 39;
fuscus, Hypochnus 82: 18
fuscus, Pleurotus 68: 6
fusiforme, Phragmidium 98: 21
fusiger, Spinellus 78: 7
fusimaculans, Cercospora 77: 21
fusipes, Gymnopus 69: 18; 75: 6; 79: 5
fusispora, Crassochaeta 94: 47
fusispora, Inermisia 67: 5

fusisporum, Lecanicillium 84-85: 43
fusisporum, Uthatobasidium 70: 5
fusisporum, Verticillium 84-85: 43

G

Gabarnaudia 90-91: 31
gaditanum, Penicillium 83: 22
galactinus, Leptoporus 97: 15
galactinus, Tyromyces 90-91: 18
Galera 56: 28; 74: 29
galericulata, Mycena 67: 14; 69: 19; 75: 7; 78: 7; 79: 6; 86: 17; 87: 17; 89: 10; 90-91: 44; 99: 36, 37, 39
Galerina 97: 45
gallica, Armillaria 67: 8; 78: 6
gallica, Funalia 75: 6; 80: 17
gallica, Trametes 78: 1, 3, 4; 95: 10, 11
gallicum, Penicillium 83: 15
galligena, Nectria 53:2,5
galopus, Mycena 67: 14; 75: 7; 79: 6; 82: 10; 86: 17; 87: 17; 90-91: 44; 99: 36
galzinii, Bourdotia 62: 2
galzinii, Myxarium 62: 2
galzinii, Tomentella 86: 1-4
gambosa, Calocybe 67: 9; 74: 13; 75: 6; 79: 5; 86: 15; 93: 16
gambosa var. flava, Calocybe 79: 5
gammae, Tarichium 99: 32
Gamundia 66: 29; 90-91: 20, 24
Ganoderma 71: 3; 74: 28
gardneri, Lysurus 87: 25
gausapatum, Stereum 59: 29; 67: 7; 75: 8; 78: 7; 80: 10; 86: 14; 93: 17
Gautieria 96: 25
Geastrum 53: 5, 6, 10; 55: 25, 26; 59: 3, 7; 75: 1; 87: 10; 89: 14
geesterani, Agaricus 64: 29
gelatinosa, Hypocreë 99: 38
gelatinosum, Pseudohydnum 67: 6; 71: 26; 86: 12
gelatinosus, Creopus 82: 8, 10
gemina, Rhodocybe 79: 6
gemma, Amanita 88: 36; 89: 8
gemmellarii, Pleurotus 68: 8
Geniculosporium 88: 33; 94: 52
genistae, Antrodiella 56:11,17
gentianae, Puccinia 59:28
gentilis, Cortinarius, Telamonia 79: VII/1, 2
gentilis, Pulveroboletus 74: 10
geogenium, Hydnellum 51: 21; 58: 24; 62: 9
Geoglossum 98: 8, 9, 12, 15, 16; 99: 35, 36
Geomycës 94: 47
geophylla, Inocybe 67: 12; 69: 18; 78: 7; 80: 9; 86: 16; 99: 36-38, 40
geophylla var. lateritia, Inocybe 67: 12
geophylla var. lilacina, Inocybe 69: 18; 99: 37
geophylla var. violacea, Inocybe 67: 12
georginae, Leucoagaricus 87: 16
Geosmithia 100: 5, 6, 11, 14; 65: 18; 78: 6, 7

Geotrichum 64: 13; 70: 28; 99: 20
geotropa, Clitocybe 54: 19; 69: 17; 74: 10; 84-85: 49; 99: 40
gerundense, Penicillium 83: 15
gibba, Clitocybe 67: 9; 69: 17; 79: 5; 86: 15; 87: 16
Gibberella 71: 21
gibbosa, Lenzites 97: 41
gibbosa, Tomentella 81: 4
gibbosa, Trametes 69: 17; 90-91: 18, 19; 97: 20, 23, 41; 99: 38
gigantea, Langermannia 79: 7
giganteum, Penicillium 83: 17
giganteus, Leucopaxillus 67: 13
giganteus, Meripilus 52: 23; 66: 12; 69: 16; 88: 17; 99: 39
gigas, Clitocybe 87: 16
gigas, Gyromitra 52:23
gigas, Neogyromitra 67: 5; 69: 15; 72 (kresba na obálce); 73 (kresba na obálce); 74 (kresba na obálce); 75 (kresba na obálce); 86: 12, 19
gigaspora, Tomentella 84-85: 21; 92: 1, 4
gilmanii, Penicillium 83: 15
gilva, Lepista 67: 13; 69: 19; 78: 6; 79: 6
gilvella, Poria 58:15
gilvus, Phellinus 90-91: 17
glaber, Citromyces 83: 15
glaberrata, Candida 71: 12; 78:21
glabrum, Geoglossum 97: 43; 98: 8-12
glabrum, Penicillium 78: 14; 83: 15
glandicola, Penicillium 71:25; 78: 7; 83: 20
glandicola var. confertum, Penicillium 83: 19
glandicola var. glaucovenetum, Penicillium 83: 19
glandicola var. mononematosum, Penicillium 83: 21
glandicola, Coremium 83: 20
glandulosa, Exidia 55: 29; 67: 6
glaucia, Floccaria 83: 20
glaucoc-lanosum, Penicillium 83: 15
glaucopus var. olivaceus, Cortinarius 67: 10,19
glaucopus, Cortinarius 90-91: 49
glaucopus, Sarcodon 62: 10
glaucoroseum, Penicillium 83: 17
glaucum var. coremium, Penicillium 83: 20
glaucum, Coremium 83: 20
glaucus, Aspergillus 57: 29; 64: 12, 13; 78: 11, 12, 13
Gliocladium 64: 22; 70: 29; 74: 20; 78: 12; 80: 20; 84-85: 39; 88: 32; 95: 12
globispora, Rotiferophthora 84-85: 41
globosum, Gymnosporangium 59:28
globosum, Chaetomium 95: 16, 17
globosum, Sarcosoma 51: 20, 51: 30; 55: 21; 58: 26; 83: 12; 84-85: 55; 89: 30
glocklingiae, Haptocillium 84-85: 44
Gloeosoma 66: 27
gloeosporidioides, Colletotrichum 71: 25
gloeosporidioides, Colletotrichum 59: 30; 86: 23
gliocephala, Volvariella 74: 14; 79: 7; 99: 39
glomeratus, Inonotus 90-91: 19
Glomerella 77: 21; 84-85: 39
Glomus 77: 22

glutinosum, *Geoglossum* 98: 1. str. obálky (bar. foto), 4. str. obálky; 98: 16, 18, 19
glutinosus, *Gomphidius* 52: 23; 86: 14; 98: 14
glyciosmus, *Lactarius* 86: 18; 90-91: 11; 99: 36
godlewskii, *Penicillium* 83: 17
goeppertianum, *Pucciniastrum* 59:29
Gomphidius 52:23
Gondwanomyces 90-91: 30, 31
gonioides, *Acrostalagmus* 84-85: 44
gonioides, *Pochonia* 84-85: 44
gonioides, *Verticillium* 84-85: 44
gonophyllus, *Coprinus* 89: 9
gorgonzolae, *Penicillium* 83: 21
gorlenkoanum, *Penicillium* 83: 16
gossypina, *Antrodia* 90-91: 19
gracilenta, *Macrolepiota* 67: 13; 69: 19
gracilipes, *Fayodia* 77: IV/1
gracilipes, *Hydnellum* 62: 8
gracilis f. *substerilis*, *Psathyrella* 78: 7
gracilis, *Cordyceps* 94: 40
gracilis, *Hemimycena* 67: 11; 94: 10
gracilis, *Psathyrella* 67: 15 ; 69: 20
gracilis, *Ramaria* 71: 7, 8
gracilis, *Russula* 99: 16, 18
gracillima, *Russula* 67: 16
graminearum, *Fusarium* 57: 29; 71: 22; 95: 15
gramineum, *Lophodermium* 59:28
graminicola, *Ascochyta* 71: 25
graminicola, *Colletotrichum* 77: 21
graminicola, *Exobasidiellum* 59:29
graminicola, *Sclerospora* 77: 21
graminicolum var. *longepilosa*, *Cistella* 71: 24
graminis, *Blumeria* 100: 22; 71: 24
graminis, *Erysiphe* 56: 29; 80: 14
graminis, *Pholiota* 57:5,8
graminis, *Phyllachora* 59:28
graminis, *Puccinia* 59: 28; 98: 22
graminum, *Acrospermum* 71: 24
graminum, *Dinemasporium* 71: 27
graminum, *Marasmius* 58:2
grammopodia, *Melanoleuca* 69: 19
granatense, *Penicillium* 83: 17
grancanariae, *Penicillium* 83: 16
grandicarpum, *Ophiostoma* 97: 46
Grandigallia 75: 29
grandis, *Pholiota* 57:6
grangei, *Lepiota* 84-85: 49; 94: 40
granmoi, *Biscogniauxia* 96: 6, 7, 9
granulata, *Coprobria* 55:29
granulatum, *Penicillium* 83: 20
granulatum var. *globosum*, *Penicillium* 83: 20
granulatum var. *mononematosum*, *Penicillium* 83: 21
granulatus, *Elaphomyces* 86: 12
granulatus, *Suillus* 79: 7; 89: 10; 93: 29

granulosa, *Hyphodontia* 56:13
granulosum, *Cystoderma* 67: 10; 89: 9
graphideorum, *Milospium* 55:29
Graphilbum 90-91: 31
Graphiocladiella 90-91: 31
Graphium 90-91: 31-34
graveolens, *Bovista* 57:19-21; 96: 12-14
graveolens, *Lepista* 51:21; 58:25
graveolens, *Russula* 67: 16
grevillei, *Suillus* 51: 11; 67: 17; 79: 7; 86: 15; 87: 17; 98: 14
grisea, *Boletopsis* 84-85: 55; 87: 6; 88: 6; 89: 30; 95: 32
grisea, *Cryp-tosporiopsis* 87: 21
grisea, *Humicola* 78: 13
grisea, *Chaetopsis* 87: 23
grisea, *Russula* 69: 20
grisella, *Omphalina* 80: 10
griseo-azureum, *Penicillium* 83: 18
griseobrunneum, *Penicillium* 83: 19
griseocinnamomea, *Tomentella* 81:4
griseofulvum, *Penicillium* 64: 14; 74: 19, 20; 83: 20, 22; 95: 16
griseolum, *Penicillium* 83: 15
griseopergamacea, *Pseudotomentella* 95: 1, 3
griseopurpureum, *Penicillium* 83: 17
griseoroseum, *Penicillium* 83: 20
griseum, *Leccinum* 52:23
griseum, *Oidiodendron* 92: 13
griseum, *Penicillium* 83: 15
griseus, *Citromyces* 83: 15
grossula, *Omphalina* 88: 24, 27
guilliermondii, *Candida* 71: 12; 78: 24
gummosa, *Pholiota* 57: 4, 8; 90-91: 13
guttata, *Limacella* 51: 22; 58: 25; 86: 17, 19; 89: 9, 12, 13
guttata, *Phyllactinia* 55: 29; 59: 28
guttulatus, *Oligoporus* 54: 29; 72: 10, 11-17; 94: 16, 18
guttulosum, *Penicillium* 83: 16
guzmanii, *Antromycopsis* 68: 6
Gymnascus 94: 47
Gymnopilus 55: 5; 87: 27; 93: 10, 13-16; 100: 4
Gymnopus 58:1; 61: 6, 9; 65: 1, 3; 87: 2

H

hadriani, *Phallus* 89: 10, 12; 94: 49
haematococca, *Nectria* 74: 29
haematopus, *Mycena* 99: 39
haematospermum, *Melanophyllum* 84-85: 49
haemorrhoidarius, *Agaricus* 66: 11
hagemii, *Penicillium* 83: 19
hahniana, *Lachnellula* 86: 12
hahniana, *Trichoscypheilla* 67: 6
halophila, *Basipetospora* 56:8
halophilicinus, *Aspergillus* 56:8
halstedii, *Uromyces* 59:29

Haplographium 78: 6; 99: 38
Haplosporidium 99: 32
Haptocillium 84-85: 39, 41, 47
Haptoglossa 99: 32
hariolorum, Collybia 86: 15; 94: 17
hariolorum, Gymnopus 94: 52, 53
harmajae, Clitocybe 67: 9
harmonense, Penicillium 83: 20
hartigii, Phellinus 52: 22; 56: 14; 64: 6, 9; 90-91: 19
harzianum, Trichoderma 81: 13; 95: 16; 100: 27
hastifer, Inonotus 55: 13; 94: 17; 97: 20
Hauerslevia 71: 29
haustellaris, Crepidotus 93: 2
Hebeloma 81: 11
hedrychii, Hygrophorus 99: 35, 39
hedrychii, Limacium 66: 24
hedwigii, Microsphaera 55:29
hedysari-paniculati, Uromyces 59:29
Heimiomyces 62: 27
heinemannianus, Marasmius 64: 29
Heinemannomyces 64: 29
helianthi, Puccinia 59:29
Helicobasidium 71: 29; 94: 29
heliopsisdis, Syncarpella 59:28
Heliscus 71: 21
Helminthosporium 68: 17; 95: 12, 14
helodes, Russula 51: 23; 58: 26; 84-85: 55; 94: 49
Helotium 56:28
helvellae, Ceratocystis 90-91: 31
helvelloides, Tremiscus 52: 23; 54: 18; 83: 13; 94: 41; 98: 12-15, 4. strana obálky (bar. foto)
helvetica, Cristinia 97: 41
helveticus, Chroogomphus 74: 8
helvola, Clavulinopsis 87: 15
helvus, Lactarius 86: 18; 87: 16; 99: 36
hemerobius, Coprinus 67: 10
Hemimycena 66: 29; 94: 3, 11
Hemipholiota 55: 9; 97: 45
hemipterigenum, Verticillium 84-85: 42
hemirubella, Ramaria 86: 9
hemisphaerica, Humaria 86: 12
hemisphaerica, Mycolachnea 69: 15
henningsii, Pholiota 51: 23; 57: 4, 10; 58: 25; 84-85: 55
hepatica, Fistulina 51: 28; 52: 22; 54: 21; 69: 16; 74: 10; 75: 6; 78: 6; 79: 4; 86: 26; 88: 17;
92: 15; 99: 39
herbariorum, Aspergillus 70: 11
herbarum, Calycina 59:28
herbarum, Cladosporium 55:30; 68: 16, 18; 69: 22, 23, 25; 78: 7; 94:52; 95: 15, 17; 97: 35
herbarum, Hymenoscyphus 75: 6
herbarum, Phoma 74: 19
herbarum, Pleospora 71: 24
herbarum, Torula 71: 27
hercynicus, Cortinarius 66: 11; 82: 19
Hericium 81: 8, 32; 94: 14, 18

Herpomyces 75: 29
herquei, Penicillium 83: 17
heteracantha, Peroneutypa 53: 19; 66: 12; 74: 10
heterantherae, Sorodiscus 59:27
Heteroacanthella 71: 29
heteroclita, Pholiota 55: 9, 10; 57: 2, 11; 76: 17
heteroclitus, Agaricus 76: 17
Heterochaetella 66: 5
heteromorpha, Antrodia 52: 22; 59: 2; 80: 17; 90-91: 19
heteromorphum, Penicillium 83: 15
heterophylla, Russula 69: 20
heterosporum, Fusarium 55:30; 57:29
hetieri, Cystolepiota 74: 10; 99: 35, 37, 39
heufleri, Ustilago 59:29
hiberniana, Pleuroflammula 93: 2
hibernicus, Crepidotus 93: 2
hiemale, Globulicium 54:29
hiemalis f. corticola, Mucor 95: 16
hiemalis f. luteus, Mucor 95: 16
hiemalis, Tubaria 80: 10; 86: 18
hieracii, Puccinia 76: 12
highlandensis, Pholiota 57: 9; 89: 10; 90-91: 12
himantia, Kavinia 65: 9; 73: 7
himantoides, Serpula 52: 12, 13, 22; 53: 19; 94: 18
hiratsukanum, Melampsoridium 90-91: 25
hirneola, Rhodocybe 67: 15; 89: 10, 12, 13
hirsuta, Trametes 69: 17; 71: 25; 78: 6, 7; 79: 4; 80: 10; 86: 14; 87: 16; 89: 11; 90-91: 18; 97: 23
hirsutum, Penicillium 83: 20, 22
hirsutum var. albocoremium, Penicillium 83: 22
hirsutum var. allii, Penicillium 83: 18
hirsutum var. hordei, Penicillium 83: 20
hirsutum var. venetum, Penicillium 83: 22
hirsutum, Geoglossum 98: 8
hirsutum, Stereum 52: 22; 59: 29; 67: 7; 69: 17; 71: 26; 75: 8; 78: 6; 80: 10; 82: 9; 86: 14; 87: 15; 93: 23, 25, 28; 95: 9; 99: 39
hirsutum, Trichoglossum 51: 20; 58: 26; 84-85: 55; 87: 6, 14; 90-91: 53; 98: 9, 15
hirtum, Entoloma 74: 10; 80: 9
hispanense, Penicillium 83: 20
hispanicum, Penicillium 83: 15
hispida, Lepiota 54:18
hispidulus, Pluteus 94: 42
hispidus, Inonotus 79: 4; 88: 17
Histoplasma 65: 13
hobsonii, Clitopilus 73: 3, 5, 13; 99: 38
hoehnelii, Antrodiella 74: 10; 94: 17
holpii, Trichaptum 71: 25, 26; 89: 11
hollosii, Geastrum 56:19
holoschista, Massaria 87: 21
holoxantha, Dermocybe 84-85: 18
Holubovaea 71: 31
holwayi, Uromyces 59:29
hordei, Penicillium 83: 20; 95: 16

howeana, Erysiphe 59:27
howeianum, Hypoxylon 75: 7; 82: 8, 10; 99: 38
hudsonii, Marasmius 58:5
humanum, Stilbum 83: 19
humicola, Gilmaniella 57:28
humicola, Gymnopilus 93: 12
humicola, Pochonia 84-85: 43
humicola, Pseudotomentella 80: 1-4
humilis, Anthracoidea 98: 25, 27
humillimus, Marasmiellus 65: 5
humuli, Penicillium 64: 14; 83: 16
hungarica, Bovista 57: 19, 21; 96: 12
hungaricum, Geastrum 51: 23; 53: 7, 9; 58: 24; 59: 4; 83: 11; 84-85: 55
huronensis, Cortinarius 94: 49
huronensis var. huronensis, Cortinarius 84-85: 5, 11
huronensis var. olivacea (reecte olivaceus), Cortinarius 84-85: 7, 8
Hyalodendron 90-91: 32
Hyalopesotum 90-91: 31
Hyalorhinocladiella 90-91: 28, 29, 32, 34
hybrida, Morchella 52:23
hybridus, Gymnopilus 93: 13, 14
Hydnellum 62: 4, 6-9
hydnoides, Scopuloides 89: 5, 6
Hydnomyces 96: 25
Hydnnum 62: 5, 6; 92: 10
hydrophila, Psathyrella 67: 15
hydrophylli, Puccinia 59:29
hydropiperis, Ustilago 59:29
Hydropsus 88: 14
Hygrocybe 71: 32; 80: 21; 84-85: 56; 94: 38; 97: 45; 98: 16
hygrocyboides, Gamundia 90-91: 23
hygrometricus b nanus, Geaster 53:23
hygrometricus, Astraeus 53: 9; 59: 29; 89: 8
Hygrophorus 52: 23; 66: 24
hymenocystis, Polyporus 58:17-20,22
hymenocystis, Trechispora 58: 17-20, 22; 69: 5
Hymenoscyphus 97: 45
hyoseridis-radiatae, Puccinia 55:30
Hyphodontia 55: 16; 92: 22
Hypholoma 97: 45
Hyphospora 72: 25
hypnophilus, Crepidotus 93: 8
hypnophilus, Pleurotellus 78: 6; 93: 2, 8
hypnorum, Galerina 67: 11
hypcenomycis, Clypeococcum 55:30
Hypocrea 72: 24; 86: 4; 87: 29
Hypocreopsis 86: 4
hypodytes, Ustilago 59:29
hypogaea, Roesleria 93: 21
Hypogymnia 90-91: 7
Hypochnella 80: 4
Hypochnus 92: 1
hypophaea, Galerina 94: 38

hypophaea, *Inocybe* 67: 12
hypopithys, *Volvariella* 67: 17
hypothejus, *Hygrophorus* 70: 9; 87: 16
Hypoxylon 77: 13; 88: 33; 96: 6
hypoxylon, *Atkinsonella* 59:28
hypoxylon, *Xylaria* 53: 2, 5; 67: 5; 69: 15; 71: 26; 86: 12; 87: 15; 97: 36; 99: 38-40
hysterium, *Puccinia* 76: 12
hystrix, *Cryptodiaporthe* 86: 22
hystrix, *Inocybe* 67: 12, 19; 94: 41

CH

Chaetocalathus 62: 27; 68: 13, 15
Chaetomium 64: 13; 69: 23; 78: 13; 95: 12, 14
Chaetoporellus 55:16
Chaetosphaeria 100: 5; 74: 30
Chaetosphaeria 86: 22
chailletii, *Amylostereum* 68: 10; 89: 1, 2; 94: 18
chailletii, *Stereum* 60:29
Chalara 90-91: 30-32, 34
Chalaropsis 90-91: 32
Chalciporus 84-85: 26, 28
chalybaeus, *Hypochnus* 84-85: 21
chalybeum, *Penicillium* 83: 17
chamaeleontina, *Russula* 67: 16
charlesii var. *rapidum*, *Penicillium* 83: 18
charlesii, *Penicillium* 83: 17
chartarum, *Mycotrichum* 100: 4. str. obálky (foto)
chartarum, *Pithomyces* 95: 16, 17
chartarum, *Stachybotrys* 68: 19; 74: 19; 78: 13; 79: 12, 13
chartarum, *Ulocladium* 95: 16, 17
Chaunopycnis 94: 47
Cheilymenia 90-91: 44; 100: 4
chermesinum, *Penicillium* 83: 15
chevalieri, *Aspergillus* 51:14
chevalieri, *Eurotium* 65: 22
chionea, *Octojuga* 73: 3
chioneus, *Clitopilus*, *Pleurotus* 73: 4, 5
chioneus, *Tyromyces* 56: 16, 17; 97: 15
chironomi var. *canadensis*, *Coelomomyces* 99: 32
chlamydospora, *Phaeomoniella* 93: 23-25, 28
chlamydosporia var. *catenulata*, *Pochonia* 84-85: 43
chlamydosporia var. *chlamydosporia*, *Pochonia* 84-85: 43, 46
chlamydosporia, *Cordyceps* 84-85: 43
chlamydosporia, *Diheterospora* 84-85: 43
chlamydosporia, *Pochonia* 84-85: 41
chlamydosporium, *Verticillium* 84-85: 40, 43
chlamydosporium var. *catenulatum*, *Verticillium* 84-85: 43
chlamydosporium var. *chlamydosporium*, *Verticillium* 84-85: 46
chlamydosporum, *Fusarium* 79: 11
chlamydosporum, *Phaeoacremonium* 93: 24
chlorinella, *Mycena* 67: 14
chloroides, *Russula* 67: 16; 79: 6; 86: 18

chloroleucon, *Penicillium* 64: 14; 83: 16
chlorophaea, *Cladonia* 75: 2
chlorophaeum, *Penicillium* 83: 20
chlorophana, *Hygrocybe* 59:15; 86: 16
Chloroscypha 88: 33
Choeromyces 96: 25
chordalis, *Marasmius* 58:9
chordulata, *Lindtneria* 67: 1, 2; 79: 1
chordulata, *Pellicularia* 67: 1
chordulatum, *Cyanobasidium* 67: 1
christinae, *Phaeocollybia* 87: 6, 12
chroogomphi, *Penicillium* 65: 20
chrysenteron, *Boletus (Xerocomus)* 86: 11, 15; 87: 15, 17; 89: 11
chrysenteron, *Xerocomus* 67: 4, 17; 69: 21; 75: 8; 79: 7
chrysitis, *Penicillium* 83: 23
chrysodon, *Hygrophorus* 75: 6
chrysogenum, *Acremonium* 92: 27
chrysogenum, *Penicillium* 54: 25; 64: 12, 14; 69: 22, 25; 72: 19; 74: 19, 20, 22; 83: 20; 95: 16
chrysogenum var. *brevisterigma*, *Penicillium* 83: 20
chrysogenum var. *dipodomysis*, *Penicillium* 83: 22
chrysogenum var. *dypomyisis*, *Penicillium* 64: 14
chrysogenum var. *chrysogenum*, *Penicillium* 64: 14
chrysolita, *Dermocybe* 84-85: 7
chrysolitus, *Cortinarius* 84-85: 5, 7; 97: 42
chrysoloma, *Phellinus* 64: 6, 8; 90-91: 19
chrysophaeus, *Pluteus* 67: 15, 19
chrysophyllum, *Gerronema* 87: 6, 11
chrysophyllum, *Tricholoma* 67: 28; 67: 29
chrysorrheus, *Lactarius* 69: 19
chrysosperma, *Apiocrea* 67: 4; 86: 11; 87: 15
chrysosperma, *Cytospora* 86: 24; 87: 22
chrysosperma, *Perichaena* 52:10-12
Chrysosporium 79: 29
chrysostomus, *Hypomyces* 59:28
chrzasczii, *Penicillium* 83: 17

I

iceaperdum, *Ophiostoma* 97: 46
ignarius var. *trivialis*, *Phellinus* 90-91: 8
ignarius, *Phellinus* 52: 22; 64: 7, 9; 69: 16; 86: 13; 88: 18; 90-91: 18; 93: 25; 97: 20
ignicolor, *Lepiota* 51: 23; 58: 25; 60: 1, 3, 5; *Lepiota* 83: 12
ignicolor f. *gracilis*, *Lepiota* 60:2
igniculus, *Gymnopilus* 93: 10; 97: 22
ignipes, *Lepiota* 60:2,3
ignivolvata, *Lepiota* 94: 53
ignobilis, *Hemimycena* 94: 9
ilerdanum, *Penicillium* 83: 23
illinita, *Limacella* 51:5
imberbe, *Phaeohelotium* 71: 24
imbricatum, *Hydnus* 74: 6
imbricatum, *Tricholoma* 52: 23; 89: 11
imbricatus, *Sarcodon* 62: 10; 74: 5-7; 78: 9

immitis, *Coccidioides* 61: 15, 16, 18; 72: 18
imperiale, *Catathelasma* 51: 22; 58: 23; 87: 5, 9
implicatum, *Penicillium* 78: 7; 83: 15
implicatum var. *aureomarginatum*, *Penicillium* 83: 16
impolitus *Boletus* 74: 10; 77: 6; 54:18
impudicus f. *velatus*, *Phallus* 51:5
impudicus, *Agaricus* 52:24
impudicus, *Phallus* 67: 18; 69: 21; 72: 11; 79: 8; 86: 19; 87: 18
impulsa, *Diaporthe* 87: 20
inaequalis, *Venturia* 97: 35; 100: 23
inamoenum, *Tricholoma* 86: 18
incanum, *Entoloma* 66: 11; 79: 5; 83: 13
incarnata, *Peniophora* 55:30; 66: 12; 67: 7; 69: 16; 71: 26; 95: 8
incarnatum, *Fusarium* 95: 15
incilis, *Clitocybe* 67: 9; 86: 15; 89:8
inclinata, *Mycena* 75: 7
Incrustoporia 58:13
incurvum, *Verticillium* 84-85: 41, 44
indicum, *Penicillium* 83: 15
inermis, *Phellinus* 59:29
infestans, *Phytophthora* 78: 18; 100: 22, 23
infirma, *Antrodia* 59:1
inflata, *Rhizina* 52:22
inflatipes, *Phaeoacremonium* 93: 23, 24
inflatum, *Penicillium* 83: 17
infractus, *Cortinarius* 67: 10; 99: 37
infula, *Gyromitra* 97: 22
infundibuliformis, *Cantharellus* 59:29
inhonestus, *Crepidotus* 93: 7
Inocybe 56: 28; 84-85: 52; 87: 27; 97: 22, 45
inodermeum, *Tricholoma* 51: 21; 58: 26; 84-85: 55
Inonotus 60: 29; 71: 1; 74: 28; 96: 34; 100: 25
inopinatum, *Fuscolachnum* 59:28
inquilina, *Psilocybe* 59:15
inquinans, *Bulgaria* 52: 22; 55: 29; 69: 15; 78:6
insignis var. major, *Arcyria* 57:13,14,19
insignis, *Arcyria* 57:14,15
insignis, *Coprinus* 69: 18
intacta, *Hyaloscypha* 71: 26
integra, *Russula* 67: 16
integrella, *Delicatula* 89: 2, 6
intermedia var. affinis, *Laccaria* 67: 12
intermedia, *Pholiota* 94: 49
intermedium, *Vascellum* 51:13; 53:28
intermixta, *Puccinia* 59:29
internascens, *Penicillium* 83: 15
intorta, *Hemitrichia* 57:13,14,16,19
intrusa, *Conocybe* 51:4
intrusa, *Trachyspora* 55: 30; 71: 25; 76: 13
inulae, *Coleosporium* 90-91: 24; 98: 20
inuncta, *Stropharia* 94: 41; 99: 38
invalidii, *Ramaria* 69: 8
inventa, *Nectria* 84-85: 39

inversa, Clitocybe 87: 16; 99: 37
inversa, Lepista 67: 13; 78: 7; 86: 16
invita, Myxomphalia 76: I/1
involutus, Paxillus 56:12; 67: 15; 69: 20; 79: 7; 82: 10, 11; 86: 15; 87: 17; 89: 10; 95: 20, 23;
97: 6, 10, 11; 99: 36, 37, 40
ionochlora, Russula 94:18
ionochlorus, Cortinarius 84-85: 55
iranii, Coelomomyces 99: 32
iridis, Alternaria 68: 17
iridis, Mollisia 94: 51
irina, Lepista 74: 10; 84-85: 49
IrpeX 55:20; 56:1
isabellinus, Botryohypothecus 70: 6; 97: 41
isariiforme, Penicillium 83: 22
islandicum, Penicillium 83: 22; 95: 16
italica, Caldesiella 66: 1
italica, Tomentella 64: 3; 66: 1-5
italicum, Penicillium 65: 19; 83: 21; 95: 16
italicum var. album, Penicillium 83: 21
italicum var. avellaneum, Penicillium 83: 21
italicum, Phaeohelotium 55:30
ivae, Aecidium 59:28.

J

jaapii, Tomentella 83: 1
jahnii, Pholiota 55: 6, 7; 57: 3, 4, 7
janczewskii, Penicillium 83: 17
janthinellum, Penicillium 74: 19, 20; 83: 17
janthocitrinum, Penicillium 83: 16
janthogenum, Penicillium 83: 20
japonicum, Penicillium 83: 21
javanicum, Eupenicillium 87: 20
jeanselmei, Exophialophora 78: 22
jecorina, Hypocreales 70: 29
jennyae, Phaeocollybia 88: 24, 27
jensenii, Penicillium 64: 14; 83: 17
joachimii, Tricholoma 51:21; 58:26
joeides, Sarcodon 62: 11
johanniolii, Penicillium 83: 19
josserandii, Dermoloma 58: 27; 83: 11; 84-85: 55
josserandii, Gymnopilus 77: III/1, 2; 93: 11
jubarinus, Cortinarius 67: 10
juglandis, Marssonina 59:30
juglandis, Microstroma 59:29
jugoslavicum, Penicillium 83: 15
juncea, Macrotyphula 99: 39
junci, Placosphaeria 76: 4
juncicola, Tomentella 84-85: 22, 23, 25
junci-effusi, Uromyces 59:29
juncifida, Sclerotinia 76: 5, 7
juncigena, Sclerotinia 76: 5
juncinum, Entoloma 52:1

juncorum, Poculum 76: 6
Junghuhnia 55:19,20; 56:1,3
junghuhnii, Cortinarius 67: 10
junipericola, Xeromphalina 82: 1
juniperinus, Phellinus 54:30
juniperi-virginianae, Gymnosporangium 59:28
junonius, Gymnopilus 51:28; 93: 10
jurana, Inocybe 87: 7; 88: 9
jurana, Sarcoscypha 94: 40; 99: 1. str. obálky (bar. foto), 3. str. obálky, 10-13

K

kabulensis, Pleurotus 68: 5
kabunicum, Penicillium 83: 17
kalkhoffii, Rhizosphaera 86: 25
kamtschatica, Anomoporia 55:11-13
kap-laboratorium, Penicillium 83: 20
karstenii, Dacryobolus 97: 41
Kavinia 65: 9
kentuckiensis, Tomentella 88: 3
keratinophilum, Myriodontium 94: 45
kerguelensis, Scutellinia 82: 10
Klasterskya 90-91: 28
kmetii, Tyromyces 75: 3, 4
Knoxdaviesia 90-91: 31
kojigenum, Penicillium 83: 17
komarnitzkyi, Pleurotus 68: 2, 5, 8
komarovii, Puccinia 98: 23
konilangbra, Trichoderma 70: 29
koreanus, Astraeus 52:19
korosum, Penicillium 83: 23
kotlabae, Geastrum 53: 6; 58: 28
kotlabae, Tulostoma 51: 24; 54: 27; 58: 26; 98: 30
krusei, Candida 57: 23; 61: 13; 71: 12, 13
kubickae, Crepidotus 93: 4, 6
kuehneri, Skeletocutis 58:13-16
kuehneriana, Conocybe 67: 9
Kuehneromyces 55: 5; 62: 26
kunzei, Ramariopsis 74: 10
kurssanovii, Penicillium 83: 15
kuthanii, Inocybe 52: 14; 63: 3
kuthanii, Mycena 63: 3
kuthanii, Pluteus 52:14; 63: 3

L

Laccaria 97: 45
laccata, Laccaria 69: 18; 79: 5; 86: 16; 87: 16; 89: 9; 98: 14
Laccocephalum 66: 27
lacera, Inocybe 86: 16; 90-91: 11
lacera var. lacera, Inocybe 89: 9
lacrymabunda, Lacrymaria 69: 19; 74: 13; 79: 5; 87: 16
lacrymans, Serpula 52: 12, 22; 69: 22

Lactarius 64: 29; 71: 32; 83: 28; 87: 29
lactea, Hemimycena 94: 4, 5
lactea var. lactea, Hemimycena 94: 4
lactea var. tetraspora, Hemimycena 94: 4
lactea var. tetraspora f. minor, Hemimycena 94: 4
lactea, Conocybe 67: 10
lactea, Mycena 94: 4
lactea, Postia 56: 15; 73: 9, 13
lactescens, Megalocystidium 55:29
lacteus, Irpex 90-91: 19; 94: 49;
lacteus, Leptoporus 73: 9; 97: 15
lacteus, Tyromyces 73: 9
lactifluorum, Hypomyces 59:28
lacunosa, Helvella 67: 5; 79: 4
lacus-sarmientei, Penicillium 83: 15
laeta, Hygrocybe 69: 18; 96: 30
laeticolor, Clavulinopsis 69: 16; 74: 10
laeticolor, Ramariopsis 98: 17
laeticolor, Steccherinum 74: 11
Laetinevia 71: 24
laetissima, Psilocybe 51:23; 58:25
laeve, Crucibulum 67: 18; 69: 21; 86: 19
laeve, Cylindrobasidium 66: 11
laeve, Cyphellostereum 82: 19
laevigatus, Phellinus 64: 7, 9; 90-91: 19
laevis, Galerina 78: 6
lageniforme, Gaeastrum 53:9
lageniforme var. koreanum, Gaeastrum 52:19
lagenophorae, Puccinia 75: 8-10, 15
lagopus, Coprinus 67: 10
Lachnum 56: 28; 96: 36; 100: 4
lambinonii, Lycoperdon 56: 14; 67: 18
lamellicola, Cephalosporium 84-85: 43
lamellicola, Simplicillium 84-85: 43, 46
lamellicola, Verticillium 69: 23, 25; 84-85: 43, 46
Lamprospora 54:28
lanata, Enchnoa 86: 22
lanatus, Xerocomus 99: 17, 18
lanciformis, Pseudovalsa 86: 24; 87: 21
lanoso-coeruleum, Penicillium 83: 19
lanosogrisellum, Penicillium 83: 19; 83: 19
lanosoniveum, Cephalosporium 84-85: 43
lanosoniveum, Simplicillium 84-85: 41, 43
lanosoviride, Penicillium 83: 19
lanosum, Penicillium 64: 14; 83: 17; 94: 47
lapatayae, Penicillium 83: 15
lapponica, Amylocystis 51: 21; 54: 29; 58: 23; 69: 5; 70: 1; 83: 9; 84-85: 55; 89: 30; 97: 37; 99: 5
lapsanae, Puccinia 59: 29; 76: 12
largentii, Ramaria 97: 1. str. obálky (bar. foto), 3.str. obálky, 12, 13; 97
larici-epithea, Melampsora 55:30
laricis, Meria 52:22
laricis-populina, Melampsora 87: 20; 88: 17

lascivum, *Tricholoma* 75: 8
Lasiobolus 88: 33
Lasiodiplodia 95: 14
lassei, *Marasmiellus* 65: 6
lata, *Eutypa* 93: 21, 23, 25, 28
latemarginatus, *Oxyporus* 74: 10; 84-85: 49
lateralis, *Marasmiellus* 65: 1
lateritia, *Tomentella* 83: 1
lateritius, *Hypomyces* 90-91: 11
latispora, *Lepiota* 80: 9
latitans, *Hyphodontia* 55:16-18
laurocerasi, *Russula* 67: 16
lebiseyi, *Cryptodiaporthe* 86: 22
Lecanactis 73: 16
Lecanicillium 84-85: 39, 41, 42, 47
lecanii, *Cephalosporium* 84-85: 42
lecanii, *Lecanicillium* 84-85: 41, 42
lecanii, *Verticillium* 84-85: 38, 40, 41-43, 46
Lecanora 100: 5, 16
Leccinum 64: 28
Leccinum 98: 31
ledi var. *cassandrae*, *Chrysomyxa* 59:28
ledicola, *Chrysomyxa* 59:28
leiphaemia, *Amphiaporthe* 92: 13
leiphaemia, *Diaporthe* 71: 26
Lemoniera 78: 6
lemonii, *Penicillium* 83: 17
Lemonniera 100: 5
lenis, *Skeletocutis* 58:13
lenta, *Pholiota* 55: 9; 57: 4, 10; 67: 15; 69: 20; 78: 7; 86: 17; 90-91: 12
Lentinellus 81: 32
Lentinus 68: 4, 6; 92: 27
Lentodiopsis 68: 3, 4, 8
Lentoramarria 69: 7
lentus, *Polyporus* 67: 7, 19
Lenzites 97: 40, 41
leoninus, *Pluteus* 69: 20; 79: 6
Leontoramarria 71: 6, 10
levida, *Russula* 75: 7
lepidus, *Lentinus* 79: 6; 89: 9
lepidus, *Lenzites* 69: 16
lepidus, *Sarcodon* 62: 10
Lepiota 81: 8; 99: 39
leplistoides, *Leucopaxillus* 51: 22; 58: 25; 83: 12; 84-85: 55; 87: 6, 12
leporina, *Onnia* 69: 16
Lepraria 75: 2; 100: 5, 100
Leprocybe 79: VII/1 (příloha)
leptocephala, *Mycena* 99: 40
Leptoglossum 76: 10
Leptographium 90-91: 28, 29, 31, 33, 34
Leptonia 51: 30; 84-85: 56
leptophylla, *Inocybe* 97: 42
leptophylla, *Mycena* 54:28

Leptoporus 54:5
leptostyla, Gnomonia 87: 20
Leptotrimitus 58:13
lespedezae-procumbentis, Uromyces 59:29
leucobryophila, Lindtneria 79: 1
leucobryophylla, Lindtneria 67: 1
leucomallela, Postia 99: 36
leucomallelus, Oligoporus 90-91: 18
leucophaeus, Hygrophorus 66: 24
leucophylla, Fayodia 82: 8, 10
leucophylla, Gamundia 90-91: 23
leucopus, Coremium 83: 20
leucopus, Penicillium 83: 20
leucopus, Sarcodon 62: 10
leucothites, Leucoagaricus 51: 5; 69: 19; 74: 13; 78: 7; 79: 6; 87: 16
leucotricha, Leucoscypha 98: 32
leucotrichus, Agaricus 84-85: 49
leveillei, Puccinia 76: 12
lignatilis, Ossicaulis 94: 49
lignatilis, Pleurocybella 86: 27
ligni, Mollisia 71: 24
lignicola, Boletus 98: 35, 36
lignicola, Buchwaldoboletus 95: 32; 98: 32, 35
lignicola, Scytalidium 78: 12
lignorum, Penicillium 83: 22
lignyota, Cryptosphaeria 86: 22; 87: 19
lignyotus, Lactarius 86: 18; 88: 20
ligula, Clavariadelphus 67: 6
lichenicola, Seimatosporium 97: 35
lichenoides, Acrospermum 86: 7
lichenoides, Hypocreopsis 86: 1. str. obálky (bar. foto), 2. str. obálky, 4-8; 89: 3; 90-91: 6-9; 94: 46; 95: 32
lilacifolia, Clitocybe, Mycena, Omphalia, Omphalina 54:10
lilacifolius, Agaricus, Omphalia 54:10
lilacinoechinulatum, Penicillium 83: 14
lilacinus, Agaricus, Omphalia 54:10
lilacinus, Lactarius 51: 23; 58: 24; 94: 49; 99: 35, 36
lilacinus, Paecilomyces 74: 20
liliacearum, Puccinia 59:29
Limacium 66: 24
limbatum, Geastrum 53: 10, 11; 59: 5; 84-85: 32
limitata, Peniophora 53:19
limonella, Pholiota 55:6; 57:3,6
limonia, Telamonia 79: VIII/1
limonius, Cortinarius 79: VIII/1, 2; 97: 42
limosus, Marasmius 51:22; 58:3,25
limulatus, Flammulaster 88: 1. str. obálky (bar. foto), 2.str. obálky, 7; 87: 6; 94: 15, 18, 39; 97: 41
lindbladii, Cinereomyces 54: 6; 69: 5; 99: 36
lindemuthianum, Colletotrichum 77: 23
Lindtneria 67: 1; 79: 1
lineatus, Polystictus 51:6
lineatus, Rigidoporus 51:6

lini, Melampsora 59:28
lipsiense, Ganoderma 52: 22; 65: 10; 67: 6; 69: 16; 78: 6; 86: 13; 87: 15; 97: 20; 99: 39
liquiritiae, Gymnopilus 93: 13, 14
litoralis, Arrhenia 51:28
litschaueri, Tomentella 88: 3; 98: 1, 7
livescens, Russula 67: 16
lividum Lycoperdon 89: 9; 69: 21; 80: 10
lividum, Penicillium 83: 15
lividus, Gyrodon 87: 6, 15; 88: 7; 94: 40, 49
lloydianum, Vascellum 51:13
loliense, Penicillium 83: 22
lonatii, Gamundia 90-91: 22
longibrachiata, Clavatospora 78: 6
longicaudum, Hebeloma 67: 11
longipes, Fusarium 70: 14
longipes, Xerula 72: 6^o
longipes, Xylaria 99: 40
longisegmentis, Cordyceps 94: 45
longisetosum, Epipolaeum 55:29
longispora, Ramaria 97: 13
longispora var. citrina, Ramaria 97: 13
longisporum, Cephalosporium 84-85: 42
longisporum, Lecanicillium 84-85: 41, 42; 95: 16
longissima, Ustilago 59:29
lonicerae, Sphaerographium 55:29
Lophodermium 88: 33
loveiana, Volvaria 70: 9
lubrica, Dryophila 76: 16
lubrica, Flammula 76: 16
lubrica, Leotia 59: 28; 69: 15; 86: 12
lubrica, Pholiota 55: 9; 57: 4, 5, 8; 76: 16; 90-91: 12, 13
Lubricula, 55:9
lubricus, Agaricus 76: 16
lucidum, Ganoderma 69: 16; 71: 3, 4; 78: 7; 86: 26; 97: 43
lucifera, Pholiota 55: 7, 8; 57: 4, 10; 99: 35, 39
lucifuga, Inocybe 67: 12
lucorum, Hygrophorus 67: 11; 86: 16; 87: 16
luctuosus, Pluteus 94: 42
ludgensis, Heliscus 78: 6
lugubris, Phaeocollybia 88: 24, 27
lunariae, Hyaloperonospora 90-91: 24
lunariae, Peronospora 55:30
lundellii, Sarcodon 62: 11
lundellii, Crepidotus 80: 9; 93: 7
lundellii, Phellinus 64: 7-9; 90-91: 19
lundellii, Russula 94: 41
lupuletorum, Marasmius 58:9
luridiformis, Boletus 67: 9; 78: 6
luridum, Tricholoma 54: 28; 67: 29
luridus, Boletus 54: 18; 69: 17; 79: 7; 86: 14; 93: 29; 94: 31
luridus var. rubriceps, Boletus 79: 7
luscina, Lepista 59: 15; 75: 7; 90-91: 49
luscinum, Tricholoma 59:15

lusitaniae, Candida 71: 12
lutaria, Pholiota 57:8
lutea, Armillaria 89: 8
lutea, Cudonia 59:28
lutea, Ramaria 83: 6
lutea, Russula 67: 16; 86: 18
luteifolius, Gymnopilus 93: 10
luteoalba, Junghuhnia 55: 19, 20; 56: 1, 2, 5; 90-91: 18
luteoalbum (luteo-album), Verticillium 84-85: 38-40
luteo-aurantium, Penicillium 83: 15
luteocaesia, Postia 52:6
luteodiscum, Lachnum 59:28
luteolus, Crepidotus 93: 4, 7
luteoolivaceum, Callistosporium 82: 1. str. obálky (bar. foto), 2. str. obálky, 5, 6
luteorubella, Orbilia 71: 24
luteotacta, Russula 67: 16; 74: 11; 79: 6; 84-85: 49
luteovirens, Byssonectria 67: 4
luteovirens, Pluteus 69: 20; 94: 42
luteovirens, Rutstroemia 99: 39
lutescens, Cantharellus 51:29
luteus, Leucocoprinus 81: 9
luteus, Suillus 56:16; 79: 7; 86: 15; 89: 11; 99: 38
luzulae, Arthriniun 94: 51
luzulae, Puccinia 55:30
luzulae-maximae, Puccinia 90-91: 26
lycii, Peniophora 66: 12; 95: 8
lycoperdoides, Asterophora 82: 19
Lycoperdon 70: 9; 96: 25
lycoperdon, Enteridium 86:11
lycoperdon, Reticularia 67: 4
lycopi, Pyrenopeziza 55:29
lycopodina, Phaeosphaeria 55:30.

M

macedonicum, Hyphoderma 97: 41
macedonicus, Crepidotus 93: 4, 5
maclennaniae, Penicillium 83: 17
macra, Antrodia 512:21
macrocarpa, Antromycopsis 68: 6
macrocarpus, Agaricus 67: 8
Macrolepiota 53: 27; 81: 11
Macrohomomina 95: 14
macropus, Cyathipodia 69: 15
macropus, Helvella 67: 5
macropus, Macropodia 94: 41
macrospora, Antrodia 54:30; 59:2
macrospora, Athelia 54:1
macrospora, Sclerophthora 77: 21, 22
macrosporum, Lophodermium 52:22
macrosporus, Agaricus 52:23
macrosporus, Protomyces 71: 24
maculans, Leptosphaeria 100: 12

maculata, *Collybia* 56: 12; 99: 37
maculata, *Inocybe* 67: 12
maculata, *Psathyrella* 78: 6
maculata, *Rhodocollybia* 61: 7; 86: 17; 87: 17
maculata, *Russula* 69: 20; 75: 7; 79: 6; 89: 10
madidum, *Entoloma* 51:29; 54:28
madriti, *Penicillium* 83: 17
magnusiana, *Nectria* 86: 23; 87: 21
mairei, *Amanita* 55:2; 89: 8; 94: 48
mairei f. *supravolvata*, *Amanita* 55:2
mairei, *Hemimycena* 94: 8, 9
mairei, *Russula* 99: 40
mairei, *Tomentella* 88: 2, 3
major, *Puccinia* 76: 12
majus, *Callistosporium* 82: 5
majuscum, *Penicillium* 83: 19
malacaense, *Penicillium* 83: 15
Malassezia 72: 19
mali, *Penicillium* 83: 21
mali, *Phomopsis* 97: 35
malicoria, *Dermocybe* 84-85: 13
malicorius, *Cortinarius* 84-85: 3, 13
malicorticis, *Neofabraea* 97: 47
maltum, *Penicillium* 83: 20
malvacearum, *Puccinia* 59: 29; 71: 25
mammiforme, *Lycoperdon* 67: 18
mammosum ("mamosus"), *Gastrum* 53:20,23
manginii, *Penicillium* 83: 17
mappa, *Amanita* 86: 15
Marasmiellus 58: 1; 65: 1, 3, 7, 8; 97: 45
marasmoides, *Collybia* 86: 15
Marasmius 58: 1, 11; 62: 27; 65: 1
marcescibilis, *Psathyrella* 87: 17; 99: 36
marginata, *Biscogniauxia* 87: 19; 96: 6, 7, 11
marginata, *Galerina* 67: 11; 78: 6; 86: 16; 99: 36, 38, 39
marginatum, *Hypholoma* 67: 11
marginatum, *Lycoperdon* 51: 13; 89: 9, 12, 13; 94: 49
marginella, *Clitocybe* 80: 9; 89: 8
mariae-crucis, *Penicillium* 83: 17
mariae-wilsoniae, *Puccinia* 59:29
maritima, *Laccaria* 96: 30
marneffei, *Penicillium* 54: 25; 61: 16, 18; 65: 21; 83: 22
marschalianum, *Tetracladium* 78: 6
Marssonia 87: 20
martensii var. *moldavicum*, *Penicillium* 83: 20
martensii, *Penicillium* 83: 19
marthae, *Myxomphalia* 51: 22; 58: 25; 76: I/1; 90-91: 22; 94: 38
martioflavus, *Sarcodon* 62: 11
marylandica, *Puccinia* 59:29
marzuolus, *Hygrophorus* 53: 28; 54: 18; 67: 11; 96: 30
maskae, *Agaricus* 79: 4
massariana, *Leucocytospora* 87: 20
massarianum, *Leucostoma* 87: 20

mastoidea, Macrolepiota 69: 19
matris-meae, Penicillium 83: 17
maura, Myxomphalia 76: I/1, 2; 90-91: 22
maura f. alba, Myxomphalia 90-91: 22
maura f. maura, Myxomphalia 90-91: 22
maura, Eutypa 71: 24; 99: 38
mauretanica, Hemimycena 75: 6, 8; 94: 7
mauretanica var. cystidiata, Hemimycena 94: 6, 7
mauretanica var. mauretanica, Hemimycena 94: 7
mauretanica var. microcephala, Hemimycena 94: 6
maydis, Diplodia, Stenocarpella 59:10
maydis, Ustilago 74: 23; 90-91: 27
meandriformis, Choiromyces 86: 12
mediocre, Penicillium 83: 16
mediolanense, Penicillium 83: 21
mediterranea, Biscogniauxia 96: 6, 7, 9
mediterraneum, Hypoxylon 92: 13
medulla-panis, Perenniporia 84-85: 49
medusae, Melampsora 59:28
megaspora, Mycena 98: 32
megasporum, Penicillium 83: 17
melaena, Pseudoplectania 51:20; 58:25
melaleuca, Melanoleuca 67: 14
melaleucoides, Tapesia 71: 24
melaleucus, Phellodon 62: 6
Melampsora 71: 25
melampyri, Coleosporium 90-91: 24; 98: 20
Melanconium 86: 23
melanocephalum, Geastrum 63: 30; 83: 13
melanoconidium, Penicillium 83: 22
melanocyklum, Tulostoma 54:27
melanochlorum, Penicillium 83: 21
Melanoleuca 99: 38
melanopus, Polyporus 67: 7; 69: 17; 89: 10
melanotricha, Xerula 51: 22; 58: 26; 72: 6-8; 94: 39; 97: 42
melanoxeros, Cantharellus 84-85: 55
Melasmia 87: 21
meleagrinum var. viridiflavus, Penicillium 83: 17
meleagrinum, Penicillium 83: 20
melinii, Penicillium 83: 17
melinii, Phialophora 86: 25; 87: 24
melizeus, Hygrophorus 67: 11, 19; 89: 9
mellea, Armillaria 52: 21, 22; 53: 28; 57: 13; 69: 17; 86: 25; 87: 16; 88: 26; 93: 21
mellea, Armillariella 52: 21, 22; 53: 28; 57: 13; 72: 11; 79: 5
melleus, Aspergillus 78: 12
melliolens, Russula 67: 29
mellita, Antrodia 59:1-3
melonis, Corynespora 52:21
menieri, Marasmius 58:2
mentagrophytes, Trichophyton 79: 29
mentagrophytes var. interdigitale, Trichophyton 72: 25
mentagrophytes var. mentagrophytes, Trichophyton 72: 25
mentagrophytes var. quinckeanum, Trichophyton 72: 25

menthae, *Puccinia* 59:29
mentschulensis, *Tyromyces* 94: 14
mercurialis, *Pyrenopeziza* 71: 24
Meripilus 90-91: 44
merismoides, *Phlebia* 69: 17
Merulius 70: 2
mesenterica, *Auricularia* 66: 11; 67: 6; 69: 15; 79: 4
mesenterica, *Bondarzewia* 94: 16, 18
mesenterica, *Tremella* 69: 15; 75: 8; 86: 13; 90-91: 11
mesomajalis, *Puccinia* 59:29
mesophaeum, *Hebeloma* 67: 11; 78: 7
mesosporus, *Marasmiellus* 65: 2; 65: 2
mespili, *Diplocarpon* 87: 20
mespili, *Entomosporium* 87: 20
metachroa, *Clitocybe* 67: 9; 86: 15; 99: 36-38
metrodii, *Ripartites* 78: 6
Metschnikowia 99: 30, 31
mexicana var. *indicae*, *Frommeëlla* 97: 24-26
mexicana, *Psilocybe* 87: 27
micacea, *Camarophyllopsis* 98: 17
micaceus, *Coprinus* 67: 10; 69: 18; 79: 5; 86: 16; 87: 16; 88: 16; 89: 9
Microascus 64: 22
microbactrospora, *Pochonia* 84-85: 44
Microdochium 71: 21
Microhilum 84-85: 39
Micromphale 58: 1; 65: 2
microporus, *Rigidoporus* 51:6,7
micropus, *Peziza* 67: 5
micropus, *Peziza* 71: 24
microsperma, *Diplodina* 55:29
microspermum, *Asteroma* 87: 23
Microsphaeropsis 94: 52; 97: 35
microspora, *Camarops* 99: 36
microspora, *Conocybe* 75: 6
Microsporidium 72: 20
Microsporum 70: 28
microsporum, *Entyloma* 59:29
microsporus, *Gymnopilus* 93: 14
miczynskii, *Penicillium* 83: 17
michaelis, *Penicillium* 83: 18
michelii, *Peziza* 67: 5
micheneri, *Constantinella* 99: 38
militaris, *Cordyceps* 84-85: 38, 40, 42; 88: 22, 27
millepunctata, *Olla* 55:29
miniata, *Hygrocybe* 59: 15; 69: 18; 87: 16
miniatopus, *Cortinarius* 67: 10, 19
minima, *Licea* 52:10,11
minima, *Phyllosticta* 59:30
minima, *Togninia* 93: 24
minimum, *Geastrum* 53:8; 59:5
minioluteum, *Penicillium* 83: 22
minor, *Uromyces* 76: 13; 98: 24
minus, *Cyclaneusma* 55: 30; 97: 34

minus, *Ophiostoma* 90-91: 34
minutalis, *Tubaria* 82: 9
minutispora, *Rotiferophthora* 84-85: 40, 44
minutissima, *Xeromphalina* 82: 1
minutula, *Hygrocybe* 94: 38
minutulum, *Polycoccum* 74: 30
minutum, *Echinostelium* 52:8,10-12
minutum, *Ophiostoma* 97: 46
minutus, *Marasmius* 58:6
mirabile, *Hydnellum* 62: 8
mirabile, *Penicillium* 83: 22
mirabile, *Sporoschisma* 71: 25
mirabilis, *Acrospeira* 86: 24; 87: 22
mirabilis, *Hymenoscyphus* 71: 26
mirabilissima, *Cumminsiella* 55:29
mitissimus, *Lactarius* 67: 12; 69: 19; 86: 18
mixta, *Pholiota* 55: 9; 57: 5, 9; 90-91: 12
mixtilis, *Inocybe* 67: 12
modesta, *Cladophialophora* 72: 25
modonia, *Melanconis* 86: 23
molare, *Cerocorticium* 53: 18; 69: 16; 86: 13
molaris, *Radulomyces* 71: 25; 75: 7; 78: 7
moldavicum, *Penicillium* 83: 17
molesta, *Agrocybe* 79: 5
molle, *Lycoperdon* 56: 14; 67: 18
mollis, *Crepidotus* 67: 10; 69: 18; 82: 10; 93: 3, 4
mollis var. calolepis, *Crepidotus* 93: 4
mollis var. pseudoapplanatus, *Crepidotus* 93: 8
mollis, *Datronia* 69: 16; 97: 20; 99: 39
mollis, *Leptoporus* 94: 41-43
mollis, *Tomentella* 76: 1
Mollisia 77: 13; 88: 33; 90-91: 44
mollisimum, *Lachnum* 71: 24
mollusca, *Trechispora* 58: 17-20, 22; 69: 5; 97: 20
molluscus, *Polyporus* 58:17
Monascus 64: 22
mongoliae, *Penicillium* 83: 21
Monilia 64: 13; 95: 14
moniliforme, *Fusarium* 57: 29; 59: 7, 8; 60: 11-13, 17, 18; 66: 17; 70: 13-15; 71: 21; 74: 19; 79: 11, 12
moniliforme var. subglutinans, *Fusarium* 59:8
monocytogenes, *Listeria* 73: 25
monocheata, *Monochaetia* 59:30
mononematosum, *Penicillium* 83: 21
monstrosum, *Penicillium* 83: 21, 22
montagnei, *Coltricia* 51:21; 58:23
montagnei, *Ustilago* 59:29
montana, *Psilocybe* 89: 10
montanense, *Penicillium* 83: 15
montanensis, *Tomentella* 98: 1
moravica, *Gloeosporidina* 87: 23
moravicum, *Hypoxyylon* 97: 41
moravicus, *Boletus* 84-85: 55

moravicus, Xerocomus 51:21; 58:26
morganii, Geastrum 53:8
Morchella 72: 11; 81: 8
mori, Hysterographium 59:28
moriformis, Bertia 67: 4; 82: 10
Mortierella 64: 13; 74: 20, 22
mortoniae, Phaeoacremonium 93: 23
mougeotii, Eccilia 81: 9
mougeotii, Hymenochaete 72: 10
mucida, Holwaya 59: 28; 74: 10; 84-85: 49
mucidula, Pseudotomentella 81: 4
mucidus, Porpomyces 58:14
mucifluus, Cortinarius 69: 18
mucigera, Pholiota 76: 16
Mucor 57: 22, 28, 29; 62: 12; 64: 13, 21; 69: 23; 70: 28; 74: 19, 20; 78: 11-13; 95: 12, 14; 99: 20
mucosum, Penicillium 83: 16
mucronella, Hygrocybe 87: 6, 11; 99: 17, 18
muelleri, Pholiota 55: 6, 7; 57: 7
muelleri, Polyporus 55:2
multicolor, Cortinarius 67: 10, 19
multicolor, Trametes 69: 17
multifida, Pterula 82: 19
multiforme, Hypoxylon 82: 10; 86: 12; 89: 3; 99: 36, 38
multiformis, Cortinarius 67: 10
multipedata, Psathyrella 74: 13; 84-85: 48, 49; 90-91: 11
multizonata, Podoscypha 84-85: 56
mundula, Rhodocybe 67: 15
murcianum, Penicillium 83: 16
muricatus, Flammulaster 84-85: 49; 94: 16, 18
murina var. alpestris, Leptopodia, 60:5
muringella, Volvariella 62: 16; 67: 17, 19; 79: 7
muringus, Pluteus 53: 19; 82: 11
murorum, Acremonium 74: 20
murrayi, Cystostereum 97: 41
musae, Penicillium 83: 20
muscaria, Amanita 67: 8; 69: 17; 86: 15; 87: 16; 88: 36; 89: 8; 99: 36, 37, 39, 40
muscarium, Cephalosporium 84-85: 42
muscarium, Lecanicillium 84-85: 41, 42
muscicola, Eocronartium 59:29
muscicola, Chromocyphella 93: 2
mustelina, Russula 52: 23; 80: 22; 83: 28; 88: 20; 89: 10; 93: 29
mutabilis, Kuehneromyces 67: 12; 69: 18; 86: 16; 88: 17; 99: 36, 39, 40
mutans, Hapalopilus 90-91: 19
mutila, Diplodia 92: 13, 14
myceliosa, Anomoporia 55:11,12
myceliosa, Ramaria 69: 7, 8
Mycena 56: 28; 71: 32; 84-85: 52; 97: 45
Mycenella 97: 45
Mycoacia 56:1
mycophaga, Tremella 93: 17
mycophila, Eleutheromycella 59:30
myomyces, Tricholoma 67: 17

myosotis, *Hypholoma* 87: 8; 88: 14
myosura, *Baeospora* 67: 8; 86: 15; 89: 8
myriocarpa, *Chaetosphaeria* 71: 26
Myriosclerotinia 76: 5, 7
Myriostoma 75: 1
Myronectria 80: 20
Myrothecium 64: 22
myrtillina var. *major*, *Podosphaera* 55:30.
Myxomphalia 66: 29; 90-91: 20, 21, 24.
Myxotrichum 64: 22.

N

nalgiovense, *Penicillium* 64: 12, 13, 15; 83: 21
nameko, *Pholiota* 100: 27, 28
nana, *Umbelopsis* 92: 13
nanceiensis, *Cortinarius* 58: 27; 99: 35, 37
nanum, *Geastrum* 53: 7; 63: 30; 89: 14
nanum var. *coniferarum*, *Geastrum* 59: 6; *Geastrum* 89: 14
nanus f. *griseopus*, *Pluteus* 84-85: 49
nanus, *Pluteus* 67: 15; 69: 20; 94: 42; 99: 39
napiforme, *Fusarium* 60: 13, 18; 66: 17
narcotica, *Psathyrella* 99: 39
narymica, *Perenniporia* 51: 21; 58: 25; 90-91: 19
nauseosa, *Russula* 67: 16; 89: 10
nauseosum, *Tricholoma* 67: 29; 87: 7; 88: 11
nauseosum f. *gracilis*, *Tricholoma* 67: 29
nebrodensis, *Pleurotus* 68: 6
nebularis, *Clitocybe* 53: 28; 54: 19; 70: 9, 10; 79: 5; 87: 16
nebularis f. *robusta*, *Clitocybe* 87: 16
nebularis, *Lepista* 67: 13; 78: 6, 7; 86: 16; 99: 36-39
nebularis var. *alba*, *Lepista* 67: 13
necator, *Lactarius* 67: 12; 69: 19; 86: 18
necator, *Uncinula* 78: 18; 93: 20
necatrix, *Dermatophora* 93: 21
necatrix, *Rosellinia* 93: 21
Nectria 71: 21
neglecta, *Calloria* 55: 29; 71: 24, 26
neglecta, *Sporisorium* 59:29
nematolomoides ("*nematoloides*"), *Hypholoma*, *Pholiota* 54:29; 57:7
nemecii, *Sparassis* 87: 8; 88: 15
nemopanthis, *Microsphaera* 59:27
nomorensis, *Cortinarius* 84-85: 49
nomoreus, *Hygrophorus* 59: 15; 69: 18
neobourdotii, *Tomentella* 83: 1, 4; 84-85: 20
neoechinulatum, *Penicillium* 83: 22
Neofabraea 100: 7, 21, 47
neoformans, *Cryptococcus* 59:12; 61: 13; 78: 20, 21, 23, 24; 100: 12
neoformans var. *gattii*, *Cryptococcus* 72: 18
neoformans var. *neoformans*, *Candida* 61: 14
neoformans, *Filobasidiella* 61: 13
Neolentinus 94: 26
Neooxyporus 51:6

neopurpurogenum, *Penicillium* 65: 20, 21
Neozygites 99: 32
nephrodes, *Crepidotus* 93: 3, 5
nidulans, *Aspergillus* 69: 26; 74: 19, 20; 78: 11, 12, 13, 23
nidulans, *Emericella* 100: 1. str. obálky (bar. foto), 56
nidulans, *Hapalopilus* 75: 6; 89: 9; 97: 20
nidulans, *Phyllotopsis* 66: 13; 82: 9, 11; 94: 14, 18, 49; 98: 32
nidulus, *Lasiobelonium* 55: 30
nidus-pici, *Inonotus* 52: 14; 86: 27; 90-91: 51
niger, *Aspergillus* 64: 13; 65: 21, 22; 66: 17; 70: 11, 12; 78: 11-13, 20; 79: 19; 95: 15
niger, *Phelodon* 62: 5
nigra, *Comatricha* 71: 25, 27
nigra, *Herpotrichia* 52: 22
nigra, *Pseudotomentella* 72: 1-5; 81: 4; 95: 3
nigra, *Tomentella* 72: 1-3
nigrella, *Pseudoplectania* 94: 41
nigrescens, *Bovista* 69: 21; 96: 13
nigrescens, *Hygrocybe* 62: 16
nigrescens, *Leccinum* 69: 19
nigrescens, *Ramaria* 69: 8
nigrescens, *Rigidoporus* 51: 6
nigrescens, *Verticillium* 84-85: 38
nigricans var. sulphureum, *Penicillium* 83: 17
nigricans, *Penicillium* 83: 17
nigricans, *Russula* 67: 16; 69: 20; 86: 18; 87: 17; 99: 38, 40
nigritum, *Geoglossum* 98: 8
nigrofloccosus, *Pluteus* 87: 17
nigrolimitatus, *Phellinus* 64: 6, 9; 87: 7, 13; 88: 10, 14; 94: 41; 97: 38, 39; 99: 5
Nigrospora 78: 12; 95: 12, 14
nigrum, *Epicoccum* 69: 22; 94: 52; 95: 15
niklewksii, *Penicillium* 83: 14
nitellina, *Rhodocybe* 74: 10
nitellina, *Tomentella* 74: 3, 4
nitens, *Gymnoconia* 59: 28
nitida, *Junghuhnia* 56: 1-5
nitidum, *Entoloma* 51: 2, 3; 88: 22, 27; 97: 42; 99: 40; 99: 35
nivale, *Fusarium* 57: 29
nivalis, *Marasmius* 87: 2
nivea, *Byssochlamys* 56: 8; 62: 12
nivea, *Cytospora* 86: 23; 87: 20
nivea, *Melanoleuca* 80: 10
nivea, *Skeletocutis* 58: 13; 90-91: 17; 97: 20
nivea, *Trechispora* 89: 5, 6; 95: 10
niveum, *Leucostoma* 71: 24; 86: 23; 87: 20
niveum, *Tulostoma* 51: 29; 84-85: 56
niveus, *Camarophyllum* 67: 9; 69: 17; 80: 9
niveus, *Naemacyclus* 71: 26
nobilis, *Russula* 75: 7; 86: 18; 94: 18; 99: 38
Nodulisporium 88: 33; 94: 52; 96: 6; 97: 36
nodulosa, *Drechslera* 95: 15, 17
nodulosum, *Cephalosporium* 84-85: 42
nodulosum, *Lecanicillium* 84-85: 42
nodulosus, *Inonotus* 53: 3; 55: 13; 69: 16; 97: 20; 99: 39

nodulum, *Penicillium* 83: 15
Nolanea 52:1
nomius, *Aspergillus* 65: 22; 66: 14; 73: 25
nordicum, *Penicillium* 83: 21
norvegicus, *Cortinarius* 84-85: 17
notatum, *Penicillium* 64: 12; 83: 20
nothofagi, *Mycoacia* 78: 6; 90-91: 49; 97: 41
novae-caledoniae, *Penicillium* 83: 18
novae-caledoniae var. album, *Penicillium* 83: 18
novae-zeelandiae, *Penicillium* 83: 17
novaezelandiae, *Hypocrea* 70: 29
novo-ulmi, *Ophiostoma* 77: 14, 15; 90-91: 33; 92: 11; 100: 14, 15, 25
nubilum, *Verticillium* 84-85: 38
nucleatum, *Myxarium* 71: 26
nuda, *Lepista* 52: 23; 54: 19; 67: 13; 69: 19; 70: 9; 78: 7; 79: 6; 86: 17; 87: 16; 99: 37, 38
nuda, *Ustilago* 52:21
Nummularia 96: 6
nummularia, *Biscogniauxia* 96: 6-8
nutans, *Arcyria* 67: 4
nygamai, *Fusarium* 66: 17; 70: 14; 60:13,18.

O

oakesii, *Aleurodiscus* 59:29
obclavatum, *Acremonium* 84-85: 43
obclavatum, *Simplicillium* 84-85: 43
obclavatus, *Pseudospiropes* 71: 25
obducens, *Oxyporus* 54: 29; 84-85: 49
obducta, *Osteina* 66: 12
oblatum, *Penicillium* 83: 22
obliquus, *Inonotus* 55: 13, 14; 86: 27
oblonga, *Phomopsis* 87: 24; 97: 34
obovatum, *Brachysporium* 71: 25
obovatum, *Verticillium* 84-85: 44
obrussea, *Hygrocybe* 62: 16
obscura, *Puccinia* 59: 29; 75: 9, 11
obscura, *Rhodocybe* 51: 22; 58: 25; 84-85: 55; 94: 39, 40
obscuratus, *Lactarius* 84-85: 49
obscuroides, *Inocybe* 67: 12, 19
obscurosporus, *Paxillus* 97: 4. str. obálky (bar. foto), 97: 7, 8, 10, 11
obscurum, *Penicillium* 83: 16
obtusa var. duchesneae, *Frommea* 97: 25
obtusa, *Frommeella* 59:28
occidentalis, *Lachnellula* 99: 38
ocellata, *Ocellaria* 55:29
ocior, *Collybia* 67: 9; 78: 6
ocior, *Gymnoporus* 80: 9
odini, *Gymnopilus* 93: 12
odora, *Antrodia* 95: 32
odora, *Clitocybe* 67: 9; 69: 17; 79: 5; 86: 15; 87: 16; 99: 37
odora, *Skeletocutis* 58: 13, 15; 54: 29; 84-85: 55; 89: 30; 97: 42; 99: 5
odoratissima, *Mycoacia* 69: 16
odoratum, *Gloeophyllum* 67: 7; 69: 16; 86: 13; 97: 20; 99: 39

odoratum, *Penicillium* 83: 15
odoratus, *Osmoporus* 52:22
odorus, *Haploporus* 84-85: 55
Oedemium 78: 6
oedipus, *Phaeogalera* 82: 19
officinalis, *Laricifomes* 51: 29; 84-85: 56
ochracea, *Ramaria* 69: 7, 9
ochracea, *Trametes* 78: 7; 86: 14, 28; 97: 20
ochraceoflavum (etiam ochraceo-flavum), *Stereum* 82: 9; 86: 14; 59: 29; 75: 8
ochraceoroseus, *Aspergillus* 65: 22
ochraceovirens, *Ramaria* 69: 7
ochraceum, *Penicillium* 83: 19, 21
ochraceum var. *macrosporum*, *Penicillium* 83: 19
ochraceum, *Steccherinum* 69: 17; 73: 10, 13; 80: 10; 86: 14
ochraceus, *Aspergillus* 51: 17; 70: 13; 74: 19, 20; 78: 11, 12, 13; 79: 17; 95: 15
ochrogaleata, *Hemimycena* 94: 8, 9
ochrochlora, *Pholiota* 57:8
ochrochloron, *Penicillium* 83: 17
ochroleuca, *Russula* 67: 16; 69: 20; 86: 18; 87: 17; 89: 10; 90-91: 44; 99: 36, 38, 40
ochropallida, *Dryophila* 57: 7; 78: 9
ochropallida, *Pholiota* 78: 9
Ochroporus 64: 5
Oidiodendron 94: 47
olearius, *Omphalotus* 83: 28
olearius, *Pleurotus* 52:23
oledskii, *Penicillium* 83: 15
oleracea, *Antrodia* 90-91: 19
olida, *Mycena* 78: 7
olida, *Tilletia* 55: 30; 98: 27
olidus, *Cortinarius* 99: 37
oligandrum, *Pythium* 100: 27
oligospermum, *Cylindrotrichum* 78: 6
olivacea, *Corynespora* 55:30
olivacea, *Microsphaeropsis* 87: 23
olivacea, *Russula* 52: 23; 67: 16; 69: 20; 86: 18; 87: 17
olivaceoalbum, *Confertobasidium* 95: 7, 11
olivaceoalbus, *Hygrophorus* 52: 24; 88: 20
olivaceofusca, *Dermocybe* 84-85: 6
olivaceofuscus, *Cortinarius* 84-85: 5, 6
olivaceomarginata, *Mycena* 80: 10
olivaceum, *Penicillium* 83: 20
olivaceum var. *italicum*, *Penicillium* 83: 20
olivaceum var. *norvegicum*, *Penicillium* 83: 20
Oliveonia 71: 29
olivicolor, *Penicillium* 83: 21
olivieri, *Macrolepiota* 67: 13
olivinoviride, *Penicillium* 83: 21
olla, *Cyathus* 79: 7; 86: 19; 99: 39
olsonii, *Penicillium* 74: 19, 21; 83: 21, 22
olympiana, *Psathyrella* 75: 7
ominosus, *Cortinarius* 84-85: 18
omissus, *Cortinarius* 84-85: 18
Omphalia 56:28

omphaliformis, *Lactarius* 98: 32
omphaliformis, *Marasmiellus* 65: 5
Omphalina 76: 10
omphalodes, *Lentinellus* 67: 13
omphalodes, *Pyronema* 89: 10
Onnia 99: 37
onobense, *Penicillium* 83: 17
ononidis, *Flammulina* 51: 22; 58: 24; 83: 12; 84-85: 55; 87: 5, 10
onotica, *Otidea* 67: 5; 69: 15; 86: 12
onychoides, *Antrodia* 89: 2, 6
onychoides, *Antrodiella* 89: 2, 6; 97: 41
Ophiobolus 77: 22
ophioglossoides, *Cordyceps* 88: 22, 27
ophioglossoides, *Geoglossum* 98: 9
Ophiostoma 61: 30; 64: 22; 77: 14; 90-91: 27-32, 34, 35, 39; 92: 14; 97: 34, 46
opizii, *Puccinia* 98: 23
opuntiae, *Pleurotus* 68: 3, 8
orbiculare, *Pityrosporum* 61: 16
Orbilia 56: 24; 99: 36
oreades, *Marasmius* 54: 19; 58: 10; 67: 14; 69: 19; 74: 13; 79: 6; 80: 10; 86: 17; 89: 10
orellanus, *Cortinarius* 51: 28; 53: 27; 94: 49
oreophilum, *Steccherinum* 90-91: 51
orientalis, *Hypocrea* 70: 29
orichalceus, *Cortinarius* 87: 6; 88: 7
orirubens, *Tricholoma* 54: 27; 87: 8; 88: 15; 89: 11-13; 94: 39, 40, 49
ornatissimus, *Marasmiellus* 65: 3
oryzae, *Aspergillus* 65: 21; 66: 14; 74: 19, 20
oryzae, *Nigrospora* 95: 16
oryzae, *Rhizopus* 57: 28, 29; 95: 16
osmundae, *Mycosyrinx* 59:29
osmundae, *Uredinopsis* 59:29
ostoyae, *Armillaria* 53: 28; 67: 8; 86: 15; 100: 24
ostoyae, *Armillariella* 53: 28
ostreatus, *Pleurotus* 53: 28; 68: 2, 3, 5, 6, 8; 69: 17; 71: 26; 72: 10; 79: 6; 86: 14, 28; 100: 27, 28
ostreatus var. *columbinus*, *Pleurotus* 68: 2
ovina, *Lasiosphaeria* 71: 24; 78: 6; 82: 9, 10; 99: 36
ovoidea, *Amanita* 51: 22; 58: 23; 82: 20; 84-85: 55
oxalicum, *Penicillium* 83: 17
oxalidis, *Puccinia* 59:29
oxyacantheae, *Xylaria* 98: 17
oxycocci, *Lophodermium* 94: 51
Oxyporus 51:6
oxysporum, *Fusarium* 57: 29; 69: 28; 70: 14; 71: 21; 72: 19; 78: 13; 79: 11; 95: 15
oxysporum var. *redolens*, *Fusarium* 60:13,18.
ozes, *Tephrocyste* 67: 17

P

paczoskii, *Penicillium* 83: 16
paecilomyceforme, *Penicillium* 83: 19; 90-91: 31
Paecilomyces 64: 13; 64: 22; 74: 20; 94: 47
Pachnodium 90

pachycraspedum, Marasmiellus 65: 6
pachycraspedum var. pachycraspedum, Marasmiellus 65: 6
pachycraspedum var. pseudoramealis, Marasmiellus 65: 6
pachydermus, Protomyces 55:30
pachyodon, Spongipellis 90-91: 18
palitans var. echinoconidium, Penicillium 83: 20
palitans, Penicillium 64: 12; 83: 21
pallens, Cantharellus 67: 6; 62: 26
pallida, Ramaria 66: 13
pallidipes, Dermocybe 84-85: 18
pallido-citrina, Byssocristela 61: 2
pallido-citrina, Tomentellopsis 61: 2
pallidoluctuosum, Hebeloma 51: 23; 58: 24; 67: 11; 74: 9
pallidospathulata, Calocera 84-85: 49
pallidum, Hyphoderma 53:19
pallidus, Lactarius 67: 12; 94: 17
palmae, Penicillium 83: 22
palmatus, Rhodotus 51: 22; 58: 25; 84-85: 55; 90-91: 44
palmense, Penicillium 83: 15
paludosa, Bovista 51: 24; 58: 23; 84-85: 55; 89: 30
paludosa, Dermocybe 56:12
paludosa, Mitrula 92: 6-9
palustris var. huronensis, Dermocybe 84-85: 11
palustris var. palustris, Cortinarius 84-85: 7
palustris var. sphagneti, Cortinarius 84-85: 12
palustris, Dermocybe 84-85: 7, 8
palustris, Hydrocybe 84-85: 7
Panaeolus 87: 27
panamense, Penicillium 83: 22
paneum, Penicillium 83: 22
pannocincta, Ceriporiopsis 54: 29; 99: 36
panphylensis, Lindtneria 79: 1; 67: 1
pansa, Cortinarius 67: 10, 19
pantherina, Amanita 67: 8; 69: 17; 75: 6; 78: 6; 86: 15; 87: 16; 88: 36; 89: 8
panuoides, Crepidotus 93: 2
panuoides, Paxillus 67: 15
panuoides, Tapinella 86: 15; 87: 17; 93: 2
Panus 68: 4, 6
papillatum, Entoloma 52:1
paradoxa, Ceratocystis 90-91: 33
paradoxa, Melampsora 59: 28
paradoxa, Schizophora 54: 29; 56: 15; 66: 9; 90-91: 17; 95: 9
paraherquei, Penicillium 83: 17
paralella, Endoxyla 94: 47
parallelosporum, Penicillium 83: 16
parapsilosis, Candida 78: 21
parasitica, Asterophora 82: 19
parasitica, Cryphonectria 59: 28; 100: 25
parasitica, Peronospora 71: 23
parasitica, Phialophora 93: 24
parasiticum, Phaeoacremonium 93: 23, 24
parasiticus, Aspergillus 51: 16; 56: 8; 57: 28; 59: 7; 65: 22; 66: 14; 73: 25; 78: 14
Paraulocladium 71: 31

pardalotum, *Tricholoma* 87: 7; 88: 11; 94: 40
parietina, *Xanthoderma* 80: 12, 13
parietina, *Xanthoria* 90-91: 7
parilis, *Rhodocybe* 95: 32
paropsis, *Clitocybe* 67: 9
parviporum, *Heterobasidion* 98: 7
passerinii, *Puccinia* 55:30
patens, *Penicillium* 83: 15
patouillardii, *Inocybe* 94: 53
patris-meii, *Penicillium* 83: 19
patulum, *Penicillium* 51:17; 83: 20
pauperculus, *Cortinarius* 51: 23; 58: 24
paxilli, *Penicillium* 83: 17
Paxillus 97: 6, 8, 11
pearsonii, *Pluteus* 80: 10
peckianus, *Arthuriomyces* 59:28
peckianus, *Uromyces* 59:29
peckii, *Hydnellum* 62: 7; 94: 41
pectinata, *Russula* 67: 16; 79: 6
pectinatum, *Gastrum* 53:7; 59:6
pedemontanum, *Penicillium* 83: 17
pediades, *Agrocybe* 80: 9
pedrosi, *Fonsecaea* 78: 22
peliolepis, *Gymnopilus* 93: 10
pelletieri, *Phylloporus* 84-85: 55; 89: 12, 13, 30; 94: 49; 95: 32; 98: 32
pellitus, *Pluteus* 69: 20; 79: 6; 84-85: 49
penarius, *Hygrophorus* 67: 11; 94: 17
pendulus, *Irpicodon* 51:21; 56:13,17; 58:24
penetrans, *Gymnopilus* 67: 11; 89: 9; 93: 13, 14; 99: 37, 40
penicillatum, *Ophiostoma* 97: 46
penicilliooides, *Graphium* 86: 22; 87: 23; 90-91: 32
Penicillium 51: 17; 54: 24, 25; 57: 28, 29; 61: 16; 62: 12; 64: 12, 21, 22; 65: 16-18, 20, 22;
68: 16, 19; 69: 23; 74: 19, 20, 22; 77: 11, 12, 14; 78: 11-14; 83: 14, 22, 24; 92: 12, 14; 93:
20; 94: 50; 95: 12, 14, 16; 99: 20; 100: 5, 18, 20
pennsylvanicum, *Melanopsichum* 59: 29
percandida, *Skeletocutis* 54: 29
percandidum, *Leccinum* 94: 31
perdicina, *Peziza* 84-85: 49
perennis, *Coltricia* 89: 8; 93: 30
perforans, *Marasmiellus* 58: 6; 65: 2
perforans, *Marasmius* 65: 2
perforans, *Micromphale* 58: 6; 65: 2; 67: 14
peribebuyensis, *Cintractia* 59:29
perlata, *Discina* 67: 5; 86: 12, 19
perlatum, *Lycoperdon* 52: 23; 59: 30; 67: 18; 71: 26; 75:7; 78:7; 79:7; 86: 19; 87: 17; 89: 9;
99: 36, 39
permixta, *Macrolepiota* 67: 13, 19
peronata, *Collybia* 67: 9
peronatus, *Gymnopus* 69: 18; 75: 5,6; 80: 9
persicina, *Russula* 79: 6; 89: 10
persimilis, *Hemimycena* 94: 10
persistens, *Puccinia* 98: 23
personata, *Lepista* 79: 6

persoonii, Leucostoma 87: 21
pes-caprae, Albatrellus 87: 5, 8
Pesotum 86: 23; 87: 21; 90-91: 28, 29, 31-33
pessundatum, Tricholoma 89: 11
petasatus, Pluteus 69: 20
petasitis, Coleosporium 90-91: 25
petiginosa, Inocybe 78: 7; 94: 17, 41; 99: 37
Peyritschiella 75: 29
Pezicula 88: 33; 100: 7, 21
Peziza 56:24
peziza, Nectria 99: 38
pezizoides, Biscogniauxia 96: 10
pfefferianum, Citromyces 83: 15
pfefferianum, Penicillium 83: 15
pfeifferi, Ganoderma 97: 43
phacorrhiza, Typhula 90-91: 11
Phaeoacremonium 93: 23, 24
Phaeocollybia 87: 12
phaeocomis, Inocybe 79: 5
phaeo-janthinellum, Penicillium 83: 17
phaeomarasmoides, Marasmiellus 65: 2
Phaeomoniella 93: 23, 24
phaeospermum, Arthrinium 59:9
phaeostroma, Chaetosphaerella 82: 8, 10
Phaeotellus 76: 10
Phaeotheca 72: 25
phalloides, Amanita 54: 27; 67: 8; 69: 17; 75: 6; 79: 5; 87: 16; 88: 36; 89: 8; 99: 38
phalloides var. alba, Amanita 79: 5; 87: 16
phalloides, Battarrea 51: 29; 90-91: 45; 96: 30
phaseolina, Macrophomina 100: 21
Phellinus 64: 5, 11; 71: 1; 74: 28; 86: 3; 100: 15, 25
Phelodon 62: 5
Phialocephala 88: 33; 90-91: 31; 92: 13, 47
Phialographium 90-91: 31
Phialophora 70: 28; 72: 25; 88: 32, 33
phialosporum, Penicillium 83: 23
phillipinensis, Peronosclerospora 77: 21
phillipsii, Crepidotus 93: 2
phillipsii, Daleomyces 54: 27; 96: 35
phillipsii, Melanotus 93: 2
philonotis, Omphalina 94: 49
phlebophorus, Pluteus 94: 18, 42; 67: 15; 69: 20
Phlegmacium 74: 9; 84-85: 48; 88: 7, 13; 94: 53
Phleogena 84-85: 34
phoenicea, Dermocybe 84-85: 14
phoeniceus, Cortinarius 84-85: 3, 14; 94: 49
pholideus, Cortinarius 86: 16; 94: 49
Pholiota 51: 25; 55: 4, 8, 10; 57: 1, 2, 6, 12; 64: 16; 70: 23; 78: 8,10; 80: 19; 96: 34; 100: 4
Pholiotina 74: 29
Phoma 57: 29; 64: 22; 74: 18; 77: 14, 21; 78: 12, 13; 88: 33; 92: 13, 24, 51, 52; 95: 12, 14; 97: 36; 98: 29; 99: 20; 100: 14
Phomopsis 87: 20; 88: 33; 92: 13, 21; 97: 36; 100: 5
Phragmidium 71: 25

Phragmospathulella 71: 31
phylophila, Clitocybe 69: 17; 86: 15; 87: 16; 99: 37
Phylloporia 64: 5; 74: 28
Phyllosticta 88: 33; 98: 29
Physisporinus 51: 8
physostegiae, Puccinia 59:29
Phytophthora 77: 15; 92: 14; 97: 31, 32, 43; 100: 1, 15, 21, 23, 25
piceae, Hygrophorus 58: 27; 94: 41
piceae, Lophodermium 52: 22
piceae, Ophiostoma 77: 14, 16; 90-91: 34; 92: 12; 97: 46 -
piceum, Penicillium 65: 21; 83: 23
picreus, Gymnopilus 93: 12-14
picta, Mycena 88: 23, 27
Pichia 64: 21
pilatianus, Leucoagaricus 51:23; 58:25
pilatii, Lactarius 98: 32
pilatii, Phellinus 52: 14; 64: 5, 9
pilatii, Tomentella 84-85: 22, 23, 25
piliferum, Ophiostoma 90-91: 34
pilosa, Tomentella 86: 1
pilosella, Conocybe 67: 10
piluliferum, Botryotrichum 74: 20
piluliformis, Psathyrella 67: 15; 69: 20; 86: 17; 99: 40
pimpinellae, Puccinia 59: 29; 76: 13
pinastri, Cytospora 87: 22
pinastri, Leucogyrophana 57:30
pinastri, Lophodermium 52: 22; 71: 24; 97: 34
pinastri, Triblidiopsis 55:30
pini, Mycosphaerella 97: 34; 100: 15
pini, Phellinus 64: 6, 9; 86: 13
pinicola, Fomitopsis 52: 22; 54: 5; 67: 6; 69: 16; 72: 11; 86: 13, 26; 87: 15; 97: 16, 18, 20, 38,
39; 99: 5-7, 36, 39
pinicola, Pholiota 55: 8; 57: 3, 11
pinitorqua, Phytophthora 52: 22
pinophilum, Penicillium 83: 23
pinophilus, Boletus 68: 29; 93: 29
piperatus, Chalciporus 69: 17; 86: 14; 87: 17; 94: 31; 99: 36, 39
piperatus, Lactarius 67: 12; 69: 19; 75: 7
piri, Puccinia 76: 16
Piricaudilium 71: 31
pirolata, Chrysomyxa 59:28
piscarium, Penicillium 83: 18
pisi, Erysiphe 59: 27; 100: 23
pisi, Uromyces 76: 13
pistillaris, Clavariadelphus 94: 40
pithya, Exidia 67: 6; 68: 10
pithyophila, Clitocybe 79: 5
pithyophila, Cucurbitothis 97: 34
pithyophila, Helvella 51: 20; 58: 24; 84-85: 55
pithyophila, Sclerophoma 87: 22; 97: 34
pittii, Penicillium 83: 23
pityophila, Sclerophoma 86: 24
Pityrosporum 61: 18; 70: 28

placenta, Oligoporus 90-91: 19; 94: 16, 4. str. obálky (bar. foto); 97: 41
placidum, Entoloma 84-85: 49; 94: 15, 18; 97: 41
placidus, Suillus 94: 31; 99: 17, 18
placodioides, Trapelia 74: 30
plana, Exidia 86: 12
platani, Discula 87: 19
platyphylla, Megacollybia 94: 31
Plectosporium 71: 21
pleopodium, Entoloma 74: 10; 84-85: 49
pleurotelloides, Clitopilus 73: 3
Pleurotellus 73: 5; 76: 10; 93: 2
Pleurotus 68: 1, 4-8; 76: 10; 92: 27; 93: 2; 94: 20; 100: 4
plicatilis, Coprinus 67: 10; 82: 10
plumbea, Bovista 57: 21; 67: 17; 69: 21; 86: 19; 89: 8; 96: 13
plumbosus, Cortinarius 94: 38
plumiferum, Penicillium 83: 20
plumulosa, Volvariella 79: 7
pluriannulata, Physoderma 59:27
pluriseptata, Alternaria 52:21
Pluteus 94: 42, 43
Pneumocystis 61: 14; 72: 20
poae, Fusarium 51: 16; 70: 14; 71: 22; 79: 11; 95: 15
poae-nemoralis, Puccinia 71: 25
poarum, Puccinia 71: 25; 76: 13; 90-91: 26
podophylli, Puccinia 59:29
Podoscypha 99: 13
podospileus, Pluteus 94: 42, 49; 99: 40
Podospora 88: 33
Pochonia 84-85: 39, 41, 47
polaris, Cortinarius 84-85: 17
politum, Entoloma 80: 9
polonense, Hypochnicium 74: 10
polonica, Ceratocystis 77: 15; 97: 46
polonica, Ramaria 71: 9
polonicum, Penicillium 65: 20; 83: 19, 22
polycystis, Myxocyclylus 86: 25; 87: 23
polygoni, Erysiphe 59:27
polygoni-amphibii, Puccinia 59:29
polygoni-avicularis, Uromyces 59:29
polygramma, Mycena 67: 14; 69: 19; 71: 26; 78: 6, 7; 79: 6; 99: 37, 38, 40
polychroma, Russula 69: 20
polymorpha, Xylaria 53: 2, 5; 67: 5; 69: 15; 71: 24; 79: 4; 86: 24; 87: 15
polyporicola, Ophiostoma 90-91: 35
polyporina, Tremella 93: 17-19
Polyporus 66: 27; 68: 4
polysperma, Camarops 96: 8
polyspora, Sydowia 86: 24; 87: 22
polystichi, Taphrina 59:27
polytrichi, Protothelenella 55:30
pomaceus, Phellinus 88: 18
pombe, Schizosaccharomyces 69: 26
pomiformis, Arcyria 52:8,9,11,12
pomiformis, Melanopsamma 53:5

popinalis, Rhodocybe 59: 15; 80: 10; 89: 10
populea, Cryptodiaporthe 86: 22; 87: 19
populeum, Discosporium 86: 22; 87: 19, 21
populi, Ceratocystis 90-91: 33
populi, Marssonina 59:30
populi, Penicillium 83: 18
populicola, Phellinus 64: 7, 10
populina, Venturia 86: 24; 87: 22
populinum, Tricholoma 90-91: 11
populinus, Oxyporus 74: 10; 84-85: 49
populinus, Pleurotus 68: 2, 6, 8
populnea, Pholiota 55: 9, 10; 57: 2, 11, 12; 69: 20
poriaeforme, Stigmatolemma 69: 4
porninsis, Lactarius 67: 12; 86: 18; 99: 35, 40
Porodaedalea 64: 5
porosporus, Boletus, 74: 10; 78: 6
porosporus, Xerocomus 74: 10; 78: 6
porosum, Corticum, Gloeocystidiellum 73: 5, 13
porphyrhizon, Agaricus 84-85: 49
porphyria, Amanita 86: 15; 99: 37
porphyrizon, Agaricus 67: 8; 79: 5; 99: 37
porphyrophaeum, Entoloma 94: 41
porraceum, Penicillium 83: 19
porrea, Collybia 58:7
porrigens, Pleurocybella 88: 20
portentosum, Tricholoma 67: 17; 86: 18; 89: 11; 95: 21
porulosa, Tomentella 84-85: 21
porulosa f. lutricolor, Tomentella 74: 1
Postia 93: 18; 99: 39
potentillae, Phragmidium 59: 28; 90-91: 26; 98: 21
potentillae, Taphrina 59:27
pouzarianus, Pluteus 67: 15; 99: 36
pouzarii, Geastrum 51: 23; 53: 6; 55: 26; 58: 24; 75: 2, 4; 84-85: 54; 90-91: 45
pouzarii, Phellinus 51: 21; 58: 25; 64: 7, 10; 84-85: 55
praeclaresquamosus, Agaricus 79: 5
praecox, Agrocybe 67: 8; 69: 17; 71: 25; 74: 13; 75: 6; 86: 15; 89: 8
praecox, Mycena 82: 9
praestans, Cortinarius 51: 28; 87: 8, 4. str. obálky (bar. foto); 88: 13; 94: 39, 40
praestigiosus, Cortinarius 67: 10
praetermissum, Hyphoderma 55:30
prasiosmus, Marasmius 58:7
pratense, Vascellum 51: 13; 69: 21; 80: 10; 86: 19
pratensis, Anthracoidea 98: 25
pratensis, Camarophyllum 69: 17; 86: 15
prenanthis-purpureae, Puccinia 71: 25
primaeva, Antrodia 59: 1
primulae, Marasmiellus 65: 6
primulae, Uromyces 76: 13
primulinum, Penicillium 83: 23
procera, Macrolepota 67: 13; 69: 19; 75: 7; 79: 6; 86: 17; 87: 16; 89: 9; 93: 29
procerum, Leptographium 90-91: 34
proetae, Ceratocystiopsis 90-91: 30
prolifera, Ophiostoma 77: 14; 92: 12

proliferarum, *Fusarium* 57: 29; 59: 8; 60: 12, 13, 18; 66: 17, 18; 67: 21; 70: 14; 79: 11, 12; 95: 15
prominens, *Macrolepiota* 79: 6
prona, *Psathyrella* 78: 6; 80: 10
propinquum, *Camarosporium* 87: 23
proteolyticum, *Penicillium* 83: 23
Protomerulius 93: 18
Protomyces 75: 29
protracta, *Microstoma* 87: 7; 88: 9
proxima, *Laccaria* 90-91: 11
pruinatum, *Botryobasidium* 70: 5
pruinatus, *Boletus* 99: 36
pruinatus, *Xerocomus* 86: 15; 87: 17
pruinosa, *Polydesmia* 82: 10; 99: 39
pruinosa, *Sphaerotheca* 59:28
pruni, *Biscogniauxia* 96: 9
pruni, *Hyphodontia* 95: 7
pruni, *Rhytisma* 59:28
pruni, *Taphrina* 55:30
pruni-spinosae, *Tranzschelia* 59:29
prunulus, *Clitopilus* 52: 24; 69: 17; 75: 6; 78: 6; 79: 5; 86: 15; 89: 8; 99: 37
psalliotae, *Lecanicillium* 84-85: 42, 46
psalliotae, *Verticillium* 84-85: 38, 40-42, 44, 46
psammopus, *Tricholoma* 67: 17; 79: 7
Psathyrella 84-85: 48; 90-91: 47; 95: 31, 100: 4
pseudocasei, *Penicillium* 83: 19
pseudoclusilis, *Fayodia* 51: 22; 58: 24; 90-91: 23
pseudoclusilis, *Gamundia* 90-91: 23
pseudocrispata, *Hemimycena* 94: 6, 7, 9
pseudocyanea, *Stropharia* 99: 38
pseudodestricta, *Inocybe* 67: 12
Pseudofavolus 66: 27
pseudofelina, *Lepiota* 67: 13
pseudofulgens, *Gymnopilus* 93: 12
pseudogracilis, *Hemimycena* 94: 9
pseudohelveola, *Lepiota* 67: 13; 84-85: 49
pseudohemipterigenum, *Verticillium* 84-85: 42, 44
pseudokoningii, *Hypocrea* 70: 29
pseudokoningii, *Trichoderma* 70: 29
pseudolactea, *Hemimycena* 94: 5
pseudolimbatum, *Gastrum* 53:6,7,9,11
pseudolongipes, *Oidium* 55:30
pseudopratensis, *Agaricus* 53:27
pseudopunctatus, *Phellinus* 64: 6, 10
pseudosatanas, *Boletus* 54:16
pseudoscabrum, *Leccinum* 86: 14
pseudostriatum, *Gastrum* 56:19
pseudostromaticum, *Penicillium* 83: 23
Pseudotomentella 68: 10; 72: 1; 80: 1, 2; 95: 1, 2
pseudotsugae, *Aphanobasidium* 97: 41
pseudotsugae, *Rhabdocline* 100: 24
pseudozilingiana, *Junghuhnia* 56:1
Psilocybe 71: 32

Psilocybe 81: 8; 87: 27; 97: 45; 100: 4
psittacina, Hygrocybe 59:15; 69: 18; 78: 6; 80: 9; 86: 16
psittacinum, Penicillium 83: 21
pteridis, Uredinopsis 59:29
pterospora, Lindtneria 79: 1
ptychogaster, Oligoporus 86: 13
ptychogaster, Tyromyces 52: 22; 71: 5
pubera, Peniophora 73: 6
puberulum, Penicillium 83: 19
puberum, Corticum 73: 6, 13
puberum, Hyphoderma 73: 6, 13
pubescens, Crepidotus 93: 8
pubescens, Lactarius 56: 14; 79: 5; 80: 9; 86: 18; 90-91: 11; 99: 37-39
pubescens, Trametes 59:29
pubescentipes, Omphalia 82: 2
pubipes, Collybia 61: 5
Puccinia 100: 5
pudens, Xerula 69: 21
pudorinus, Hygrophorus 51:5
puellaris, Macrolepiota 67: 13; 86: 17, 19; 89: 3; 89: 9
puellaris, Russula 67: 16; 69: 20; 86: 18; 89: 10
pulchella, Russula 80: 10
pulchella, Torrendia 51: 29; 84-85: 56
pulicare, Hysterium 55:29
pullulans, Aureobasidium 74: 19, 20; 78: 12; 92: 13, 14; 94: 52; 97: 35
Pullularia 68: 16
pulmonarius, Pleurotus 54: 26; 68: 2, 5, 6, 8; 69: 17; 78 :6; 79: 6; 86: 14
pulsatillae, Puccinia 98: 23
pulverulentus, Boletus 67: 9; 69: 17
pulvillorum, Penicillium 83: 18
pulviscula, Aposphaeria 86: 24
pulviscula, Chaetosphaeria 99: 37
pulvis-pyrius, Melanomma 78: 6; 87: 21
pumila, Galerina 89: 9
punctata, Calycellina 59:28
punctata, Fomitiporia 93: 23-25, 28
punctata, Lasiophaeria 99: 37
punctata, Poronia 51: 28, 29; 96: 30
punctata, Puccinia 59:29
punctatum, Rhytisma 59:28
punctatus, Phellinus 64: 6, 10; 66: 13; 67: 7; 69: 16; 86: 13; 90-91: 7; 93: 23; 97: 20
punctiformis, Puccinia 71: 25; 77: 19
punctum, Phyllachora 59:28
punicea, Hygrocybe 59: 15; 87: 5, 7; 88: 8
punicea, Tomentella 83: 1
puniceus, Cortinarius 84-85: 18
pupula, Splanchnonema 86: 24
pura var. alba, Mycena 67: 14
pura, Mycena 67: 14; 69: 19; 79: 6; 86: 17; 87: 17; 89: 10; 99: 36, 37, 40
purpura, Puccinia 77: 21
purpurascens var. largusoides, Cortinarius 84-85: 49
purpurascens, Citromyces 83: 15
purpurascens, Epicoccum 57:28

purpurascens, *Hygrophorus* 84-85: 55, 56
purpurascens, *Penicillium* 83: 15
purpurascens, *Taphrina* 59:27
purpuratus, *Gymnopilus* 93: 10
purpurea, *Ceriporia* 84-85: 49; 97: 19, 21
purpurea, *Claviceps* 54: 12, 13, 15; 59: 28; 75: 16; 78: 19; 99: 36
purpureofusca, *Mycena* 51: 5; 94: 41
purpureum, *Chondrostereum* 55: 30; 67: 6; 69: 16; 99: 36
purpureus, *Cortinarius* 84-85: 3, 14
purpurogenum, *Penicillium* 65: 20-22; 83: 23; 95: 16
purpurogenum var. *rubrisclerotium*, *Penicillium* 83: 23; 95: 16
purtonii, *Nectria* 87: 21
pusilla, *Bovista* 67: 17; 69: 21; 79: 7; 86: 19; 89: 8
pusilla, *Hygrocybe* 69: 18
pusilla, *Plasmopara* 55:30
pusilla, *Ramaria* 69: 8
pusilla, *Tomentellopsis* 61: 1; 76: 2; 90-91: 1-5; 96: 3
pusilla, *Volvariella* 69: 21; 79: 7
pusillum, *Hebeloma* 98:32
pusillus, *Hygrophorus* 69: 18
pusillus, *Mucor* 70: 28
pusillus, *Rhizomucor* 70: 28; 95: 16, 17
pustulatum, *Entomophthora* 99: 32
pustulatum, *Tarichium* 99: 32
pustulatus, *Hygrophorus* 67: 11; 69: 18; 78: 7; 86: 16; 87: 16; 88: 20
puteana, *Coniophora* 52: 22; 69: 16; 78: 6; 86: 13; 99: 38
putida, *Tephrocybe* 51: 22; 58: 26; 69: 20
putidum, *Lyophyllum* 83: 12
putterillii, *Geosmithia* 78: 7
Pycnoporus 97: 40, 41
pygmaeum, *Lachnum* 96: 36
Pyrenophaeta 99: 32
Pyrenophora 100: 15
pyri, *Puccinia* 76: 16
pyriforme, *Lycoperdon* 59: 30; 67: 18; 69: 21; 79: 7; 86: 19, 27; 87: 17; 99: 39
pyriforme, *Stegonsporium* 86: 25
Pyrrhoderma 74: 28
Pythium 77:21
pythiophila, *Sclerophoma* 55:30.
Pythium 92: 14
pyxidata, *Clavicorona* 82: 8
pyxidatus, *Artomyces* 82: 8, 10

Q

quadrifidum, *Gastrum* 53: 7; 59: 5; 63: 30; 67: 18
Quambalaria 100: 14
qudenii, *Vascellum* 51:13
queletii, *Boletus* 83: 13; 94: 48
queletii, *Helvella* 67: 5
queletii, *Russula* 67: 16; 86: 18; 87: 17; 99: 40
quercretorum, *Penicillium* 83: 16
querceus, *Marasmius* 58:7

querci, Ophiostoma 77: 14; 86: 23; 87: 21
quercina, Apiognomonia 87: 19; 92: 14
quercina, Cryptosporiopsis 87: 21
quercina, Daedalea 52: 22; 67: 6; 69: 16; 71: 25; 73: 5; 75: 6; 78: 6; 79: 4; 86: 13, 26; 87: 15; 97: 20; 99: 37
quercina, Diatrypella 71: 24; 86: 12, 22; 87: 20; 99: 37
quercina, Discula 92: 13, 14
quercina, Grandinia 73: 6
quercina, Hyphodontia 56: 13, 17; 73: 6, 13
quercina, Chalara 90-91: 33
quercina, Peniophora 69: 16; 75: 7; 89: 10; 95: 8
quercina, Phomopsis 71: 27; 92: 13
quercinum, Colpoma 67: 5; 71: 26; 86: 12; 87: 19; 92: 13; 94: 51; 99: 39
quercinum, Gloeosporium 87: 19
querophilus, Setulipes 58: 6; 75: 8
quercus, Fusicoccum 92: 14
quercus, Ophiostoma 97: 46
querna, Biscogniauxia 96: 6, 8, 10
quieticolor, Lactarius 75: 7
quietus, Lactarius 67: 12; 69: 19; 79: 5; 80: 9; 86: 18; 87: 16; 99: 37, 40
quisqualis, Ampelomyces 55: 29.
quitensis, Crepidotus 93: 5

R

racemosum, Syncephalastrum 63: 6-8
raciborskii, Penicillium 64: 14; 83: 18
rademiricii, Penicillium 83: 23
radians, Coprinus 67: 10; 70: 6; 79: 5; 89: 9
radiata, Phlebia 68: 10; 78: 6, 7
radiatolobatum, Penicillium 83: 16
radiatus, Inonotus 52: 22; 86: 13; 99: 36
radicans, Boletus 54: 16; 77: 6; 79: 7; 83: 13
radicata, Xerula 54: 26; 67: 17; 69: 21; 75: 8; 79: 7; 86: 18; 89: 11
radicicola, Ceratocystis 90-91: 33
radicicola, Cryptosporiopsis 92: 13; 94: 51
radicosum, Hebeloma 69: 18
radicosum, Hypholoma 67: 11
radiculosa, Fibroporia 58: 14
radiosa, Montagnea 96: 30; 97: 29
radiosa, Tomentella 81: 4
radula f. nodulosa, Poria 56: 2, 3, 5
radula, Basidioradulum 68: 10
radula, Hyphoderma 69: 16
radula, Hypoderma 86: 13
radula, Poria 56: 2
radula, Serpula 53: 19
radula, Schizopora 54: 29; 55: 17; 56: 15; 66: 9; 69: 17; 75: 7; 90-91: 17; 95: 9; 97: 20
radulatum, Penicillium 83: 17
Raffaelea 92: 12
rachodes, Macrolepiota 99: 36, 39
raistrickii, Penicillium 83: 18
Ramaria 64: 28; 69: 6, 11; 71: 6, 10; 80: 21; 83: 6; 87: 13; 94: 43

rameale, *Stereum* 53: 19; 71: 26; 82: 9; 84-85: 49
ramealis, *Marasmiellus* 65: 3; 67: 13; 69: 19; 75: 7; 80: 10; 86: 17; 87: 17
ramealis var. *macrosporus*, *Marasmiellus* 65: 3
ramealis var. *ramealis*, *Marasmiellus* 65: 5
ramorum, *Phytophthora* 92: 14
ramosissima, *Tomentella* 81: 1, 4, 7; 88: 4; 92: 4
Ramularia 65: 25; 71: 25
ramusculum, *Penicillium* 83: 16
rancida, *Tephrocybe* 84-85: 49; 99: 35, 40
rancidum, *Lyophyllum* 84-85: 49; 89: 9
rangiformis, *Cladonia* 75: 2
ranunculi, *Leptotrichila* 71: 24
ranunculi, *Peronospora* 98: 20
raoultii, *Russula* 94: 41
raperi, *Penicillium* 83: 18
raphanolens, *Tephrocybe* 80: 10
ravenellii, *Mutinus* 87: 25
reai, *Hygrocybe* 78: 6
recolligens, *Gastrum* 53: 20
recondita, *Puccinia* 59: 29
reesei, *Trichoderma* 61: 30; 70: 29; 72: 19
regalis, *Amanita* 88: 36
regalis, *Sarcodon* 62: 10
regius, *Boletus* 51: 21, 29; 53: 28; 54: 18; 58: 23; 74: 10; 83: 10; 84-85: 49; 94: 40
relianum, *Sporisorium* 77: 21
renati, *Mycena* 78: 7
reniformis, *Hohenbuehelia* 67: 11
rennyi, *Oligoporus* 57:30
repanda, *Biscogniauxia* 96: 6, 8, 10
repanda, *Peziza* 71: 24
repandoides, *Biscogniauxia* 96: 9
repandum, *Hydnus* 62: 6; 67: 7; 74: 6; 79: 4; 86: 13; 87: 15; 92: 10; 99: 37
repens, *Aspergillus* 64: 12
repraesentaneus ("representaneus"), *Lactarius* 51: 23; 58: 25; 87: 7; 88: 9; 94: 41
reptans, *Phialophora* 72: 25
resedanum, *Penicillium* 83: 15
resinaceum, *Ganoderma* 74: 10
resinae, *Alysidium* 71: 25
resinae, *Biatorella* 97: 42
resinae, *Penicillium* 83: 16
resinosum, *Ischnoderma* 69: 16
resticulosum, *Penicillium* 83: 20
restrictum, *Penicillium* 83: 15
restrictus, *Aspergillus* 57: 29; 64: 12; 74: 20
Resupinatus 62: 27
reticulata, *Ceriporia* 56:11
reticulatae, *Melampsora* 55:30
reticulatus, *Bolbitius* 94: 17
reticulatus, *Boletus* 68: 29; 69: 17; 75: 6; 86: 14; 94: 31
retirugis, *Panaeolus* 69: 19
retirugum, *Leptoglossum* 88: 23, 27
rexianum, *Verticillium* 84-85: 38
rhabdocarpa, *Trichobelonium* 59:28

Rhabdocline 88: 33
rhabdosporum, Haptocillium 84-85: 45
rhacodes, Inocybe 84-85: 55; 97: 45
rhacodes, Macrolepiota 67: 13; 69: 19; 78: 6; 79: 6; 80: 10; 82: 10; 86: 17; 87: 17; 89: 9
rhamni, Phellinus 64: 7, 10; 75: 34; 87: 6, 13
rhenana, Sowerbyella 51:20; 58:26
Rhinocladiella 78: 6
Rhizoctonia 71:29; 77: 21, 22; 95: 14
Rhizomucor 63: 7
rhizophilus, Polyporus 80: 11; 96: 30
rhizopunctata, Pseudotomentella 95: 3
Rhizopus 57: 22; 62: 12; 63: 7; 64: 13, 21; 68: 16; 70: 28; 74: 21; 78: 11-13, 24; 95: 12, 14;
99: 20
rhodesianum, Vascellum 51:13
Rhodocollybia 58: 1; 61: 7
Rhodocybe 71: 32
rhododendri, Exobasidium 55:29
rhododendri, Hypocreopsis 86: 4, 5
rhodophaea, Tomentella 88: 3
rhodopolium, Entoloma 56: 23; 69: 18
rhodopolium var. nidorosum, Entoloma 69: 18
rhodopurpureus, Boletus 87: 5, 9
rhodorhiza, Lepiota 66: 12; 69: 19
Rhodotorula 61: 17; 70: 28; 78: 22
rhodoxanthus, Boletus 54: 18; 79:7; 87: 5, 9; 94: 40
rhodoxanthus, Phylloporus 89: 10
rhombispora, Psilocybe 67: 15
ribicola, Cronartium 52: 22; 59: 28; 88: 16
ribis, Phellinus 64: 5
ribis, Puccinia 55:30
riccioides, Hypocreopsis 86: 4
riccioidia (etiam riccioidea) Sphaeria 86: 7
rickenii, Conocybe 67: 10
rickenii, Hemimycena 94: 4, 8
rickenii, Panaeolus 67: 14
rickii, Inonotus 71: 5,6
rigida, Russula 87: 17
Rigidoporus 51:6,8
rigidus, Cortinarius 67: 10
rimosa, Inocybe 75: 7; 80: 9
rimulosus, Pluteus 74: 10; 84-85: 49
risigallina, Russula 75: 7; 79: 6
rivolii, Penicillium 83: 17
robergei, Monostichella 87: 22
robertiani, Hormotheca 55:29; 59:28
robertiani, Stigmatea 71: 24
robertii, Pluteus 67: 15
robinsoniana, Taphrina 59:27
robustus, Phellinus 52: 22; 64: 6, 10; 67: 7; 69: 17; 71: 26; 75: 7; 78: 7; 82: 11; 86: 27; 88: 18;
90-91: 18; 92: 12, 15
robustus f. resupinatus, Phellinus 64: 6
roellinii, Ramaria 69: 7, 10
rogeri, Penicillium 83: 19

rolfsii, *Penicillium* 83: 18
rolfsii, *Sclerotium* 77: 22
romagnesiana, *Tubaria* 80: 10
romagnesianus, *Boletus* 97: 30
romagnesianus, *Coprinus* 78: 6
romagnesii, *Agaricus* 75: 6; 94: 48
romellii ("romelli"), *Antrodiella* 55: 19; 56: 11; 97: 19-21
romellii, *Pluteus* 67: 15; 75: 7; 99: 37
romellii, *Russula* 67: 16
roqueforti, *Penicillium* 51: 17; 57: 28; 64: 12; 78: 14; 83: 21, 22
roqueforti var. *carneum*, *Penicillium* 83: 22
roqueforti var. *punctatum*, *Penicillium* 83: 21
roqueforti var. *viride*, *Penicillium* 83: 21
roqueforti var. *weidemannii*, *Penicillium* 83: 21
rrorida, *Mycena* 67: 14
rosacea, *Russula* 67: 16
rosae, *Marssonina* 55:30; 59:30
rosae-pimpinellifoliae, *Phragmidium* 59:28
rosea f. *catenulata*, *Clonostachys* 95: 15, 17
rosea, *Fomitopsis* 51: 28; 97: 43; 99: 5
rosea, *Mycena* 51: 5; 67: 14; 86: 17; 87: 17
roseipes, *Russula* 67: 16
rosellus, *Marasmiellus* 65: 2
roseoacerbum, *Tricholoma* 67: 29
roseocitreum, *Penicillium* 83: 20
roseogriseum, *Acremonium* 96: 35
roseomaculatum, *Penicillium* 83: 16
roseopurpureum, *Penicillium* 69: 22; 83: 15
roseoviride, *Penicillium* 83: 16
roseum, *Gliocladium* 74: 20
roseus, *Gomphidius* 87: 17; 99: 40
rosmarini, *Perenniporia* 54:30
rosmarini, *Phellinus* 54:30
Rotiferophthora 84-85: 39, 41, 47
rotula, *Marasmius* 58: 3; 69: 19; 75: 7; 79: 6
rouxii, *Cordyceps* 94: 45, 49
roxheimii, *Octospora* 55:30
rubefaciens, *Penicillium* 83: 18
rubella f. *blanda*, *Ramaria* 71: 9
rubella f. *rubella*, *Ramaria* 71: 9
rubella, *Leptospora* 82: 10
rubella, *Ramaria* 71: 7, 8
rubellus, *Boletus* 54: 28; 74: 10; 99: 16, 18
rubellus, *Cortinarius* 97: 42
rubellus, *Xerocomus* 67: 17; 69: 21
rubens, *Penicillium* 83: 20
ruber, *Aspergillus* 64: 12
ruber, *Clathrus* 51:23; 58:23
ruber, *Monascus* 61: 29; 79: 10
rubescens, *Amanita* 54: 26; 67: 8; 69: 17; 75: 6; 79: 5; 86: 15; 87: 16; 94: 31; 99: 37
rubescens var. *annulosulphurea*, *Amanita*, 99: 17
rubescens, *Cytospora* 87: 21
rubescens, *Pochonia* 84-85: 44

rubi, Gnomonia 71: 26
rubi, Hainesia 55:30
rubi, Pyrenopeziza 86: 12
rubi, Simocybe 93: 2
rubicundulus, Paxillus 97: 7, 9
rubicundum, Penicillium 83: 22
rubiginosa, Hymenochaete 69: 16; 75: 6; 78: 7; 82: 10; 86: 13
rubiginosa, Tomentella 83: 1
rubiginosum, Hypoxylon 99: 38
Rubinoboletus 84-85: 26, 28
rubinus, Chalciporus 51:21; 58:23
rubinus, Rubinoboletus 84-85: 25-28, 4. str. obálky (bar. foto)
rubra, Habrostictis 53:5
rubra, Rhodotorula 68: 16
rubrigenum, Phaeoacremonium 93: 23, 24
rubripermanens, Ramaria 86: 8-10, 4. str. obálky (bar. foto)
rubrisclerotium, Penicillium 65: 20
rubrocinctus, Lactarius 67: 12, 19; 74: 10
rubromarginata, Mycena 67: 14; 94: 18
rubropunctata, Mycenella 97: 41
rubrum var. nigricans, Trichophyton 72: 25
rubrum var. rubrum, Trichophyton 72: 25
rubrum, Eurotium 65: 22; 78: 14
rubrum, Penicillium 83: 23
rubrum, Trichophyton 61: 17
rufa, Phlebia 71: 25
rufenum, Tricholoma 67: 29
rufescens, Geastrum 53: 7, 8, 11; 59: 4; 67: 18; 87: 17; 99: 37
rufescens, Hydnus 62: 6; 69: 16; 92: 10
rufescens, Leccinum 86: 14
rufofusca, Ciboria 86: 22
rufomarginata, Peniophora 89: 4, 6
rufum, Leccinum 52: 23; 56: 14; 79: 7; 86: 14
rufum, Tuber 77: 5, 6, 8, 9
rufus, Lactarius 67: 12; 79: 6; 86: 18; 89: 9; 90-91: 44
ruginosus, Lactarius 88: 23, 27; 94: 16, 18; 95: 32
rugosa, Clavulina 67: 6; 81: 1-3; 86:13
rugosa var. alcyonaria, Clavulina 81: 2, 4. str. obálky (bar. foto)
rugosa var. macrospora, Clavulina 81: 2
rugosa var. rugosa, Clavulina 81: 2
rugosum, Stereum 53: 3; 67: 7; 69: 17; 78: 6; 86: 14; 99: 36, 39, 40
rugulosiceps, Mycena 82: 10
rugulosum var. atricolum, Penicillium 83: 23
rugulosum, Penicillium 83: 23
russellii, Microsphaera 59:27
russocoriacea, Hygrocybe 95: 32
Russula 54: 19; 64: 29; 70: 23; 71: 32; 76: 25; 97: 45; 98: 14
russula, Hygrophorus 69: 18; 94: 49
rutilans, Hapalopilus 67: 7; 69: 16; 86: 13
rutilans, Tricholomopsis 52: 23; 67: 17; 69: 20; 71: 26; 79: 7; 86: 18; 87: 17; 89: 11; 99: 38
rutilus, Chroogomphus 65: 20; 79: 7; 86: 14; 99: 37
ruttneri, Tomentella 81: 4; 92: 4

S

- sabulosum, *Penicillium* 83: 23
saccatum, *Geastrum* 53: 8; 84-85: 31-33
saccatus, *Phallogaster* 51: 24; 58: 25; 97: 44
saccula, *Eladia* 83: 18
sacculum, *Penicillium* 83: 18
sacchari, *Arthrinium* 59:9
sacchari, *Phyllachora* 77: 21
saccharicola, *Arthrinium* 59:9
saccharina, *Exidia* 56: 13; 86: 12
sacchariolens, *Hebeloma* 67: 11
saccharoides, *Hebeloma* 90-91: 11
Saccharomyces 70: 28; 99: 20
saeva, *Lepista* 54: 19; 80: 10; 86: 17; 99: 37, 39
sajarovii, *Penicillium* 83: 18
sajor-caju, *Pleurotus* 68: 5
salicicola, *Pholiota* 55:9; 57:11
salicina, *Antrodia* 58:23
salicina, *Cytidia* 94: 41; 95: 32
salicinum, *Rhytisma* 59: 28; 87: 21
salicinus, *Agaricus* 78: 8
salicinus, *Pluteus* 87: 27; 99: 38, 40
saliciperda, *Pollacia* 86: 24
saliciperda, *Venturia* 86: 24
salicis, *Monostichella* 55:30
salicis, *Trimmatostroma* 55:30
salicum, *Athelia* 68: 10
saligna, *Dermocybe* 84-85: 8
salinum, *Leptoglossum* 51:28
salinum, *Trimmatostroma* 72: 25
salmoneus, *Lactarius* 59:14
salmonicolor, *Hapalopilus* 90-91: 18
salmonicolor, *Lactarius* 59:14
sambuci, *Lyomyces* 89: 3
sambucinum, *Fusarium* 70: 14
samsonii, *Penicillium* 83: 22
sanguifluum, *Penicillium* 83: 15
sanguifluus, *Citromyces* 83: 15
sanguifluus, *Lactarius* 67: 12
sanguinea, *Dermocybe* 84-85: 15
sanguinea, *Phanerochaete* 66: 13; 68: 10; 99: 37
sanguinea, *Ramaria* 94: 43
sanguinea, *Russula* 52: 24; 69: 20; 80: 10; 89: 10
sanguineum, *Penicillium* 65: 20; 83: 23
sanguineus, *Cortinarius* 84-85: 16, 18
sanguineus var. sanguineus, *Cortinarius* 84-85: 4, 15, 16
sanguineus var. vitiosus, *Cortinarius* 84-85: 4, 16
sanguineus, *Pycnoporus* 90-91: 19
sanguinolenta, *Mycena* 67: 14; 86: 17
sanguinolentum, *Stereum* 52: 22; 59: 29; 67: 7; 69: 17; 86: 14; 93: 17; 97: 38; 99: 36
sanguinolentus, *Physisporinus* 73: 11, 13; 82: 11; 90-91: 17; 97: 20; 99: 36
sanguinolentus, *Rigidoporus* 51:6

sanguisorbae, Phragmidium 55: 29; 88: 18
sapinea, Sphaeropsis 97: 32, 34; 100: 24
sapineus, Gymnopilus 93: 13, 14
saponaceum, Tricholoma 67: 17; 69: 20; 86: 18; 89: 11; 95: 24
saponariae, Sorosporium 59:29
sarcitula, Leptonia 51:22; 58:25
Sarcodon 62: 5, 9-11; 74: 6
sarcoïdes, Ascocoryne 53: 5; 59: 28; 67: 5; 69: 15; 71: 26; 86: 11; 87: 19; 99: 37, 39
sarcoïdes, Coryne 53: 5; 59: 28; 86: 11; 87: 19
Sarcoscypha 99: 10
sardoa, Crinipellis 68: 13
sardonia, Russula 52: 24; 99: 36, 40
sartoryi, Penicillium 83: 16
satanas, Boletus 54: 16, 18; 77: 6; 79: 7; 83: 13; 87: 6, 9; 88: 6, 36; 94: 39, 40
sazavae, Hymenoscyphus 55:29
scabella, Crinipellis 68: 14
scabellus, Crinipellis 80: 9
scabra, Trichia 57:13,14,17,18
scabrosum, Hydnnum 80: 7
scabrosum, Penicillium 83: 18
scabrosus, Sarcodon 62: 10; 74: 5
scabrum, Leccinum 54: 20, 21; 67: 13; 69: 19; 78: 7; 79: 7; 86: 14; 87: 17; 94: 31
sculpturatum, Tricholoma 69: 20; 78: 7; 79: 7; 99: 38
sculpturatum f. album, Tricholoma 67: 29
scamba, Pholiota 57:3,10
scandens, Cortinarius 67: 10
scaurus, Cortinarius 94: 41; 97: 42
sciophana, Hygrocybe 58:27,28
scirpina, Hysteronaevia 94: 51
Scleroderma 60: 19; 96: 25
sclerotigenum, Penicillium 83: 21
Sclerotinia 69: 28
sclerotiorum, Penicillium 83: 16
sclerotiorum, Sclerotinia 71: 29; 76: 5
Scopulariopsis 61: 17; 64: 13; 70: 28; 74: 21; 95: 14
scorodonius, Marasmius 58: 6; 67: 14; 78: 6; 86: 17; 89: 10
scorteum, Penicillium 83: 23
scorzonerae, Ustilago 55:30
Scotomyces 71: 29
scrobiculatum, Hydnellum 59: 29; 62: 8
scrobiculatus, Lactarius 79: 6; 94: 41
scrupulosa var. obscura, Olla 71: 24
scrupulosa var. scrupulosa, Olla 71: 24
scutellata, Scutellinia 67: 5; 69: 15
Scutellinia 97: 45
scutula, Hymenoscyphus 69: 15; 75: 6
Sebacina 70: 5
sebi, Wallemia 56: 8; 95: 16, 17
seditiosum, Lophodermium 97: 34
segetum, Sphacelia 54:13
sejunctum, Tricholoma 67: 17; 69: 20; 95: 24
semibulbosus, Pluteus 67: 15; 75: 7; 89: 10
semiglobata, Stropharia 80: 10

semilanceata, *Psilocybe* 86: 17
semilibera, *Mitrophora* 74: 10
semilibera, *Morchella* 74: 13; 79: 4
seminuda, *Cystolepiota* 99: 39
semiorbicularis, *Agrocybe* 69: 17; 86: 15; 89: 8
semipileatus, *Leptotrimitus* 58:13
semisanguinea, *Dermocybe* 84-85: 16; 86: 16; 89: 9
semisanguineus, *Cortinarius* 84-85: 4, 16, 18
semisupina, *Antrodiella* 56: 11; 73: 1, 2; 75: 6; 89: 2
semisupiniformis, *Junghuhnia* 56:1
semisupinus, *Leptoporus* 73: 2
semisupinus, *Tyromyces* 73: 2
semitectum, *Fusarium* 57: 29; 66: 18; 70: 14
semotus, *Agaricus* 67: 8; 82: 10
semperfирентис, *Anthracoidea* 55:30
semperfivi, *Endophyllum* 55:29
senecionis, *Coleosporium* 90-91: 25
separabile, *Hysterangium* 69: 21
separabilima, *Junghuhnia* 54:29; 55:19; 56:1-5
separabilimus, *Chaetoporus* 56:2
separabilis, *Tomentella* 84-85: 21
Sepedonium 71: 27
seperina, *Russula* 84-85: 54
sepiarium, *Gloeophyllum* 52: 22; 67: 7; 86: 13, 26; 87: 15; 88: 17; 97: 20, 38; 99: 36
sepium, *Entoloma* 80: 9
septentrionalis, *Climacodon* 51:28
septentrionalis, *Daedaleopsis* 52:2,3
septica, *Fuligo* 65: 25; 67: 4; 86: 11
septicus, *Pleurotus* 93: 2, 8
Septoria 98: 29; 99: 20
Serendipita 70: 5, 6; 71: 29
serialis, *Antrodia* 54: 5; 67: 6; 78: 6; 82: 10; 84-85: 29; 86: 13; 90-91: 19; 97: 20, 38
sericatum, *Entoloma* 80: 9
sericellum, *Entoloma* 99: 39
sericeomollis, *Oligoporus* 52:12,13; 57:30; 97: 19-21
sericeum, *Entoloma* 67: 10
serifluus, *Lactarius* 69: 19; 86: 18
serotinus, *Panellus* 69: 19; 78: 6; 89: 4, 6; 99: 40
sertipes, *Cortinarius* 67: 10
sesleriae, *Ascochyta* 55:29
sessilis, *Phialophora* 72: 25
setigerum, *Hyphoderma* 69: 16; 71: 25; 75: 7
setipes, *Rickenella* 76: II/1
setosa, *Sarcodontia* 97: 43
setosa, *Scutellinia* 73: 10
setosus, *Marasmius* 58: 4; 90-91: 11
Setulipes 58:1,11
setulosa, *Lepiota* 69: 19
severskii, *Penicillium* 83: 18
seymouriana, *Puccinia* 59:29
shennangjianum, *Penicillium* 83: 18
schellenbergiae, *Pseudocolus* 59:30
schenkii, *Sporothrix* 90-91: 35

Schizosaccharomyces 64: 21
schmidelii, Geastrum 53: 7; 79: 7; 89: 9
schmidtii, Penicillium 83: 19
schmoranzeri, Tomentella 84-85: 22, 23, 25
schneggii, Penicillium 83: 20
schweinitzii, Hypocrea 70: 29
schweinitzii, Phaeolus 52: 22; 69: 16; 86: 13; 98: 36; 99: 37
siamense, Penicillium 83: 23
sibiricus, Suillus 84-85: 55; 89: 30
siemaszkii, Penicillium 83: 17
sienophylla, Conocybe 67: 10; 82: 10
Sigmoidea 78: 6
sii-falcariae, Puccinia 55:29
sileris, Puccinia 98: 23, 24, 27
silphii, Uromyces 59:29
silvae-nigrae, Mycena 84-85: 49; 88: 24, 27
silvaticum, Coremium 83: 21
silvaticum, Penicillium 83: 21
silvaticus, Agaricus 67: 8; 79: 5
silvicola, Agaricus 67: 8; 86: 15; 87: 16
simii, Arthroderra 79: 29
simplex, Gastrosporium 79: 7
simplex, Gonatobotrys 95: 15, 17
simplex, Tremella 93: 17
Simplicillium 84-85: 39, 41, 47
simplicior, Biscogniauxia 51: 20; 58: 23; 75 :3, 4; 84-85: 55; 96: 6, 7, 10
simplicissimum, Penicillium 83: 18
sinapizans, Hebeloma 84-85: 48
sinense, Haptocillium 84-85: 45
sinense, Verticillium 84-85: 40, 45
sinopica, Clitocybe 67: 9
sinuatum, Entoloma 69: 18; 75: 6
sinuosa, Antrodia 56:10
sinuosus, Pseudocraterellus 69: 17
siparia, Pleomassaria 86: 24
sitchensis, Amyloporia 97: 37; 99: 4-7
sizovae, Penicillium 83: 18
skalae, Marasmius 58:8
Skeletocutis 51:12; 58:13
skrjabinii, Penicillium 83: 18
smardae, Geastrum 53: 8-13; 59: 5; 84-85: 31-33
smardae var. slovenicum, Geastrum 53:11
smilacis, Puccinia 59:29
smithii, Penicillium 83: 18
smithii, Pleurotus 68: 6, 8
smotlachianus, Boletus 87: 15
sojae, Aspergillus 66: 14
solani, Fusarium 57: 29; 79: 11, 12; 92: 12, 13
solani, Rhizoctonia 77: 22; 81: 9; 100: 23
solaris, Russula 94: 15, 18; 98: 32
solitaria, Amanita 54: 16; 77: 6; 79: 5; 83: 12
solitum, Penicillium 83: 21
solitum var. crustorum, Penicillium 83: 19

sommerfeltii, *Cortinarius* 84-85: 3, 16
sommerfeltii, *Dermocybe* 84-85: 16
sopii, *Penicillium* 83: 18
Sordaria 88: 33; 94: 52
sordida, *Amyloporia* 99: 6
sordida, *Erysiphe* 59:27
sordida, *Lepista* 78: 6; 79: 6; 80: 10; 99: 37
sordida, *Phanerochaete* 95: 8
sordida, *Tomentella* 83: 1
sordida, *Valsa* 86: 24; 87: 22
sordidum, *Entoloma* 66: 11
sorghii, *Cercospora* 77: 21
sorghii, *Gloeocercospora* 77: 22
sorghii, *Peronosclerospora* 77: 21
sorghii, *Puccinia* 59:29
sorghicola, *Bipolaris* 77: 21
sorghicola, *Claviceps* 79: 10
sorghicola, *Ramulispore* 77: 21
sorghina, *Phoma* 57:29
spadicea, *Helvella* 51: 21; 58: 24; 89: 13
spadicea, *Lopharia* 66: 12; 69: 16; 75: 6-8; 95: 9
spadicea, *Psathyrella* 51:5; 69: 20
spadiceogrisea var. *mammifera*, *Psathyrella* 67: 15
spadiceo-grisea, *Psathyrella* 75: 7; 80: 10
spadiceum, *Lycoperdon* 86: 19
spadiceum, *Porostereum* 95: 9
spadiceus, *Xerocomus* 79: 7
sparassoides, *Peziza* 54:27
sparganioides, *Puccinia* 59:29
sparsa, *Microsphaera* 59:27
spathularia, *Dacryopinax* 59:29
spathulata, *Hyphodontia* 89: 3
speciosa, *Volvariella* 67: 17; 86: 18; 93: 29
speciosus, *Boletus* 74: 10
speciosus, *Hygrophorus* 99: 35, 40
spectabilis, *Gymnopilus* 69: 18; 84-85: 4; 93: 10
speirea, *Mycena* 99: 40
sphaericosporum, *Botryobasidium* 76: 1
Sphaeronaemella 90-91: 31
sphaeropsoidea, *Phyllosticta* 87: 20
sphaerospermum, *Cladosporium* 69: 25; 95: 15
sphaerospora, *Pseudorhizina* 51: 21; 54: 29; 58: 25, 28; 83: 9
sphaerospora, *Rhizina* 84-85: 55
sphaerosporum, *Haptocillium* 84-85: 44
sphaerosporum, *Verticillium* 84-85: 44
sphaerosporus, *Crepidotus* 93: 5
sphagneti, *Cortinarius* 84-85: 12
sphagneti, *Dermocybe* 56: 12; 84-85: 12, 13
sphagneti, *Lactarius* 94: 41, 49; 97: 42
sphagnicola, *Psathyrella* 98: 32
sphagnogena, *Dermocybe* 84-85: 12
sphagnophila, *Russula* 97: 42
sphinctrinus, *Panaeolus* 69: 20

spicatum, *Diploccodium* 78: 6
spicifera, *Bipolaris* 95: 15, 17
Spilocaea 97: 35
spilomeus, *Cortinarius* 98: 32
spinarum, *Phyllosticta* 87: 24
Spinellus 80: 21
spinifera, *Exophiala* 78: 22
spiniferum, *Melogramma* 53: 2, 5; 82: 9, 10
spinosa, *Eutypa* 82: 8, 10
spinosispora, *Tomentella* 98: 1
spinosum, *Acremonium* 96: 35
spinrigeroides, *Psathyrella* 94: 52
spinuloramigenum, *Penicillium* 83: 16
spinulosa, *Ramaria* 94: 43
spinulosum, *Penicillium* 83: 16; 94: 47
spinulosus, *Lactarius* 87: 7; 88: 9; 94: 41
spiralis, *Trichurus* 74: 21
spissa, *Amanita* 54: 26; 65: 25; 67: 8; 69: 17; 86: 15; 94: 31
spissicaulis, *Agaricus* 67: 8, 19
splendens, *Cortinarius* 74: 10; 99: 37
splendens var. *meinhardii*, *Cortinarius* 99: 35, 39
splendens, *Lamproderma* 80: 12
splendidissima, *Haasiella* 51: 21; 58: 24
splendidissima, *Heinemannomyces* 64: 29
splendidus ssp. *moseri*, *Boletus* 54: 28
spongiosa, *Tomentella* 92: 2
spongiosa ssp. *umbrinella*, *Tomentella* 74: 1
spongiosa subsp. *porulosa*, *Tomentella* 84-85: 21
spongiosipes, *Hydnellum* 62: 8, 9
Sporidesmium 94: 51
sporophleum, *Arthrinium* 99: 37
Sporothrix 70: 28; 86: 23; 87: 21; 90-91: 28, 29, 32, 34, 35
sporotrichoides, *Fusarium* 51: 16; 66: 19; 67: 23; 70: 15; 79: 11; 95: 15
sporotrichoides var. *tricinctum*, *Fusarium* 51: 16
Sporotrichum 78: 13
sporulosa, *Pezicula* 87: 21
sporulosum, *Coniothyrium* 95: 15, 17
Spumatoria 90-91: 28
spumosa, *Pholiota* 55: 9; 57: 5, 8; 90-91: 12, 13
squalens, *Dichomitus* 54: 4-7; 84-85: 28-31; 89: 8, 9, 12, 13; 94: 49
squamosa, *Stropharia* 51: 5; 69: 20
squamosum, *Hydnnum* 74: 6, 7
squamosus, *Polyporus* 79: 4; 86: 28; 88: 18; 97: 20
squamosus, *Sarcodon* 74: 5-7; 95: 33
squamulifer var. *squamulifer*, *Agaricus* 90-91: 49
squamuliferus, *Agaricus* 80: 9; 81: 9
squamulosa, *Clitocybe* 67: 9; 69: 17
squarrosa, *Pholiota* 52: 22; 55: 7; 57: 3, 6, 7; 69: 20; 78: 9, 10; 86: 17, 27; 88: 18
squarrosoides, *Pholiota* 55: 7; 57: 3, 7; 78: 7-11, VI/1, 2; 98: 32
squarrulosum, *Tricholoma* 99: 35, 38
stabilis, *Gymnopilus* 93: 14
stagnina, *Phaeogalera* 97: 42, 45; 98: 32
Stachybotrys 71: 31; 74: 18, 19, 21; 78: 12-14; 79: 12; 95: 14

Stachyomphalina 90-91: 20
stanekii, Tricholoma 55:26
stangiana, Rhodocybe 51: 22; 58: 25; 84-85: 55
Steccherinum 55:20; 56:1
steckii, Penicillium 64: 14; 83: 18
steidleri, Tremella 51: 21; 58: 26; 93: 17
stellae, Skeletocutis 58:13
stellare, Prosthemium 87: 21
stellariae, Septoria 55:29
stellatus, Sphaerobolus 67: 18; 69: 21; 71: 26; 74: 11; 99: 39
stellulata, Trechispora 97: 42
Stemphylium 64: 22; 78: 13
stenoceras, Ophiostoma 86: 23; 90-91: 35; 97: 46
stenocystis Crepidotus 93: 3, 5
stephaniae, Penicillium 83: 21
stephanocystis, Strobilurus 67: 17; 69: 20; 86: 17; 89: 10
stephensii, Zelleromyces 51:24; 58:26
stepposa, Agrocybe 51: 23; 58: 23; 84-85: 54
stercoreus, Coprinus 89: 9
stercoreus, Cyathus 86: 19, 20
stereoides, Datronia 69: 4
Stereopsis 99: 13
Stereum 99: 13, 14
Sterigmatomyces 64: 21
stevenii, Battarea 51: 24; 58: 23; 84-85: 55
stigma, Diatrype 53: 19; 69: 15; 71: 24, 26; 74: 3; 82: 8; 86: 12
Stigmina 86: 25; 87: 24
stilbostoma, Melanconis 71: 26; 86: 23
stillatus, Dacrymyces 55: 30; 69: 15; 75: 6; 79: 4; 80: 9; 86: 12, 25; 97: 38
stilton, Penicillium 83: 21
stipata, Hypodontia 71: 25
stipata, Mycena 82: 10; 88: 24
stipitaria, Crinipellis 89: 9
stiptica, Postia 67: 7; 86: 14
stipticus, Oligoporus 52: 22; 54: 29; 89: 10; 97: 20
stipticus, Tyromyces 52: 22; 54: 29
stipticus, Panellus 75: 7
stolonifer, Rhizopus 74: 19, 21; 92: 14; 95: 16
stoloniferum, Hysterangium 83: 28
stoloniferum, Penicillium 83: 19
stordalii, Galerina 51: 23; 58: 24; 84-85: 55; 94: 38
straminea, Floccularia 51: 22; 58: 24; 84-85: 55
strangulans, Balansia 59:28
streptocephala, Streptobotrys 59:30
striaepilus, Cortinarius 94: 49
striata, Inocybe 89: 9
striatisporum, Penicillium 83: 15
striatula, Gamundia 90-91: 23
striatum, Geastrum 53: 7; 59: 6; 79: 7; 87: 17; 89: 14
striatum, Stereum 59: 29
striatus, Cyathus 67: 18; 69: 21; 78: 6; 86: 19
stricta, Ramaria 71: 7-9; 99: 40
stricta var. concolor, Ramaria 94: 43

stricta var. stricta, Ramaria 94: 43
strictum, Acremonium 70: 28; 77: 22; 78: 12, 13; 95: 15
strigosum, Dinemasporium 71: 27
striipes, Pholiota 99: 35, 40
strobilaceus, Strobilomyces 69: 20
strobiliformis, Amanita 54:16; 62: 16; 77: 6; 79: 5; 83: 12; 87: 16; 97: 30
strobilinus, Sirococcus 86: 25
Strobilurus 87: 1, 2
Strongwellsea 99: 30
Stropharia 87: 27; 97: 45
strophosum, Hebeloma 67: 11
stuposa, Tomentella 92: 4
stylobates, Mycena 80: 10
stypticus, Panellus 67: 14; 69: 19; 71: 26
suaveolens, Clitocybe 67: 9; 69: 17
suaveolens, Cortinarius 67: 10, 19
suaveolens, Hydnellum 62: 7; 87: 6, 11; 96: 30
suaveolens, Penicillium 83: 21
suaveolens, Puccinia 77: 19
suavissima, Psathyrella 53:28
suavissimus, Lentinus 82: 12, 15, 16; 84-85: 57; 95: 32; 98: 32
subacida, Perenniporia 90-91: 18
subalpinus, Hydroporus 87: 8; 88: 14; 94: 15, 16, 18, 39, 53; 95: 32; 97: 41; 98: 32
subappendiculatus, Boletus 53:26
subarctica, Clavulinopsis 51: 19; 58: 27
subarctica, Ramaria 51: 19; 58: 27
subarctica, Ramariopsis 51: 19; 58: 27; 84-85: 55; 94: 38
Subbaromyces 90-91: 28
subbotrytis, Ramaria 87: 6, 13; 94: 43
subcaesia, Postia 52: 5-7; 54: 29; 84-85: 49
subcaesius f. minor, Tyromyces 52:5,7
subcaesius, Oligoporus 52: 5-7; 54: 29; 97: 15
subcaesius, Tyromyces 52: 5-7; 54: 29
subcalcicola, Tomentella 83: 1, 3
subcervina, Tomentella 77: 1, 3
subcinearum, Penicillium 83: 15
subcinerascens, Tomentella 77: 3
subcinnamomeus, Cortinarius 84-85: 8
subclavata, Galerina 94: 38
subcompacta, Russula 67: 16, 19
subcoronatum, Botryobasidium 87: 15
subdecurrens, Ramaria 69: 7, 10
subdulcis, Lactarius 67: 12; 69: 19; 78: 6; 86: 18
subeffusa, Phyllosticta 59:30
subepibryus, Crepidotus 93: 4, 6
subfuliginosa, Hymenochaete 54: 29; 78: 7
subfusisporum, Hypoloma (Galerina) 82: 10; 94: 49
subgiganteus, Tyromyces 90-91: 18
subglobispora, Hygrocybe 79: 5
subglutinans, Fusarium 57: 29; 60: 13; 66: 18; 67: 21; 70: 14; 71: 21; 79: 11; 95: 15
subhyalinum, Myxarium 62: 1-3
subimmaculata, Hemimycena 94: 7, 10
subincarnata, Incrustoporia 55:20

subincarnata, *Lepiota* 84-85: 49
subincarnata, *Skeletocutis* 54:29; 55:19; 58:13,15
subinclusa, *Anthracoidea* 98: 25
sublaterinum, *Penicillium* 83: 16
sublateritium, *Hypholoma* 67: 11; 69: 18; 86: 16; 99: 39
sublilacina, *Tomentella* 68: 10; 81: 4, 18; 88: 4
submollis, *Pseudotomentella* 76: 1
submollis, *Tomentella* 76: 1
submollis, *Tomentellopsis* 61: 1; 76: 1-4; 96: 3
submollis f. *immaculata*, *Tomentellopsis* 76: 2
submollis f. *submollis*, *Tomentellopsis* 76: 2
subochracea, *Phlebia* 97: 42; 57:5,7; 88: 24, 27
subpediades, *Agrocybe* 89: 8
subrubiginosa, *Tomentella* 83: 1
subrufa, *Ceriporiopsis* 90-91: 19
subsertipes, *Cortinarius* 67: 10, 19
subsphaerosporus, *Crepidotus* 93: 6; 94: 18; 97: 38
subsphaerosporus, *Gymnopilus* 77: III/1; 93: 11
substellata, *Hemimycena* 94: 6, 8, 10
substrangulata, *Hygrocybe* 95: 32
subsulphureum, *Amylocorticum* 89: 1, 6
subtestacea, *Tomentella* 86: 3
subtile, *Penicillium* 83: 16
subtilis, *Crepidotus* 93: 7
subtilis, *Hemimycena* 94: 5
subtilis, *Ramaria* 94: 43
subtomentosa, *Crinipellis* 54: 27; 68: 14
subtomentosum, *Stereum* 56:15-17; 60: 29; 75: 8; 82: 9
subtomentosus, *Xerocomus* 67: 17; 69: 21; 79: 7; 86: 15; 87: 17; 89: 11; 98: 35
subtortus, *Cortinarius* 97: 42
subulatus, *Eleutheromyces* 59:30
subumbonatus, *Lactarius* 78: 7
subverrucisporus, *Crepidotus* 93: 4, 7, 8
subviride, *Hypholoma* 82: 10; 89: 9, 12; 94: 16, 18
succosella, *Peziza* 55:30
sudum, *Tricholoma* 67: 29; 89: 11-13; 94: 49
suecica, *Lachnellula* 55:30
suecica, *Ramaria* 71: 9
suffusa, *Ophiovalsa* 87: 21
suchlasporia var. *catenata*, *Pochonia* 84-85: 44
suchlasporia var. *suchlasporia*, *Pochonia* 84-85: 44, 46
suchlasporium, *Verticillium* 84-85: 44
suchlasporium var. *catenatum*, *Verticillium* 84-85: 44
suillus, *Cortinarius* 69: 18
sulcata, *Acetabula* 59:15
sulcata, *Laurilia* 51:21; 58:25
sulphureum, *Lachnum* 74: 10
sulphureum, *Tricholoma* 52: 24; 67: 17; 86: 18; 89: 11; 95: 24
sulphureus, *Laetiporus* 52: 22; 69: 16; 75: 7; 79: 4; 86: 27; 88: 17; 92: 15; 97: 16; 99: 39
sumatrense, *Penicillium* 83: 16
sumptuosa, *Simocybe* 84-85: 49; 94: 15, 18
supravolvata, *Amanita* 55:2
surrecta, *Volvariella* 70: 9, 10

swartzii, *Omphalina* 94: 2
swartzii, *Rickenella* 76: II/1, 2
swiecickii, *Penicillium* 83: 17
swinglei, *Peronospora* 74: 30
sydowiana, *Rutstroemia* 54:8
sydowianum, *Poculum* 55:30
sydowii, *Aspergillus* 70: 11
sylvae-norvegicae, *Cortinarius* 84-85: 18
sylvaticus, *Agaricus* 86: 15; 87: 16
sylvicola, *Agaricus* 82: 10
symphyti, *Thecopsora* 71: 25
symphyti, *Thekopsora* 98: 24
symphyti-bromorum, *Puccinia* 55:30
Syncephalastrum 63: 7; 64: 13; 78: 12; 95: 14
syncocca, *Urocystis* 55:30.
syriacum, *Penicillium* 83: 15
szaferi, *Penicillium* 83: 19

T

tabacina, *Hymenochaete* 86: 5-7; 90-91: 8; 94: 46
tabacina, *Tomentella* 96: 1
tabacinus f. fulvorubella, *Hypochnus* 96: 1
tabacinus f. saxicola, *Hypochnus* 96: 1
tabacinus, *Hypochnus* 96: 1
tabescens, *Penicillium* 83: 19
Talaromyces 64: 22
tamaricis, *Inonotus* 95: 4. str. obálky (bar. foto), 8
tamarii, *Aspergillus* 66: 14; 78: 12; 79: 19
tanaceti, *Puccinia* 55:29
tangae, *Coleosporium* 99: 32
tannophagum, *Penicillium* 83: 16
Taphrina 75: 29
Tapinella 97: 8, 11
taraxaci, *Synchytrium* 55:29
tardum, *Hydnellum* 62: 8
tardum, *Penicillium* 83: 23
Tarichium 99: 30
tatrensis, *Hemimycena* 94: 5
Taxomyces 92: 27
telekiae, *Coleosporium* 90-91: 25
tenacellus, *Strobilurus* 67: 17; 75: 8; 79: 6; 86: 17
tenebrosa, *Pseudotomentella* 72: 3, 4
tenellum, *Mycocoicum* 76: 4
tenera, *Conocybe* 67: 10; 74: 13; 79: 5; 80: 9; 82: 10
tenerum, *Verticillium* 84-85: 38
tenuiparietalis, *Marasmius* 58: 5; 89: 4
tenuipes, *Acremonium* 84-85: 42
tenuipes, *Clavaria* 90-91: 11
tenuipes, *Lecanicillium* 84-85: 42
tenuipes, *Verticillium* 84-85: 42
tenuissima, *Alternaria* 95: 15, 17
Tephrocybe 97: 45

tephroleuca, Postia 56: 15; 75: 7; 93: 18, 19
tephroleucus, Oligoporus 84-85: 49; 97: 15
tephrophylla, Psathyrella 99: 36
teplicensis, Marasmius 58:8
terginus, Gymnopilus 61: 7-9
terlikowskii, Penicillium 83: 16
terpsichores, Cortinarius 99: 35, 37
terraconense, Penicillium 83: 20
terrei, Cystoderma 72: 10; 86: 16
terrestre, Chromelosporium 89: 2
terrestre, Penicillium 83: 19
terrestris, Thelephora 59: 29; 67: 7; 69: 17; 78: 6, 7; 86: 14; 87: 16; 89: 11; 98: 14
terrestris, Tomentella 74: 1-4
terrestris, Zygodesmus 74: 1
terreum, Tricholoma 67: 17; 79: 7; 86: 18
terreus, Aspergillus 100: 1. str. obálky (bar. foto), 56; 65: 22; 70: 11; 78: 12-14
terreyi, Cystoderma 67: 10
terricola, Crepidotus 93: 7
terricola, Hypoxylon 92: 27
terricola, Tolypocladium 99: 30, 31
terrigena, Inocybe 67: 12, 19
tessulatus, Hypsizygus 94: 49
testaceogilva, Tomentella 88: 1-6; 4. str. obálky (bar. foto)
testaceum, Hebeloma 67: 11
tetranychi, Triplosporium 99: 30, 32
tetrasperma, Gelasinospora 86: 23
teutoburgensis, Athelia, Corticum, Hyphoderma, Radulomyces 54:1-3
texense, Vascellum 51:13
Thanatephorus 71: 29
theiogalus, Lactarius 67: 12; 69: 19
Thelephora 96: 1
Thielaviopsis 90-91: 32
thomii var. flavescens, Penicillium 83: 16
thomii, Citromyces 83: 16
thomii, Penicillium 65: 19; 83: 16
thompsonii ("thompsoni"), Antrodiella 55:20
thomsonii, Pluteus 87: 5; 94: 15, 18, 42
thuretiana, Exidia 97: 41
tigrinus, Lentinus 74: 10
tigrinus, Pleurotus 68: 6
tiliae, Apiognomonia 86: 22; 87: 19
tiliae, Exosporium 55:29
tiliae, Gloeosporium 86: 22; 87: 19
Tilletia 96: 34; 100: 15, 22
tintinabulum, Mycena 69: 19; 87: 17
titubans, Bolbitius 74: 13
Tolypocladium 94: 47; 99: 30
Tomentella 68: 8; 81: 4; 86: 1; 88: 3, 6; 92: 1; 98: 1, 4
Tomentellastrum 84-85: 22, 23; 98: 1
Tomentellopsis 61: 1; 76: 2; 83: 1; 90-91: 1; 96: 1, 3
tomentosa, Crinipellis 68: 14
tomentosae, Anthracoidea 98: 26
tomentosus, Phellodon 62: 6

tormentillae, Frommeella 59:28
torminosus, Lactarius 56: 14; 67: 12; 69: 19; 79: 6; 86: 18; 87: 16; 90-91: 11; 99: 39
torquescens, Marasmius 58:9
Torrubiella (etiam Torubiella) 84-85: 41, 43
tortilis, Laccaria 84-85: 49
tortuosa, Hemimycena 94: 6
Torula 78: 12, 13
Torulopsis 57:22,23
torulosus, Phellinus 64: 6, 7, 10; 74: 25; 75: 7; 95: 8
torvus, Cortinarius 69: 18
tosquinetii, Taphrina 71: 24
toxicarum, Penicillium 83: 15
trabutii var. longisporus, Marasmiellus 65: 5
trabutii var. trabutii, Marasmiellus 65: 4
tragopogonis, Albugo 77: 19
tracheiphila, Pseudopezicula 93: 20
trachyspora, Lindtneria 67: 1; 79: 1, 2
Trametella 78: 3
Trametes 54: 5; 78: 4, 5; 90-91: 18; 95: 33; 97: 40, 41
transmutans, Parmastomyces 90-91: 18
Trapeliopsis 100: 5, 16
Treichispora 58:17,22
Tremella 93: 17; 98: 32
Tremelodendropsis 99: 14
tremellosa, Phlebia 55:30; 59:29; 67: 7; 75: 7; 78: 7
tremellosus, Merulius 69: 16; 78: 7; 86: 13; 99: 36, 39
tremulæ, Marasmius 58:5
tremulæ, Phellinus 64: 6, 11
Tricladium 100: 5
tricolor, Leucopaxillus 51: 29
tricolor, Daedaleopsis 52: 2-4
tricolor, Marasmiellus 69: 19; 89: 10, 12, 13
tricolor var. graminis, Marasmiellus 65: 4; 80: 10,12
tricolor var. tricolor, Marasmiellus 65: 4, 5
tricolor, Penicillium 83: 22
tricorpus, Verticillium 84-85: 38
tridentinus, Suillus 52: 23; 54: 18, 28; 82: 19
trifolii, Polythrinicum 55:30
Trichoderma 57: 27; 64: 22; 70: 29; 72: 18, 24; 74: 19, 21, 22; 78: 13; 84-85: 39; 92: 13; 95: 12, 14
Trichoglossum 98: 8, 9, 15
Tricholoma 84-85: 52; 95: 22
tricholoma, Ripartites 67: 15; 69: 20; 78: 6; 86: 17; 99: 37
Trichophyton 61: 18; 70: 28; 78: 23
Trichosporon 61: 17; 70: 28
trichostoma, Pyrenophora 71: 24
Trichothecium 64: 13; 95: 12, 14
Trimmatostroma 94: 50
triplex, Geastrum 51: 5; 53: 9, 23; 55: 26; 59: 6; 84-85: 31; 87: 17; 99: 38
triquetrus, Uromyces 59:29
Triscelophorus 78: 6
triscopa, Galerina 69: 18; 82: 10; 94: 18
triste, Entoloma 52:1,2

tristis, Nolanea 52:1
tristis, Pseudotomentella 72: 3; 81: 4
tristis, Tomentella 98: 2, 3
tritici, Ustilago 52:21
trivialis, Cortinarius 52: 24; 86: 16; 90-91: 11
trivialis, Lactarius 64: 28
trivialis, Phellinus 97: 20; 99: 40
trogii, Coriolopsis 84-85: 49
trogii, Funalia 80: 17
trogii, Podofomes 71: 4, 5
trogii, Trametes 73: 10, 13; 78: 1-5; 86: 6; 95: 32; 97: 23
tropicalis, Candida 78: 21, 24
truncata, Exidia 69: 15; 86: 12; 99: 16, 18
truncata, Rhodocybe 54:18; 67: 15
truncigena, Gylecta 73: 16
truncorum, Vibrissa 51: 20; 58: 26; 84-85: 55; 87: 7; 88: 12; 94: 41
trzebinskianum, Penicillium 83: 15
trzebinskii, Penicillium 83: 16
trzebinskii var. magnum, Penicillium 83: 16
tschulymica, Skeletocutis 58:13,15
tsugae, Phellinus 90-91: 19
tubaefornis, Cantharellus 86: 13; 99: 40
tubaria, Dermocybe 84-85: 12
tubarius, Cortinarius 84-85: 6, 12; 97: 42
Tuber 54: 19; 77: 5, 9
tuberaster, Polyporus 79: 4
tuberculata, Phanerochaete 66: 13
tuberculatum, Phragmidium 98: 22
Tuberculina 94: 29
tuberculosa, Pachykytospora 60: 29; 69: 16; 94: 49; 97: 41, 42
tuberculosa, Pholiota 55: 7, 8; 57: 4, 10; 84-85: 49
tuberculosus, Phellinus 64: 6, 11; 78: 6; 86: 13; 95: 10, 11
tuberiformis, Melanogaster 51:24; 58:25
tuberosa, Collybia 56:12; 61: 7
tubingensis, Aspergillus 65: 21, 22
tubulina, Camarops 51: 20; 58: 27; 74: 16, 17; 84-85: 55; 90-91: 53; 94: 13, 15, 18, 47; 95: 32; 96: 35; 97: 41
tuckeri, Oidium 93: 20
tulasnei, Hydnotria 69: 15
tulasnei, Hydnotrya 94: 49
Tulasnella 71: 29
tulasnelloides ("tulasneoides"), Phlebiella 57:30
Tulostoma 53:28
turbatum, Penicillium 64: 14; 83: 16
turbidum, Entoloma 99: 36
turcica, Trichometasphaeria 77: 21
turcicum, Excerohilum 77: 21
turcicum, Helminthosporium 77: 21
turficola, Gymnopilus 93: 12
turficola, Psilocybe 95: 32
turolense, Penicillium 83: 18
turpis, Lactarius 79: 6; 87: 16; 89: 9.
turunda, Hygrocybe 94: 38; 98: 9, 10, 12

tussilaginis, Coleosporium 59:28
typhina, Epichloe 55: 29; 59: 28; 71: 24
Typhula 65: 24
Tyrannosorus 75: 29
Tyromyces 97: 15

U

uda, Mollisia 71: 24
ulaiense, Penicillium 83: 21
uliginosa, Dermocybe 84-85: 11; 87: 8; 88: 13
uliginosus, Cortinarius 84-85: 4; 94: 49
uliginosus var. (f.) luteus, Cortinarius 84-85: 4, 12, 19
uliginosus var. obtusus, Cortinarius 84-85: 11, 12
uliginosus var. uliginosus, Cortinarius 84-85: 11, 12
uliginosus, Panaeolus 51:23; 58:25
ulmariae, Triphragmium 76: 13; 98: 24
ulmarium, Lyophyllum 79: 6
ulmi, Ophiostoma 90-91: 33, 34
ulmicola, Inonotus 55:13-16
Ulocladium 64: 13; 74: 19; 78: 22
ultimum var. ultimum, Pythium 74: 29
umbellatus, Dendropolyporus 69: 16
umbellatus, Polyporus 94: 31
umbelliferarum, Plasmopara 71: 23
umbonata, Melanconis 87: 21
umbonata, Pseudovalsa 87: 21
umbonatum, Tricholoma 67: 29
umbrinella, Clavulinopsis 96: 35
umbrinella, Discula 88: 34; 92: 14
umbrinella, Tomentella 74: 1
umbrinum, Lycoperdon 56: 14; 86: 19
umbrosus, Pluteus 94: 15, 16, 18, 43, 53; 99: 35, 39
uncinatum, Coniosporium 72: 25
underwoodii, Sarcodon 62: 11
undosus, Oligoporus 94: 41
undulata, Cotylidia 59:29
undulata, Rhizina 87: 15; 69: 20; 86: 19
undulatus, Marasmius 58:9
unicolor, Cerrena 69: 16; 79: 4; 82: 10; 87: 15
unicolor, Galerina 67: 11
Uniparietina 80: 20
uredinis, Kuehneola 55:30
Uromyces 100: 5
ursinus, Lentinellus 73: 7, 13; 87: 6, 11; 95: 32
urticae, Aporhytisma 71: 26
urticae, Cylindrocolla 71: 26
urticae, Penicillium 51:17; 83: 20
urticata var. biporula, Pucciniastrum 90-91: 27
urticata, Puccinia 98: 24
ustale, Tricholoma 69: 20; 86: 18; 99: 38
Ustulina 88: 33
ustus, Aspergillus 74: 19, 20, 22; 78: 12, 13

utricularis, Badhamia 57: 13-15, 18, 19; 86: 11
utriculosa, Ustilago 59:29.
utriformis, Calvatia 67: 18; 86: 19; 98: 14
uvicola, Greeneria 93: 20
uvidus, Lactarius 69: 19; 97: 42

V

vaccaeorum, Penicillium 83: 15
vaccinii, Exobasidium 55: 29; 59: 29; 71: 25
vaccinii, Microsphaera 59:28
vaccinii, Naohidemyces 90-91: 26
vaccinii, Pucciniastrum 59:29
vaccinum, Tricholoma 99: 37
vaga, Trechispora 99: 37
vagabunda, Phlyctema 55:30
vaginata, Amanita 67: 8; 69: 17 ; 79: 5; 86: 15; 89: 8
vaillantii, Fibroporia 58:14
vaillantii, Marasmiellus 65: 6; 80: 10; 89: 10
valentinum, Penicillium 83: 16
validus, Paxillus 97: 8
vanbruntiana var. sambuci-racemosae, Microsphaera 55:30
vanbruntiana, Microsphaera 59:28
vanilliae, Penicillium 83: 23
vankyi, Anthracoidea 96: 35
varia, Trichia 57:13,17,18
variabile, Penicillium 83: 20, 23
variabile, Trichoglossum 98: 15, 18, 19; 4. str. obálky (bar. foto)
variabilis, Crepidotus 69: 18; 86: 16; 93: 2, 6
variabilis var. subsphaerosporus, Crepidotus 93: 6
variabilis var. trichocystis, Crepidotus 93: 4, 6
variabilis var. variabilis, Crepidotus 93: 4, 6
variabilis, Puccinia 76: 13
varians, Penicillium 83: 23
Varicosporium 100: 5; 78: 6
variecolor, Cortinarius 94: 49
variegatus f. monticola, Boletus 52:17
variegatus, Melanogaster 62: 16
variegatus, Suillus 86: 15; 93: 29; 99: 37
variicolor, Bolbitius 80: 9
variicolor, Leccinum 86: 14; 87: 17; 97: 42
variottii, Paecilomyces 78: 12, 13
variseptata, Trechispora 90-91: 1
varius var. nummularius, Polyporus 67: 7
varius, Cortinarius 87: 16
varius, Polyporus 69: 17; 75: 7; 97: 20
Vascellum 51:12,13
vasconiae, Penicillium 83: 18
vasinfecta var. africana, Neocosmospora 96: 35
vastatrix, Hemileia 78: 18
velenovskyi, Crepidotus 93: 7
velenovskýi, Entoloma 52:1
velenovskyi, Russula 79: 6

vellereum, Hypochnicium 97: 36
vellereus, Lactarius 67: 13; 69: 19; 79: 6; 86: 18; 87: 16
velutina, Lacrymaria 78: 7; 99: 38
velutina, Omphalina 80: 10
velutina, Phanerochaete 71: 26; 73: 11, 13
velutina, Psathyrella 89: 10; 98: 14
velutinum, Penicillium 83: 18
velutipes, Flammulina 52: 21; 69: 18; 79: 5; 86: 16; 99: 38
venenatum, Fusarium 71: 22
veneta, Apiognomonia 87: 19
venetum, Penicillium 83: 22
venosa, Disciotis 87: 5, 10; 94: 40
venosus, Craterellus 69: 16
venosus, Choiromyces 67: 5; 69: 15
ventalloi, Marasmius 58:8
ventriospora, Lepiota 67: 13; 69: 19; 99: 36
ventruosum, Penicillium 83: 21
Venturia 75: 29
vepallidospora, Pseudotomentella 80: 2; 95: 3
vepris, Cryptodiaporthe 55:30
Veramyces 55:4
vermicularis, Clavaria 69: 16
vermicularis, Clitocybe 67: 9
vermifera, Exidiopsis 70: 6
vermifera, Sebacina 70: 5, 6
vermifera, Serendipita 70: 5-8
verna, Collybia 51: 28; 87: 1. str. obálky (bar. foto), 2. str. obálky, 1-3
vernalis, Paxillus 97: 10
vernus, Entoloma 67: 11; 69: 18; 86: 16
vernus, Hymenoscyphus 67: 5
verrucaria, Myrothecium 87: 23
verrucipes, Melanoleuca 74: 8
verrucosa, Phialophora 78: 22
verrucosum ("veruccosum"), Penicillium 56: 8; 57: 28; 65: 20; 66: 19; 70: 13; 79: 10, 17; 83: 21; 92: 27
verrucosum var. corymbiferum, Penicillium 83: 20
verrucosum var. cyclopium strain ananas-olens, Penicillium 83: 20
verrucosum var. cyclopium, Penicillium 51:16
verrucosum var. cyclopium, Penicillium 83: 18
verrucosum var. melanochlorum, Penicillium 83: 21
verrucosum var. ochraceum, Penicillium 83: 19
verrucosum var. verrucosum, Penicillium 68: 18
verrucosum, Scleroderma 67: 18; 69: 21; 78: 7
verrucosum, Trichophyton 72: 25
versicolor, Aspergillus 64: 12; 65: 22; 68: 18, 19; 69: 23, 25; 70: 11; 74: 19, 20, 22; 78: 11-14
versicolor, Propolis 55:29
versicolor, Trametes (Coriolus) 86: 14; 87: 88: 29-31; 16; 89: 11; 90-91: 18; 67: 7; 69: 17; 71: 26; 75: 8; 78: 6, 7; 79: 4; 97: 20, 23; 99: 38, 39
versipellis, Sarcodon 62: 10
versutus, Crepidotus 93: 3, 7, 8
versutus var. subglobisporus, Crepidotus 93: 7
Verticicladia 90-91: 31
verticillioides, Fusarium 59: 8; 95: 15

verticillioides, Oospora 60:12
Verticillium 64: 22; 71: 31; 74: 21; 84-85: 38-41, 45-47; 95: 12, 14
vesca, Russula 67: 16; 69: 20; 78: 7; 79: 6; 86: 12, 19; 94: 31; 99: 40
vesiculosha, Tomentella 98: 1
vesiculosum, Penicillium 83: 21
vesparium, Metatrachia 71: 25, 27
vestita, Fenestella 86: 23
veterosa, Russula 98: 32
vibecina, Clitocybe 67: 9; 69: 17; 86: 15; 89: 8
viburni, Coleosporium 59:28
viburni, Plasmopara 59:27
victoriae, Penicillium 83: 17
vietus, Lactarius 86: 18
villosa, Lachnella 71: 24
vinaceipes, Ramaria 69: 7, 10
vinaceum, Penicillium 83: 16
vinosa, Russula 67: 16; 69: 20; 89: 10
vinosulus, Boletus 87: 25
violacea, Ustilago 59:29
violaceofulvus, Panellus 94: 49
violaceo-fusca (etiam violaceofusca), Tomentella 81: 4, 7; 88: 4; 92: 4
violaceum, Microbotryum 90-91: 26; 98: 21
violaceus, Cortinarius 51:30; 86: 16, 19
violaceus, Hypochnus 80: 4
violae, Puccinia 59:29
viola, Hypochnella 80: 4-6, bar. foto na 4. str. obálky
violascens, Bankera 62: 5
violea, Tulasnea 80: 5
virescens, Chloridium 78: 7
virescens, Penicillium 83: 21
virescens, Russula 69: 20; 79: 6; 86: 19; 87: 17
virgae-aureae, Puccinia 98: 24
virgata, Puccinia 59:29
virgatocutis, Marasmiellus 65: 4
virginea var. fuscescens, Hygrocybe 99: 38
virginea, Hygrocybe 89: 9
virgineum, Lachnum 71: 24; 82: 10
virgineus, Camarophyllum 67: 9; 78: 6; 86: 15
virgineus, Hygrophorus 80: 9
viride, Corticum 61: 2
viride, Microglossum 51: 20; 58: 25, 28; 94: 40, 41; 96: 14-16, 19
viride, Trichoderma 74: 21; 78: 7, 12, 14; 94: 47
viridicatum, Penicillium 56: 8; 65: 20; 83: 21
viridicyclonium, Penicillium 83: 19
virididorsum, Penicillium 83: 16
viridilutescens, Tricholoma 87: 7; 88: 12
viridimarginata, Mycena 88: 20
viridis, Athelia 61: 2
viridis, Peckialla 86: 12
viridi-tingens, Septoria 59:30
virido-albus, Citromyces 83: 15
virido-albus, Penicillium 83: 15
viridula, Tomentella 86: 3

virosa, *Amanita* 88: 21, 27; 89: 8
visci, *Sphaeropsis* 55: 30; 71: 27
viscida, *Russula* 51: 23; 58: 26; 84-85: 49; 88: 25, 27; 99: 35, 38
viscidus, *Suillus* 52: 23; 67: 17, 29; 79: 7; 87: 17; 99: 38
viscidus var. *brunneus*, *Suillus* 67: 29
viscosa, *Calocera* 67: 6; 69: 15; 86: 12; 87: 15; 99: 37
viscosa, *Mycena* 78: 6
vitale, *Penicillium* 83: 17
vitellina, *Cotylidia* 99: 13
vitellina, *Sistotrema* 99: 13
vitellina, *Stereopsis* 99: 13-15
vitellina, *Thelephora* 99: 13
vitellinus, *Bolbitius* 67: 8; 69: 17; 74: 13; 78: 6; 80: 9; 86: 15
viticola, *Phaeoacremonium* 93: 23
viticola, *Phellinus* 64: 6, 7, 11; 88: 20; 90-91: 18; 93: 23; 97: 38
viticola, *Phomopsis* 93: 20-22, 27; 94: 52
viticola, *Plasmopara* 59: 27; 93: 20
vitilis, *Mycena* 67: 14; 75: 7; 78: 6; 99: 38
vitrea, *Mycena* 67: 14
vitreus, *Physiosporinus* 56: 14; 90-91: 17; 97: 19-21
vitreus, *Rigidoporus* 51: 6
vittadinii, *Amanita* 51: 22; 58: 23; 83: 11; 84-85: 55
vittaformis, *Galerina* 99: 36
vittiformis, *Galerina* 89: 9
vogesiaca, *Pseudoplectania* 53: 2, 3, 5; 94: 39
volemus, *Lactarius* 52: 23; 69: 19; 83: 29
volgaense, *Penicillium* 83: 21
Volvariella 56: 23; 70: 9
vorax, *Phellinus* 52: 14; 64: 6, 11
vošoustii, *Coprinus* 67: 26
Vuilleminia 97: 1; 99: 1
vulgare, *Auriscalpium* 67: 6; 79: 4; 86: 13; 89: 8; 99: 36
vulgare, *Coremium* 83: 20
vulgaris, *Acetabula* 59: 15
vulgaris, *Disculina* 87: 21
vulgaris, *Hymenogaster* 51: 24; 58: 24
vulgaris, *Mycena* 67: 14
vulgaris, *Skeletocutis* 97: 42
vulgaris, *Tubercularia* 56: 14; 59: 30; 71: 25, 27; 82: 10; 86: 12, 23; 87: 21; 99: 39
vulpinum, *Coremium* 83: 21
vulpinum, *Penicillium* 70: 28; 69: 23, 25; 83: 21
vulpinus, *Lentinellus* 94: 49

W

wagneri, *Leptographium* 90-91: 34
Waitea 71: 29
wakefieldiae, *Crepidotus* 93: 5
waksmanii, *Penicillium* 83: 18
waldsteiniae, *Puccinia* 59: 29
waldsteiniae, *Ustacystis* 59: 29
wallacei, *Simplicillium* 84-85: 43
wallacei, *Torubiella* 84-85: 43

Wallemia 95: 14
warnieri, Lenzites 97: 41
weidemannii, Penicillium 83: 21
weidemannii var. fuscum, Penicillium 83: 21
welwitschii, Geastrum 53:8
wentii, Aspergillus 74: 19, 20, 22; 78: 12, 13
westlingii, Penicillium 83: 18
wettsteinii, Marasmius 58: 3; 67: 14
Wickerhamia 64: 21
wyethiae, Didymaria 59:30
wynneae, Marasmius 90-91: 45
wynnei, Marasmius 58: 8, 10; 67: 14; 69: 19; 74: 13; 80: 10; 89: 10; 90-91: 45

X

anthii, Puccinia 59:29
xanthoderma (xanthodermus), Agaricus 67: 8;69: 17; 75: 6; 79: 5; 87: 16;93: 30
xanthodermus var. griseus, Agaricus 80: 9
xanthoparmeliae, Weddellomyces 74: 30
xanthophylla, Collybia 82: 5
xanthophyllum, Callistosporium 82: 5, 6
xerampelina, Russula 67: 16
Xeromphalina 66: 29; 82: 1, 4
xerophila, Gamundia 90-91: 23
xerophilum, Penicillium 65: 20
Xerula 62: 27
Xerulina 62: 27.
Xylaria 77: 13; 88: 33
yarmokense, Penicillium 83: 16
yezoense, Penicillium 83: 16

Z

acinthae, Penicillium 83: 22
Zebrinella 80: 20
zeosporum, Haptocillium 84-85: 44
zeosporum, Verticillium 84-85: 44
zeosporus, Acrostalagmus 84-85: 44
zephyrus, Mycena 67: 14; 86: 17; 99: 37, 39, 40
zonalis, Rigidoporus 51:6-10.
zonata, Crinipellis 68: 14
zygodesmoides, Hypochnus 96: 1
zygodesmoides, Pseudotomentella 96: 1
zygodesmoides, Thelephora 96: 1
zygodesmoides, Tomentellopsis 61: 1; 76 :2; 96: 1-5